



POPULAR
PARTS
GUIDE




BettsHD[®]

Spray Suppression
Solutions



BettsHD[®]
Parts for the Long Haul[®]

SPRAY SUPPRESSION SOLUTIONS



Your Single Source for Spray Suppression Solutions

Unparalleled Quality • Competitive Pricing • Made in the USA

Quality, Reliability, Value Intersect Here

BettsHD provides the most comprehensive selection of spray suppression products backed by exceptional delivery times and responsive customer service.

This easy-to-use guide contains our most popular products in four product quadrants:

- Mud flap hangers
- Quarter fenders
- Poly fenders
- Metal Fenders

This is just a sampling of our value added products; to see all the options available through BettsHD, visit our interactive, dynamic online catalog at BettsHD.com. You'll find a full array of our products as well as custom design and manufacturing services.

If you don't see what you need, just ask – BettsHD is constantly developing and refining products, addressing customer needs and custom-designing new solutions. We continuously improve the range, quality and value of our product line, adding new products that are backed by focused marketing, extended customer support and streamlined business processes.

It's never been so easy to locate and order every one of our spray suppression products!

Why BettsHD?

Comprehensive product offering

Improving the Way Things Move® is part of everything we do – it is the foundation of who we are. Our range of products is tailored for heavy duty, over-the-road, municipal, intermodal, off-road, you name it, we've got it (or can design and make it!). Our product line breadth and depth is unparalleled – no other spray suppression supplier affords the depth of products offered by BettsHD.

Unequaled quality

Only BettsHD has invested in processes and systems to earn the highest level of quality certifications, including ISO 9001:2008 and TS 16949:2009. We've earned ultimate quality recognition from our customers, including Daimler Trucks North America and PACCAR. No other spray suppression provider can match our certifications or quality awards.

Dynamic new online catalog

Whether you want to check out the full breadth and depth of our product line or are interested in a single product for a particular application, you'll find our new online catalog was created just for you. Search by part type, orientation, material and other key product attributes.

Product Listing:

Bar Type Mud Flap Hangers / Straight	2
Bar Type Mud Flap Hangers / Angled Down	4
Bar Type Hanger Accessories	6
Conspicuity Solutions	7
Spring Loaded Mud Flap Hangers	8
DirectFlex® Mud Flap Retention System	10
Quarter Fenders	12
Poly Fenders	14
Metal Fenders	16
Custom Products	20
SMART™ Part Ordering System	
Spring Loaded Mud Flap Hangers	22
Quarter Fenders	23
Fender Mounting Kits	24
Fender Mounting Tubes	24

BAR TYPE MUD FLAP HANGERS

STRAIGHT BAR



A25RL

- Heavy duty .640" square spring steel
- Nominal length - 29.750"
- Unhanded design fits left or right
- Individual mud flap hanger

HDetail

THIS TOP SELLING
MUD FLAP HANGER IS
ONE OF OUR BEST "BETTS."

BUY ONE OR A BARRELFUL

A25RLB40 BULK DISPLAY

- Attractive POP display barrel
- Heavy duty .640" square spring steel
- Nominal length - 29.750"
- Unhanded design fits left or right
- Barrel contains 40 A25RL mud flap hangers



A25RLB90 BULK DISPLAY

- Attractive POP display barrel
- Heavy duty .640" square spring steel
- Nominal length - 29.750"
- Unhanded design fits left or right
- Barrel contains 90 A25RL mud flap hangers



For more options, check out our interactive online catalog!

FEATURED PRODUCT


For the price minded buyer, the BettsHD A25RL is the industry standard on virtually every truck manufactured in North America and without question the workhorse in the heavy-duty trucking world.

HDdetail

ALL BETTSHD HANGERS ARE SHOT PEENED AND PAINTED TO ENSURE LONG LIFE.



HANGER KITS / UPGRADES




B25

- Heavy duty .640" square spring steel
- Nominal length - 29.750"
- Unhanded design fits left or right
- Boxed kit contains two (2) A25RL hangers, two (2) B711 mounting brackets and all mounting hardware




B82

- Extra heavy duty .750" square spring steel
- Nominal length - 29.750"
- Unhanded design fits left or right
- Boxed kit contains two (2) A82RL hangers, two (2) B700 mounting brackets and all mounting hardware



B23

- Heavy duty .640" square spring steel
- Nominal length - 29.750"
- Both left and right hand
- Boxed kit contains one (1) A23R and one (1) A23L hanger, two (2) B711 mounting brackets and all mounting hardware



B83

- Extra heavy duty .750" square spring steel
- Nominal length - 29.750"
- Unhanded design fits left or right
- Boxed kit contains one (1) A83R and one (1) A83L hangers, two (2) B700 mounting brackets and all mounting hardware

BAR TYPE MUD FLAP HANGERS

ANGLED DOWN



A35RL

- Heavy duty .640" square spring steel
- Nominal length - 27.500"
- Unhanded design fits left or right
- Individual mud flap hanger

BUY ONE OR A BARRELFUL

HDetail

INCREASE SHOWROOM PROFITS
WITH OUR "NEW AND IMPROVED"
BARREL DESIGN.

A35RLB40 BULK DISPLAY

- Attractive POP display barrel
- Heavy duty .640" square spring steel
- Nominal length - 27.500"
- Unhanded design fits left or right
- Barrel contains 40 A35RL mud flap hangers



A35RLB80 BULK DISPLAY

- Attractive POP display barrel
- Heavy duty .640" square spring steel
- Nominal length - 27.500"
- Unhanded design fits left or right
- Barrel contains 80 A35RL mud flap hangers



For more options, check out our interactive online catalog!

FEATURED PRODUCT

City streets, tight turns, uneven road surfaces, short frames, sliding fifth wheels and other issues presented BettsHD engineers with plenty of application design opportunities. Simple and effective; shorter, angled hangers, like the A35RL, get the job done.




HANGER KITS / UPGRADES




B35

- Heavy duty .640" square spring steel
- Nominal length - 27.500"
- Unhanded design fits left or right
- Boxed kit contains two (2) A35RL hangers, (2) B711 mounting brackets and all mounting hardware




B33

- Heavy duty .640" square spring steel
- Nominal length - 27.625"
- Both left and right hand
- Boxed kit contains one (1) A33R and one (1) A33L hanger, two (2) B711 mounting brackets and all mounting hardware




B84

- Extra heavy duty .750" square spring steel
- Nominal length - 27.750"
- Both left and right hand
- Boxed kit contains one (1) A84R and one (1) A84L hanger, two (2) B700 mounting brackets and all mounting hardware



B81

- Extra heavy duty .750" square spring steel
- Nominal length - 27.500"
- Unhanded design fits left or right
- Boxed kit contains two (2) A81RL hangers, two (2) B700 mounting brackets and all mounting hardware



B87

- Extra heavy duty .750" square spring steel
- Nominal length - 30.500"
- Both left and right hand
- Boxed kit contains one (1) A87R and one (1) A87L hanger, two (2) B700 mounting brackets and all mounting hardware

HDetail

A87 HANGERS INCORPORATE AN ANTI-TEAR END CLIP INTO AN ALREADY STURDY DESIGN.

BAR TYPE HANGER ACCESSORIES

MOUNTING KITS

516P Mud Flap Mounting Kit POP Display

- Attractive and convenient counter display pail
- Pail contains fifty (50) individually packaged kits
- Each bag installs one (1) mud flap



HDetail

ALL BETTSHD MOUNTING BRACKETS ARE PREMIUM QUALITY CAST STEEL, ONE-PIECE CONSTRUCTION; AVAILABLE INDIVIDUALLY OR IN BOXED PAIRS WITH MOUNTING HARDWARE.

MOUNTING BRACKETS

B711



- Nominal inside dimension - 0.640"
- Mounting hole centers - 1.875"
- Mounting hole orientation - horizontal
- Nominal overall width - 2.875" / height - 2.000"
- Individual bulk

B1732



- Nominal inside dimension - 0.640"
- Mounting hole centers - 2.875"
- Mounting hole orientation - horizontal
- Nominal overall width - 4.625" / height - 2.000"
- Individual bulk

B700



- Nominal inside dimension - 0.750"
- Mounting hole centers - 2.875"
- Mounting hole orientation - horizontal
- Nominal overall width - 4.000" / height - 2.000"
- Individual bulk

B850



- Nominal inside dimension - 0.750"
- Mounting hole centers - 3.313"
- Mounting hole orientation - vertical
- Nominal overall width - 1.750" / height - 4.625"
- Individual bulk



For more options, check out our interactive online catalog!

FEATURED PRODUCT

Did you know not meeting the minimum conspicuity standards is a '3-Point Violation' under the FMCSA's 2010 Compliance, Safety and Accountability (CSA) enforcement initiative? BettsHD is dedicated to keeping highways and byways around the world SAFE!



CONSPICUITY SOLUTIONS



RT25

- Lightweight aluminum construction
- Use with straight bar or spring loaded hangers
- Unhanded design fits both left and right
- Skin card display packaging
- Contains two (2) RT25RL conspicuity strips



RT25RL

- Lightweight aluminum construction
- Use with straight bar or spring loaded hangers
- Unhanded design fits both left and right
- Individual RT25RL conspicuity strip



RT35

- Lightweight aluminum construction
- Use with angled bar or spring loaded hangers
- Both left and right
- Skin card display packaging
- Contains one (1) RT35R and one (1) RT35L conspicuity strip



RT35L

- Lightweight aluminum construction
- Use with angled bar or spring loaded hangers
- Individual RT35L conspicuity strip



RT35R

- Lightweight aluminum construction
- Use with angled bar or spring loaded hangers
- Individual RT35R conspicuity strip

SPRING LOADED MUD FLAP HANGERS

STRAIGHT

B573025WTBK

- Mounting stud centers - 1.125"
- Nominal length - 30.250"
- Powder coated carbon steel
- Both left and right hand
- Boxed kit includes stud nuts and mud flap mounting hardware



HDdetail

OPTIONS INCLUDE

- > STAINLESS STEEL
- > WITH OR WITHOUT CONSPICUITY TAPE
- > 25" OR 28" LENGTHS
- > 2.500" MOUNTING CENTERS
- > INDIVIDUAL PACKAGING

TAPERED

B703000NTSK

- Mounting stud centers - 2.500"
- Nominal length - 30.000"
- Bright 430 stainless steel
- Both left and right hand
- Boxed kit includes stud nuts and mud flap mounting hardware



HDdetail

OPTIONS INCLUDE

- > BLACK POWDER COATED CARBON STEEL AND CHROME
- > WITH OR WITHOUT CONSPICUITY STRIP
- > 33" LENGTH
- > 1.125" MOUNTING CENTERS
- > INDIVIDUAL PACKAGING



For more options, check out our interactive online catalog!

FEATURED PRODUCT

Superior appearance, workhorse performance; BettsHD spring loaded mud flap hangers are designed with truckers in mind. Straight and angled designs available in three lengths and two mounting stud centers solve most installations. Our industry exclusive open wound coil spring design reduces corrosion, while the self-centering tombstone ensures positive alignment. And if this is not enough, our optionally integrated conspicuity tape reduces cost and keeps you compliant.



SMART™

**PART ORDERING SYSTEM
SEE PAGE 22**

ANGLED

B673025WTBK

- Mounting stud centers - 1.125"
- Nominal length - 30.250"
- Powder coated carbon steel
- Both left and right hand
- Boxed kit includes stud nuts and mud flap mounting hardware

30.25"



B672625NTBK

- Mounting stud centers - 1.125"
- Nominal length - 26.250"
- Powder coated carbon steel
- Unhanded design fits both left and right
- Boxed kit includes stud nuts and mud flap mounting hardware

26.25"



DIRECTFLEX[®] MUD FLAP RETENTION

STRAIGHT ARM

DF25PB941

- Mounting hole centers - 1.125", 2.500" and 3.313"
- Orientation - vertical
- Nominal length - 30.250"
- Powder coated high carbon spring steel
- Both left and right hand
- Boxed kit includes ChannelFlap™ and frame mounting hardware



HDdetail

OPTIONS INCLUDE

- > 1.875" AND 2.875" MOUNTING CENTERS WITH HORIZONTAL ORIENTATION.

ANGLED ARM

DF3526PB941

- Mounting hole centers - 1.125", 2.500" and 3.313"
- Orientation - vertical
- Nominal length - 25.750"
- Powder coated high carbon spring steel
- Both left and right hand
- Boxed kit includes ChannelFlap™ and frame mounting hardware



For more options, check out our interactive online catalog!

FEATURED PRODUCT

In 1999, BettsHD introduced the only patented mud flap retention system; no moving components render the system near maintenance free and three (3) mounting bracket options accommodate all popular installation configurations. The DirectFlex® Mud Flap Retention System. It's what fleets have been demanding!




CHANNELFLAP™

CF3526LH24PB

- Angled / corner cut
- 24" long
- Left hand
- Individual mud flap

HDdetail

OPTIONS INCLUDE
> 30" LENGTH



CF3526RH24PB

- Angled / corner cut
- 24" long
- Right hand
- Individual mud flap

HDdetail

OPTIONS INCLUDE
> 30" LENGTH



CF25RL30PB

- Straight / full width
- 30" long
- Unhanded design fits both left and right
- Individual mud flap

HDdetail

OPTIONS INCLUDE
> 24" LENGTH



HDdetail

THE CHANNELFLAP™ HEAVY-DUTY POLY MUD FLAP ENCAPSULATES THE DIRECTFLEX® HANGER AND CREATES A COMPRESSION FIT BETWEEN THE COMPONENTS RESULTING IN A MINIMUM 3X STRONGER CONNECTION WHEN COMPARED TO ANY TRADITIONAL MUD FLAP AND MUD FLAP HANGER COMBINATION.

QUARTER FENDERS

POLY

SMART™

**PART ORDERING SYSTEM
SEE PAGE 23**

PS211FF2

- Black UV resistant poly panel
- Galvanized, 18 gauge carbon steel mounting tube
- AccuSeal aluminized carbon steel tube clamp
- Black poly top flap, white SprayOff™ logo and zinc plated steel top flap hardware
- Fully assembled box kit, includes tube mounting clamps, top flaps and top flap mounting hardware
- Standard mount



PS221FF2

- Low mount



HDetail

SPRAYOFF™ PROVIDES A UNIQUE MARRIAGE OF FEATURE AND FUNCTION. NO OTHER QUARTER FENDER OFFERS ANTI-SPRAY PROTECTION, DESIGNED WEIGHT REDUCTION, FLEXIBLE INSTALLATION OPTIONS AND AN EASY TO INSTALL MOUNTING CLAMP THAT ACTUALLY WORKS.

STAINLESS

SS211PA2

- Bright 430 18 gauge stainless steel panel and mounting tube
- AccuSeal stainless steel tube clamp
- Black poly top flap, plain no logo and stainless steel top flap hardware
- Fully assembled box kit, includes tube mounting clamps, top flaps and top flap mounting hardware
- Standard mount



SS221PA2

- Low mount



LIKE IT? CUSTOMIZE IT!

SEE PAGE 21 FOR CUSTOM OPTIONS



For more options, check out our interactive online catalog!

FEATURED PRODUCT

One word describes BettsHD's array of quarter fenders – IMPRESSIVE! BettsHD quarter fenders are manufactured from a wide variety of materials to satisfy your specific application: Aluminum, powder coated carbon steel, stainless steel and SprayOff™ poly. Packaged mounting options include the popular one-bolt post, four-bolt or weld-on flange post and crossovers.



ACCESSORIES

X2900

- Single bolt post
- Eight inches (8") long
- Sold in bulk
- Packaged individually



400118-01

- AccuSeal stainless steel tube clamp
- BettsHD exclusive
- For stainless steel and aluminum quarter fenders
- Use 400118-00 aluminized version for galvanized mounting tubes



TOP FLAPS

- Popular stock logos available: eagle, flame and longhorn
- Custom logos available; minimum quantity applies



HDetail

BETTSHD TOP FLAPS REQUIRE 25% MORE HARDWARE TO BE INSTALLED. WE HAVEN'T FOUND ONE COMPETITOR USING FIVE ATTACHMENT POINTS LIKE WE DO, BUT THEN AGAIN WE HAVEN'T FOUND ONE WILLING TO BACK THEIR QUARTER FENDERS WITH A LIMITED LIFETIME WARRANTY EITHER.



LIKE IT? CUSTOMIZE IT!

SEE PAGE 21 FOR CUSTOM OPTIONS

POLY FENDERS

SINGLE AXLE

1 NUMBER ORDERING

PF200-68 + K2363UG =
TIKPF200-68P

PF200-68

- Black high density UV resistant poly
- 3-Rib Up with radiused edge
- Overall length - 68"
- Fender opening - 46" / wheel size - 22.5" and 24.5" / application - dual wheels
- Cardboard wrapped pair
- K2363UG fender mounting kit recommended



HDetail

OPTIONS INCLUDE
> 80" OVERALL LENGTH
> 16.5" AND 19.5" WHEEL SIZES

HALF TANDEM AXLE

1 NUMBER ORDERING

PF300-66 + K3363UG =
TIKPF300-66P

PF300-66

- Black high density UV resistant poly
- 3-Rib Up with radiused edge
- Overall length - 66" / front curve - 39" / flat section - 27"
- Fender opening - 51" / wheel size - 22.5" and 24.5" / application - dual wheels
- Cardboard wrapped pair
- K3363UG fender mounting kit recommended



HDetail

OPTIONS INCLUDE
> 57" OVERALL LENGTH

FULL TANDEM AXLE

1 NUMBER ORDERING

PF400-132X + K4363UG =
TIKPF400-132XP

PF400-132X

- Black high density UV resistant polyethylene
- 3-Rib Up with radiused edge
- Overall length - 132" / front curve - 39" / flat section - 54" / rear curve - 39"
- Fender opening - 105" / wheel size - 22.5" and 24.5" / application - dual wheels
- Cardboard wrapped pair
- K4363UG fender mounting kit recommended



HDetail

OPTIONS INCLUDE
> 114" OVERALL LENGTH



For more options, check out our interactive online catalog!



LIKE IT? CUSTOMIZE IT!
SEE PAGE 21 FOR CUSTOM OPTIONS

FEATURED PRODUCT

Popular single, half and full tandem axle poly fenders ideally suited for desirable lightweight installations are supplied from stock by BettsHD. Our modular design allows for "Build-A-Fender" solutions – on the spot!



SMART™

**PART ORDERING SYSTEM
SEE PAGE 24**

ACCESSORIES / MOUNTING KITS



K2363UG

- Four (4) T363UG single-bolt frame mount, undrilled galvanized tubes
- Four (4) P100H-1 galvanized U-bolt hardware kits: each contains three (3) U-bolts, lock nuts and washer plates
- Four (4) CP12 poly end caps



K3363UG

- Two (2) T363UG single-bolt frame mount, undrilled galvanized tubes
- Two (2) P100H-1 galvanized U-bolt hardware kits: each contains three (3) U-bolts, lock nuts and washer plates
- Two (2) CP12 poly end caps
- Two (2) B900G single-bolt frame mounts, .625" through-hole with 3½" vertical adjustability
- Two (2) B4H-1: each contains five (5) carriage bolts, nuts, flat and lock washers



K4363UG

- Four (4) T363UG single-bolt frame mount, undrilled galvanized tubes
- Four (4) P100H-1 galvanized U-bolt hardware kits: each contains three (3) U-bolts, lock nuts and washer plates
- Four (4) CP12 poly end caps
- Two (2) B900G single-bolt frame mounts, .625" through-hole with 3½" vertical adjustability
- Two (2) B4H-1: each contains five (5) carriage bolts, nuts, flat and lock washers

PF400H-1

- Cap screw and strap kit
- Connects poly fender sections
- Galvanized steel

POLY MODULAR SECTIONS



PF40

- Black high density UV resistant poly
- Front or rear curve for modular configuration
- Overall length - 40"




PF51

- Black high density UV resistant poly
- Flat poly section
- Overall length - 51"

HDetail

**TANKER APPLICATIONS
ARE A 'SNAP' WITH
BETTSHD POLY FENDERS.**



P4H-1

- Carriage bolt hardware kit
- Connects PF40 and PF51 fender sections
- Zinc plated steel

METAL FENDERS

SINGLE AXLE

SR200-80

- Bright 430 18 gauge stainless steel
- 4-Rib with beaded edge
- Overall length - 80"
- Fender opening - 50" / wheel size - 22.5" and 24.5" / application - dual wheels
- Cardboard wrapped pair
- K2362PS fender mounting kit recommended



HDetail

OPTIONS INCLUDE

- > 60" OVERALL LENGTHS
- > GALVANIZED CARBON STEEL OR ALUMINUM



LIKE IT? CUSTOMIZE IT!

SEE PAGE 20 FOR CUSTOM OPTIONS

HALF TANDEM AXLE

1 NUMBER ORDERING

SR300-66 + K3362PS =
TIKSR300-66DS

SR300-66

- Bright 430 18 gauge stainless steel
- 4-Rib with beaded edge
- Overall length - 66" / front curve - 39" / flat section - 27"
- Fender opening - 51" / wheel size - 22.5" and 24.5" / application - dual wheels
- Cardboard wrapped pair with SF100H rubber vibration isolators
- K3362PS fender mounting kit recommended



HDetail

OPTIONS INCLUDE

- > 60" AND 80" OVERALL LENGTHS
- > GALVANIZED CARBON STEEL OR ALUMINUM

FULL TANDEM AXLE

1 NUMBER ORDERING

SR400-126 + K4362PS =
TIKSR400-126DS

SR400-126

- Bright 430 18 gauge stainless steel
- 4-Rib with beaded edge
- Overall length - 126" / front curve - 39" / flat section - 54" / rear curve - 33"
- Fender opening - 104" / wheel size - 22.5" and 24.5" / application - dual wheels
- Cardboard wrapped pair with SF100H rubber vibration isolators
- K4362PS fender mounting kit recommended



HDetail

OPTIONS INCLUDE

- > 105", 120" & 132" OVERALL LENGTHS
- > GALVANIZED CARBON STEEL OR ALUMINUM



For more options, check out our interactive online catalog!

FEATURED PRODUCT

Only BettsHD offers a full range of fender options to comprehensively serve fleet requirements including single, half and full tandem applications. Choose from aluminum, galvanized carbon or stainless steel materials. When it comes to style choose from the industry standard 4-Rib or BettsHD exclusives: corrugated and 2-Rib! Don't forget, we also offer permanently etched, personalized monogramming on our beautiful stainless steel 2-Rib styling.



ACCESSORIES / MOUNTING KITS




K2362PS

- Four (4) T362PS single-bolt frame mounts, predrilled stainless steel tubes
- Four (4) B4HS-1 stainless steel carriage bolt kits: each contains five (5) carriage bolts, nuts, flat and lock washers
- Four (4) CP12 poly end caps



K3362PS

- Two (2) T362PS single-bolt frame mounts, predrilled stainless steel tubes
- Four (4) B4HS-1 stainless steel carriage bolt kits: each contains five (5) carriage bolts, nuts, flat and lock washers
- Two (2) CP12 poly end caps
- Two (2) B900S single-bolt frame mounts, .625" through-hole with 3½" vertical adjustability



K4362PS

- Four (4) T362PS single-bolt frame mounts, predrilled stainless steel tubes
- Six (6) B4HS-1 stainless steel carriage bolt kits: each contains five (5) carriage bolts, nuts, flat and lock washers
- Four (4) CP12 poly end caps
- Two (2) B900S single-bolt frame mounts, .625" through-hole with 3½" vertical adjustability



B900S

- Single-bolt frame mount, .625" through-hole with 3½" vertical adjustability
- Unhanded design fits left or right
- Black e-coated carbon steel
- One (1) B4HS-1 stainless steel carriage bolt kit: each contains five (5) carriage bolts, nuts, flat and lock washers



T362US

- Single-bolt frame mount, .625" through-hole, undrilled stainless steel tube
- Bright 430 12 gauge stainless steel
- Overall length - 30"
- One (1) B4HS-1 stainless steel carriage bolt kit: each contains five (5) carriage bolts, nuts, flat and lock washers
- CP12 poly end cap

SMART™

**PART ORDERING SYSTEM
SEE PAGE 24**

HDetail

OPTIONS INCLUDE
 > 26.5" OVERALL LENGTH
 > .725" MOUNTING HOLE
 > FOUR (4) U-BOLTS

SMOOTH STAINLESS FENDERS

SINGLE AXLE

1 NUMBER ORDERING

TS2800000 + L200TS =
TIKT800000

TS28000000

- Bright 430 16 gauge stainless steel
- Smooth with radiused edge
- Overall length – 80"
- Fender opening – 50" / wheel size – 22.5" and 24.5" / application – dual wheels
- Cardboard wrapped pair
- L200TS fender mounting kit recommended




HALF TANDEM AXLE

1 NUMBER ORDERING

TS33902700 + U300TS =
TIKT392700

TS33902700

- Bright 430 16 gauge stainless steel
- Smooth with radiused edge
- Overall length – 66" / front curve - 39" / flat section - 27"
- Fender opening – 51" / wheel size – 22.5" and 24.5" / application – dual wheels
- Cardboard wrapped pair with SF200H rubber vibration isolators
- U300TS fender mounting kit recommended



HDdetail

OPTIONS INCLUDE

> 66" OVERALL LENGTH WITH 35" FRONT CURVE AND 31" FLAT SECTION

FULL TANDEM AXLE

1 NUMBER ORDERING

TS43905439 + U400TS =
TIKT395439

TS43905439

- Bright 430 16 gauge stainless steel
- Smooth with radiused edge
- Overall length – 132" / front curve - 39" / flat section - 54" / rear curve - 39"
- Fender opening – 105" / wheel size – 22.5" and 24.5" / application – dual wheels
- Cardboard wrapped pair with SF200H rubber vibration isolators
- U400TS fender mounting kit recommended



HDdetail

OPTIONS INCLUDE

> 120" OVERALL LENGTH



For more options, check out our interactive online catalog!

FEATURED PRODUCT

Manufactured using bright 430 16 gauge stainless steel for durability, our smooth stainless steel fenders provide a premium design finish enhancing any truck or fleet image. Our smooth stainless steel fenders feature a 24" width for extra spray suppression and a sleek 1½" flange for added strength.



ACCESSORIES / MOUNTING KITS




L200TS

- Four (4) B610TS stainless steel paddle brackets
- Four (4) TSG100-1 mounting template/gaskets
- Four (4) TS100H-1 hardware kits: each kit contains three (3) strap plates, six (6) cap screws and six (6) flat washers
- Four (4) 400118-01 AccuSeal stainless steel clamps
- Four (4) X2900 single-bolt posts



TS80100141

- Bright 430 16 gauge stainless steel
- Smooth with radiused edge
- Overall length – 38"
- Fender opening – 35-½" / wheel size – 22.5" and 24.5" / application – Rogue and Superior Trailer
- Cardboard wrapped pair



U300TS

- Two (2) B610TS stainless steel paddle brackets
- Two (2) TSG100-1 mounting template/gaskets
- Two (2) TS100H-1 hardware kits: each kit contains three (3) strap plates, six (6) cap screws and six (6) flat washers
- Two (2) B900S single-bolt frame mounts, .625" through hole with 3 ½" vertical adjustability
- Two (2) B4HS-1 stainless steel carriage bolt kits: each contains five (5) carriage bolts, nuts, flat and lock washers
- Two (2) 400118-01 AccuSeal stainless steel clamps
- Two (2) X2900 single-bolt posts



TS80100139

- Bright 430 16 gauge stainless steel
- Smooth with radiused edge
- Overall length – 48-½"
- Fender opening – 42" / wheel size – 22.5" and 24.5" / application – Reliance Trailer
- Cardboard wrapped pair



U400TS

- Four (4) B610TS stainless steel paddle brackets
- Four (4) TSG100-1 mounting template/gaskets
- Four (4) TS100H-1 hardware kits: each kit contains three (3) strap plates, six (6) cap screws and six (6) flat washers
- Two (2) B900S single-bolt frame mounts, .625" through hole with 3 ½" vertical adjustability
- Two (2) B4HS-1 stainless steel carriage bolt kits: each contains five (5) carriage bolts, nuts, flat and lock washers
- Four (4) 400118-01 AccuSeal stainless steel clamps
- Four (4) X2900 single-bolt posts

SPECIALTY FENDERS





METAL FENDERS

Custom Sizes


- Determine curving dimensions using illustration models
- Available for all metal fenders except smooth, radiused
- No additional lead time
- Mounting brackets and installation hardware available separately



SINGLE AXLE

A (Overall Length) = _____ in inches


B (Opening) = _____ in inches



HALF TANDEM

A (Front Curve) = _____ in inches

B (Flat) = _____ in inches




FULL TANDEM

A (Front Curve) = _____ in inches

B (Flat) = _____ in inches

C (Rear Curve) = _____ in inches



Etched Monograms

- Select from three stock monograms
- Customize with any print-ready artwork
- No set up charge
- No minimum; one truck or your entire fleet
- Service limited to stainless steel 2-Rib tandem and quarter fenders



For more options, check out our interactive online catalog!

QUARTER FENDERS

Etched Monograms

- Select from three stock monograms
- Customize with any print-ready artwork
- No set up charge
- No minimum; one truck or your entire fleet
- Service limited to stainless steel quarter and 2-Rib tandem fenders

SMART™

**TOP FLAP OPTIONS
SEE PAGE 23**

Top Flaps

- OEM top flaps available on all quarter fenders
- Customize with any print-ready artwork
- Minimum order quantities and set up charges may apply



Printed with permission of East Coast Truck & Trailer, Inc.



POLY FENDERS

- Custom colors available
- Minimum order quantities may apply
- Additional lead time may be required
- Available for 16.5", 19.5", 22.5" and 24.5" wheel application







LIKE IT? CUSTOMIZE IT!


To specify your custom order project, contact BettsHD Customer Support by phone at 800.227.2192 or via email at Customer.Support@BettsHD.com.




Use the chart below to determine the appropriate part number for your application.
A value from each column is required, but not all combinations are valid part numbers.

Package	Model	Length Whole Inch	Length Quarter Inch	Conspicuity Tape	Material Finish	Handed
						
B	67	30	25	WT	B	K

Example –



Use the chart below to determine the appropriate part number for your application. A value from each column is required, but not all combinations are valid part numbers.



Use the chart below to determine the appropriate part number for your application.
A value from each column is required, but not all combinations are valid part numbers.

KITS

Example –



K = Kit, Pair
H = Kit, Individual

2 = Single Axle
3 = Half Tandem
4 = Full Tandem

2 = 26.5" Tube
3 = 30.0" Tube

6 = .625" Hole
7 = .750" Hole

G = Galvanized
S = Stainless

P = Predrilled
U = Undrilled

2 = Carriage Bolts (5)
3 = U-Bolts (3)
4 = U-Bolts (4)

TUBES

Example –



T = Tube, Mount

2 = 26.5" Tube
3 = 30.0" Tube

6 = .625" Hole
7 = .750" Hole

G = Galvanized
S = Stainless

P = Predrilled
U = Undrilled

2 = Carriage Bolts (5)
3 = U-Bolts (3)
4 = U-Bolts (4)



FIND OUT MORE!

Access our dynamic catalog with your smartphone
or visit BettsHD.com

BettsHD.com



BettsHD[®]

2843 South Maple Avenue
Fresno, CA 93725
Phone: 559.498.3304
Customer Service Fax: 559.445.9129
Toll Free: 800.227.2192



A Valued Member of

BettsCompany[®]

Improving the Way Things Move[®] Since 1868

© 2013 BettsHD BHDPL-15