



XD Steel Underbodies



XD Aluminum Underbodies



Black Aluminum Diamond Tread

TOOLBOXES



Buyers
PRODUCTS COMPANY

2016-2017

ALL NEW
XD ALUMINUM
UNDERBODIES PG 7

XD STEEL
UNDERBODIES PG 10

BLACK ALUMINUM
DIAMOND TREAD PG 17, 19

Our History



1946
Buyers Products Company founded by Sam Ruven and Bessie Kleinman as a distributor of driveline components.



Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for products led to the pursuit of supply chain manufacturing solutions.

1988
Buyers acquired Viking Forge in Streetsboro, Ohio with 6 complete forge lines. This facility manufactures our hitches, D-rings, and other towing and cargo parts.

1992
Buyers acquired Trailer Components Manufacturing (Tracom) for CNC precision machining and tooling, as well as state-of-the-art welding.



Buyers acquired Progressive Powder Coating, Inc. Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer accessories.

1995
Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our poly salt spreaders.



PROGRESSIVE POWDER COATING, INC.



2002
Buyers moved its corporate headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution center.



2004
Buyers acquired Boomerang Rubber, Inc. in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer accessories.



2009
Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer accessories.



2007
Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.



2013
Buyers acquired an additional 500,000 sq.ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing.



Our Corporate Family of Companies



PROGRESSIVE POWDER COATING, INC.



Founded in 1946, Buyers Products is a fully integrated manufacturer and supplier of products for the mobile equipment industry. **Multiple manufacturing capabilities include forging, stamping, laser cutting, CNC machining, robotic welding, rotational molding, powder coating and assembly.**

Product lines include towing products, toolboxes, truck and trailer hardware, rubber and polymer products, dump body hardware, cables and control systems, hydraulics, pneumatics, drive line components, lights, mud flaps, snowplows, salt spreaders and snow and ice control products.



UNDERBODY

AluminumPage 6-8
Polymer Page 8
SteelPage 9-11
Steel w/Stainless Door Page 12
Underbody Brackets Page 13
Replacement Parts..... Page 31

TOPSIDER

Steel & Aluminum.....Page 14-15
Aluminum ContractorPage 16-17

CROSS BOX

Single Lid & Gull-WingPage 18-19

LO-SIDER

AluminumPage 20-21

CHEST

All-Purpose ChestsPage 22-23

PORK CHOP Page 24

TRAILER Page 25

B-PacksPage 26-27

SPECIALTY.....Page 28-29

ACCESSORIES Page 30

NEW PRODUCTS




XD Aluminum Underbodies.....PG 7
.125" Thick smooth aluminum
Rigid extruded box frame
Die-Cast T-handle compression latch
Automotive bulb seal
Unobstructed box opening



XD Steel Underbodies.....PG 10
12 Gauge steel box & door
Built-in rain gutter
Automotive D-bulb seal
Greaseable bullet hinges
Detachable 3/16" door chains

Underbody Features



Door Configuration Suitable for Mounting on Flat Surface

Reinforced Door Backbone On Boxes 36" in Length and Greater

Recessed and Beveled Door Edges

Underbody Features



Recessed door and beveled door edges enhance watertight design.



Reinforced door backbone strengthens the integrity of the door and protects the latch mechanism.



Blind stud latches for increased security.




1/2" thick gasket system helps to seal out weather and road grime.




Stainless steel continuous hinge is watertight and rustproof.





XD Aluminum Features



Die-Cast T-handle compression latch.



Rain gutter for added protection.



Rigid extruded box frame and automotive bulb seal.



Unobstructed box opening.



XD Steel Features



Cross-broke door for added durability.



Detachable 3/16" door chains.



Greaseable bullet hinges.



Built-in rain gutter.



Aluminum Underbody

Aluminum Underbody Drop Door (Single Latch) / (Double Latch)



- .100" thick diamond tread aluminum
- Drop-down recessed door w/continuous hidden hinge
- Locking die-cast T-handle compression latch(es)
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Reinforced door backbone on boxes 48" and wider
- Aircraft-grade door cables and replaceable gasket sealing system

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705150	14	12	24	1	23	530 (Y)
1705153	14	12	30	1	26	530 (Y)
1705160	14	16	24	1	25	530 (Y)
1705101	18	18	18	1	30	530 (Y)
1705100	18	18	24	1	32.5	530 (Y)
1705103	18	18	30	1	38.5	530 (Y)
1705105	18	18	36	1	43	530 (Y)
NEW 1705118	20	20	36	1	46	530 (Y)
1705130	24	24	24	1	45	530 (Y)
1705133	24	24	30	1	52	530 (Y)
1705135	24	24	36	1	59.5	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705110	18	18	48	2	56.5	530 (Y)
1705115	18	18	60	2	66	530 (Y)
1705120	18	24	48	2	63.5	530 (Y)

Aluminum Underbody w/Drop Door and Drawer



Aluminum Underbody Single Barn-Door



- .100" thick diamond tread aluminum
- Drop-down recessed door w/continuous hidden hinge
- Locking die-cast T-handle compression latch
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Reinforced door backbone
- Aircraft-grade door cables and replaceable gasket sealing system
- Drawer comes w/adjustable dividers and 100lb rated slides

- .100" thick diamond tread aluminum
- Side-hinged door w/continuous hidden hinge
- Locking die-cast t-handle compression latch
- Can mount on flat surface
- Optional right/left door mounting
- D-bulb door seal

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
NEW 1712200	20	18	24	2	50	530 (Y)
1712205	20	18	36	2	66	530 (Y)
1712210	20	18	48	2	85	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705201	18	18	18	1	27	530 (Y)
1705200	18	18	24	1	36	530 (Y)
1705203	18	18	30	1	42	530 (Y)

XD Aluminum Underbody Double Barn-Door **NEW**



- .125" thick smooth aluminum w/rigid extruded box frame
- Side-hinged doors w/optional right/left locking door
- Die-cast T-handle compression latch w/3pt locking system
- Stainless steel bolt-on continuous hinge w/oversized 1/4" pin
- Built-in rain gutter w/automotive bulb seal
- Unobstructed box opening w/no center post

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705405	18	18	36	1	51	530 (Y)
1705410	18	18	48	1	62	530 (Y)
1705415	18	18	60	1	73	530 (Y)
1705420	18	24	36	1	58	530 (Y)
NEW 1705425	18	24	48	1	71	530 (Y)
1705430	18	24	60	1	85	530 (Y)
1705435	24	24	36	1	67	530 (Y)
1705440	24	24	48	1	83	530 (Y)
1705445	24	24	60	1	99	530 (Y)
1705450	24	24	72	1	105	530 (Y)

XD Aluminum Smooth Underbody Drop Door **NEW**



- .125" thick smooth aluminum w/rigid extruded box frame
- Drop-down door w/heavy duty lanyards
- Die-cast T-handle compression latch w/3pt locking system
- Stainless steel bolt-on continuous hinge w/oversized 1/4" pin
- Built-in rain gutter w/automotive bulb seal
- Unobstructed box opening w/no center post

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1706400	18	18	24	1	43.80	530 (Y)
1706403	18	18	30	1	50.45	530 (Y)
1706405	18	18	36	1	56.70	530 (Y)
NEW 1706410	18	24	48	1	64.45	530 (Y)
1706415	18	18	60	1	77.80	530 (Y)
1706420	18	24	36	1	56.68	530 (Y)
1706425	18	24	48	1	78.87	530 (Y)
1706430	18	24	60	1	82.70	530 (Y)

Aluminum Underbody Double Barn-Door (Diamond Tread)



- .100" thick diamond tread
- Side-hinged doors w/optional right/left locking door
- Die-cast T-handle compression latch w/3pt locking system
- Aluminum continuous hinge w/oversize 1/4" pin
- Can mount on flat surface
- Unobstructed box opening w/no center post
- D-bulb door seal

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702235	24	24	36	1	71	530 (Y)
1702240	24	24	48	1	76	530 (Y)
1702250	24	24	60	1	87	530 (Y)
1705205	18	18	36	1	49	530 (Y)
1705210	18	18	48	1	63	530 (Y)
1705215	18	18	60	1	77	530 (Y)

Aluminum Underbody Double Barn-Door (Smooth)



- .125" thick smooth aluminum
- Side-hinged doors w/optional right/left locking door
- Die-cast T-handle compression latch w/3pt locking system
- Aluminum continuous hinge w/oversize 1/4" pin
- Can mount on flat surface
- Unobstructed box opening w/no center post
- D-bulb door seal

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705305	18	18	36	1	49	530 (Y)
1705310	18	18	48	1	63	530 (Y)
1705315	18	18	60	1	77	530 (Y)
NEW 1705333	24	24	30	1	69	530 (Y)
1705335	24	24	36	1	75	530 (Y)
1705340	24	24	48	1	87	530 (Y)
1705345	24	24	60	1	99	530 (Y)

Aluminum and Polymer Underbody

Black Aluminum Underbody Drop Door



1725110

- .100" thick diamond tread aluminum w/ black powder coat finish
- Drop-down recessed door w/continuous hidden hinge
- Die-cast T-handle compression latch(es) w/3pt locking system
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone on boxes 48" and wider

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1725100	18	18	24	1	30	530 (Y)
1725101	18	18	18	1	27	530 (Y)
1725103	18	18	30	1	38	530 (Y)
1725105	18	18	36	1	42	530 (Y)
1725110	18	18	48	2	52	530 (Y)
1725115	18	18	60	2	70	530 (Y)
1725120	18	24	48	2	64	530 (Y)
1725130	24	24	24	1	46	530 (Y)
1725133	24	24	30	1	53	530 (Y)
1725135	24	24	36	1	59	530 (Y)
1725140	24	24	48	2	76	530 (Y)
1725145	24	24	60	2	89	530 (Y)
1725150	14	12	24	1	22.5	530 (Y)
1725153	14	12	30	1	27	530 (Y)
1725160	14	16	24	1	26	530 (Y)

Aluminum Underbody Drop Door w/3 Point Latch



1735100

- .100" thick diamond tread aluminum
- Drop-down recessed door w/continuous hidden hinge
- Die-cast T-handle compression latch w/3pt locking system
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1735100	18	18	24	1	32.5	530 (Y)
1735103	18	18	30	1	38	530 (Y)
1735105	18	18	36	1	44	530 (Y)
1735130	24	24	24	1	45	530 (Y)
1735133	24	24	30	1	58	530 (Y)
1735135	24	24	36	1	63	530 (Y)

Polymer Underbody



1717110

- Constructed of high-density polyethylene
- Drop down door w/stainless steel hinge pin
- Stainless steel T-handle compression latch w/3pt locking system
- Molded double-wall door design
- Aircraft-grade door cables and replaceable gasket sealing system

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1717100	18	18	24	1	24	530 (Y)
1717105	18	18	36	1	31	530 (Y)
1717110	18	18	48	1	42	530 (Y)

Steel Underbody Drop Door Toolboxes

- 14 gauge steel box w/12 gauge steel door or black diamond tread aluminum door
- Drop-down recessed door w/continuous hidden hinge
- Locking stainless steel t-handle, paddle latch or die cast compression latch
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Reinforced door backbone on boxes 48" and wider
- Aircraft-grade door cables and replaceable gasket sealing system
- **Note:** 66" boxes are constructed of 12 gauge steel

Steel Underbody Drop Door w/Paddle Latch



Steel Underbody Drop Door w/T-Handle Latch



Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703150	14	12	24	1	48	530 (Y)
1703100	14	16	24	1	56	530 (Y)
1703103	14	16	30	1	65	530 (Y)
1702100	18	18	24	1	67	530 (Y)
1702103	18	18	30	1	80	530 (Y)
1702105	18	18	36	1	92	530 (Y)
1702110	18	18	48	2	118	530 (Y)
1702115	18	18	60	2	143	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703349	14	12	18	1	40	530 (Y)
1703350	14	12	24	1	48	530 (Y)
1703300	14	16	24	1	56	530 (Y)
1703303	14	16	30	1	65	530 (Y)
1703305	14	16	36	1	74	530 (Y)
1703330	16	14	18	1	50	530 (Y)
1702295	18	18	18	1	47	530 (Y)
1702300	18	18	24	1	67	530 (Y)
1702303	18	18	30	1	80	530 (Y)
1702305	18	18	36	1	92	530 (Y)
1702310	18	18	48	2	118	530 (Y)
1702315	18	18	60	2	143	530 (Y)
1702317*	18	18	66	2	186	530 (Y)
1702325	18	18	72	2, 2 Doors	156	530 (Y)
1704300	24	24	24	1	87	530 (Y)
1704303	24	24	30	1	100	530 (Y)
1704305	24	24	36	1	116	530 (Y)
1704310	24	24	48	2	145	530 (Y)
1704315	24	24	60	2	175	530 (Y)
1708310	18	24	48	2	133	530 (Y)

Steel Underbody w/Aluminum Drop Door



Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702500	18	18	24	1	61	530 (Y)
1702503	18	18	30	1	72	530 (Y)
1702505	18	18	36	1	82	530 (Y)
1702510	18	18	48	2	104	530 (Y)

Steel Underbody

Steel Underbody Drop Door w/3 Point Latch (Black)



1732305

- 14 gauge steel box w/12 gauge steel door
- Available in black or white powder coat finish
- Drop-down recessed door w/continuous hidden hinge
- Die-cast T-handle compression latch w/3pt locking system
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1732300	18	18	24	1	59	530 (Y)
1732303	18	18	30	1	70	530 (Y)
1732305	18	18	36	1	83	530 (Y)
1734300	24	24	24	1	84	530 (Y)
1734303	24	24	30	1	95	530 (Y)
1734305	24	24	36	1	110	530 (Y)

Steel Underbody Drop Door w/3 Point Latch (White)



1732405

- 14 gauge steel box w/12 gauge steel door
- Available in black or white powder coat finish
- Drop-down recessed door w/continuous hidden hinge
- Die-cast T-handle compression latch w/3pt locking system
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1732400	18	18	24	1	59	530 (Y)
1732403	18	18	30	1	70	530 (Y)
1732405	18	18	36	1	83	530 (Y)
1734400	24	24	24	1	84	530 (Y)
1734403	24	24	30	1	95	530 (Y)
1734405	24	24	36	1	110	530 (Y)

XD Steel Underbody Drop Door **NEW** (Black)



1742300



- 12 gauge steel box and cross-broke door
- Built-in rain gutter
- Automotive D-bulb seal
- Greasable bullet hinges w/1/2" stainless steel pins
- Patent pending removable door design
- Die-cast, single-point latch system w/compression sealing roller
- Detachable 3/16" door chains

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1742300	18	18	24	1	80	530 (Y)
1742303	18	18	30	1	91	530 (Y)
1742305	18	18	36	1	104	530 (Y)
NEW 1742310	18	18	48	2	127	530 (Y)
1742315	18	18	60	2	149	530 (Y)
1742325	18	18	72	2	171	530 (Y)
1742335	18	18	90	2	204	530 (Y)

Steel Underbody Drop Door Toolboxes

- 14 gauge steel box w/12 gauge steel door
- Available in white or primer powder coat finish
- Drop-down recessed door w/continuous hidden hinge
- Locking stainless steel t-handle or paddle latch(es)
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone on boxes 48" and wider
- **Note:** 66" boxes are constructed of 12 gauge steel

Steel Underbody Drop Door w/Paddle Latch



1702203



1702215

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703203	14	16	30	1	65	530 (Y)
1702200	18	18	24	1	67	530 (Y)
1702203	18	18	30	1	80	530 (Y)
1702205	18	18	36	1	92	530 (Y)
1702210	18	18	48	2	118	530 (Y)
1702215	18	18	60	2	143	530 (Y)

Steel Underbody Drop Door w/T-Handle Latch (Primer)



1702900

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703900	14	16	24	1	56	530 (Y)
1702900	18	18	24	1	67	530 (Y)
1702905	18	18	36	1	92	530 (Y)
1702910	18	18	48	2	118	530 (Y)

Steel Underbody Drop Door w/T-Handle Latch



1702410

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703400	14	16	24	1	56	530 (Y)
1703403	14	16	30	1	65	530 (Y)
1703405	14	16	36	1	71	530 (Y)
1702400	18	18	24	1	67	530 (Y)
1702403	18	18	30	1	80	530 (Y)
1702405	18	18	36	1	92	530 (Y)
1702410	18	18	48	2	118	530 (Y)
1702415	18	18	60	2	143	530 (Y)
1702417*	18	18	66	2	186	530 (Y)
1708410	18	24	48	2	133	530 (Y)
1704400	24	24	24	1	87	530 (Y)
1704403	24	24	30	1	100	530 (Y)
1704405	24	24	36	1	116	530 (Y)
1704410	24	24	48	2	145	530 (Y)
1704415	24	24	60	2	175	530 (Y)

Slant Back Steel Underbody Drop Door

- 14 gauge steel box w/12 gauge steel door w/black powder coat finish
- Drop-down recessed door w/continuous hidden hinge
- Locking stainless steel t-handle
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Angled top allows room for fuel fill hoses on single rear wheel flat beds



1703351

Profile

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703351	14	12	18	1	40	530 (Y)
1703352	14	12	24	1	47	530 (Y)

Stainless Steel Underbody

Steel Underbody Toolbox w/Stainless Steel Door

- 16 gauge steel box w/12 gauge steel door
- Box available in black or white powder coat finish or stainless
- Drop-down recessed door w/continuous hidden hinge
- Locking die-cast t-handle compression latch
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Bolted-on door backbone on boxes 48" and wider

Steel Underbody w/Stainless Steel Door (Black/Stainless)



1702700

Steel Underbody w/Stainless Steel Door (Stainless/Polished Door)



1702600

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703700	14	16	24	1	55	530 (Y)
1703703	14	16	30	1	64	530 (Y)
1703705	14	16	36	1	71	530 (Y)
1702700	18	18	24	1	72	530 (Y)
1702703	18	18	30	1	81	530 (Y)
1702705	18	18	36	1	101	530 (Y)
1702710	18	18	48	2	110	530 (Y)
1702715	18	18	60	2	132	530 (Y)
1702725	18	18	72	2, 2 doors	156	530 (Y)
1704705	24	24	36	1	132	530 (Y)
1704710	24	24	48	2	169	530 (Y)
1704715	24	24	60	2	227	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702595	18	18	18	1	51.5	530 (Y)
1702600	18	18	24	1	72	530 (Y)
1702603	18	18	30	1	81	530 (Y)
1702605	18	18	36	1	101	530 (Y)
1702610	18	18	48	2	110	530 (Y)

Steel Underbody w/Stainless Steel Door (White/Polished)



1702805

Steel Underbody w/Stainless Steel Door (Highly Polished)



1702650

- 16 gauge mirror-finish steel box and door
- Drop-down door w/continuous hidden hinge
- Locking die-cast t-handle compression latch
- Replaceable door cables and gasket sealing system
- Built-in rain gutter w/automotive bulb seal

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702805	18	18	36	1	101	530 (Y)
1702810	18	18	48	2	110	530 (Y)
1702815	18	18	60	2	132	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702650	18	18	24	1	48	530 (N)
1702653	18	18	30	1	57	530 (N)
1702655	18	18	36	1	65	530 (N)
1702660	18	18	48	2	80	530 (N)

Aluminum Mounting Brackets



- Aluminum Construction
- 1/4" formed aluminum angles
- Welded braces
- Sold in boxed pairs

1701030

Part No.	Description	Dim	Wt. (lbs.)	Cat.
1701030	Welded Brackets	18"x18"	7.5	531 (Y)
1701040	Welded Brackets	24"x24"	10	531 (Y)

Poly Box Mounting Brackets



- Constructed of heavy-duty 2" C-channel A-36 steel
- Black powder coated
- Channel fits inside toolbox ribs
- Pre-drilled 7/16" mounting holes (nuts/bolts not included)
- Sold in boxed pairs

1701000

Part No.	Description	Dim	Wt. (lbs.)	Cat.
1701000	Steel Underbody Mounting Brackets, for 24" and 36" Poly	15"x14"	15.5	530 (Y)
1701001	Steel Underbody Mounting Brackets, for 48" Poly	15"x14"	11	530 (Y)

Steel Mounting Brackets



- Constructed of heavy-duty, formed 3" steel C-channel, black powder coated for corrosion resistance, Universal hole pattern for quick and easy mounting
- Available with welded braces or bolt-on braces
- Available in structural steel
- Sold in boxed pairs

1701005

Part No.	Description	Dim	Wt. (lbs.)	Cat.
1701006	Formed Welded Brackets	18"x18"	16	531 (Y)
1701011	Formed Welded Brackets	18"x24"	19	531 (Y)
1701006B	Formed Bolted Brackets	18"x18"	16	531 (Y)
1701011B	Formed Bolted Brackets	18"x24"	19	531 (Y)
1701016	Formed Welded Brackets	24"x24"	22	531 (Y)
1701005	Structural Welded Brackets	18"x18"	24	531 (Y)
1701010	Structural Welded Brackets	18"x24"	27	531 (Y)
1701005B	Structural Bolted Brackets	18"x18"	24	531 (Y)
1701010B	Structural Bolted Brackets	18"x24"	27	531 (Y)
1701015	Structural Welded Brackets	24"x24"	32	531 (Y)

Stainless Steel Mounting Brackets




- Stainless Steel Construction
- Universal hole pattern for quick and easy mounting
- Welded braces
- Sold in boxed pairs

1701031

Part No.	Description	Dim	Wt. (lbs.)	Cat.
1701031	Welded Brackets	18"x18"	19	531 (Y)
1701041	Welded Brackets	18"x24"	22	531 (Y)

Topsider Features



Features



Recessed door and beveled door edges enhance watertight design.



Reinforced door backbone strengthens the integrity of the door and protects the latch mechanism.



1/2" thick gasket system helps to seal out weather and road grime.



Optional removable tray simply snaps into place. (no tools required)



Stainless steel continuous hinge is watertight and rustproof.



Steel Topsider

- 16 gauge steel box w/14 gauge steel doors
- Available in black or white powder coat finish
- Drop-down recessed doors w/continuous hidden hinge
- Locking stainless steel t-handles
- Door opening: flat surface mount (90°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Optional quick-mount trays
- Includes J-hooks for no-drill mounting and protective side rail pads

Steel Topsider (White)



Steel Topsider (Black)



Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702840	16	13	72	1	115	530 (Y)
1702850	16	13	88	1	120	530 (Y)
1702860	16	13	96	2	128	530 (Y)
1702840TRAY	2.25/4	10.75	35	–	11	530 (Y)
1702850TRAY	2.25/4	10.75	43	–	14	530 (Y)
1702860TRAY	2.25/4	10.75	47	–	15	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702940	16	13	72	1	115	530 (Y)
1702950	16	13	88	1	120	530 (Y)
1702960	16	13	96	2	128	530 (Y)
1702940TRAY	2.25/4	10.75	35	–	11	530 (Y)
1702950TRAY	2.25/4	10.75	43	–	14	530 (Y)
1702960TRAY	2.25/4	10.75	47	–	15	530 (Y)

Aluminum Topsider

- .100" thick diamond tread aluminum
- Available in black powder coat finish or diamond tread
- Locking die-cast t-handle compression latch
- Door opening: flat surface mount (90°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Includes J-hooks for no-drill mounting and protective side rail pads

Aluminum Topsider (Black)



Aluminum Topsider (Diamond Tread)



Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1721551	16	13	72	1	78	530 (Y)
1721556	16	13	88	1	89	530 (Y)
1721561	16	13	96	2	92	530 (Y)
1721565	18	16	90	1	99	530 (Y)
1721568	18	16	96	2	103	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1701551	16	13	72	1	78	530 (Y)
1701556	16	13	88	1	89	530 (Y)
1701561	16	13	96	2	92	530 (Y)
1701565	18	16	90	1	99	530 (Y)
1701568	18	16	96	2	103	530 (Y)

Contractor-Style Topsider

Aluminum Contractor

- .056" thick diamond tread aluminum w/slanted double level box
- Comes w/2 doors*: top flip up door (w/gas shocks) and bottom drop door
- Also available in black powder coat finish
- Locking stainless steel t-handle latch
- Aircraft-grade door cables and replaceable gasket sealing system
- Includes mounting hardware

Aluminum Contractor w/Doors (Diamond Tread)



1705640

Part No.	Description	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705640	1 Top Door with 1 Bottom Door	21	13.5/10	72	4	68.5	530 (Y)
1705650	1 Top Doors with 1 Bottom Doors	21	13.5/10	88	4	83.5	530 (Y)
1705660	1 Top Doors with 1 Bottom Doors	21	13.5/10	96	4	88.5	530 (Y)
NEW 1705652	2 Top Doors with 1 Bottom Doors	21	13.5/10	88	4	85	530 (Y)
NEW 1705662	2 Top Doors with 1 Bottom Doors	21	13.5/10	96	4	91	530 (Y)

Aluminum Contractor w/Doors (Black Diamond Tread)



1725640

Part No.	Description	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1725640	1 Top Door with 1 Bottom Door	21	13.5/10	72	4	68.5	530 (Y)
1725650	1 Top Doors with 1 Bottom Doors	21	13.5/10	88	4	83.5	530 (Y)
1725660	1 Top Doors with 1 Bottom Doors	21	13.5/10	96	4	88.5	530 (Y)
NEW 1725652	2 Top Doors with 1 Bottom Doors	21	13.5/10	88	4	85	530 (Y)
NEW 1725662	2 Top Doors with 1 Bottom Doors	21	13.5/10	96	4	91	530 (Y)

Aluminum Contractor w/Doors and Drawers

- .056" thick diamond tread aluminum
- Also available in black powder coat finish
- Locking stainless steel t-handle latch
- Door opening: flat surface mount (90°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Drawer comes w/Adjustable dividers and 100lb rated slides
- Mounting legs and hardware included

Aluminum Contractor w/Doors and Drawers (Diamond Tread)




Part No.	Description	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705641	1 Top Door with 2 Bottom Sliding Drawers	21	13.5/10	72	4	58	530 (Y)
1705651	1 Top Door with 2 Bottom Sliding Drawers	21	13.5/10	88	4	91	530 (Y)
NEW 1705653	2 Top Doors with 2 Bottom Sliding Drawers	21	13.5/10	88	4	85	530 (Y)

Aluminum Contractor w/Doors and Drawers **NEW** (Black Diamond Tread)



Part No.	Description	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
NEW 1725641	1 Top Door with 2 Bottom Sliding Drawers	21	13.5/10	72	4	58	530 (Y)
1725651	1 Top Door with 2 Bottom Sliding Drawers	21	13.5/10	88	4	91	530 (Y)

Cross Box Features



Cross Box Features



Removable sliding tray.



Fully concealed aluminum continuous hinge.



Stainless steel one-touch push-button rotary locking mechanism.



Thick gasket system helps to seal out weather and road grime.



Aluminum Cross Box Single Lid

- .100" thick diamond tread
- Wide opening lid with two gas shocks
- Includes tray and dividers
- Reinforced rib design
- Stainless steel one touch push button locks
- Suspends from pickup side rails w/included mounting hardware
- Fits full size pickups with 6-1/2' and 8' beds

Aluminum Cross Box Single Lid (Diamond Tread)



1709315

Aluminum Cross Box Single Lid **NEW** (Black Diamond Tread)



1729315

Part No.	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1709305	18/11	20	71/60	11.1	75	530 (Y)
1709308	23/16	20	71/60	14.2	77	530 (Y)
1709315	18/11	27	71/60	15.1	89	530 (Y)
1709318*	23/16	27	71/60	19.1	91	530 (Y)

*Works in beds with slants

Part No.	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1729305	18/11	20	71/60	11.1	75	530 (Y)
NEW 1729308	23/16	20	71/60	14.2	77	530 (Y)
NEW 1729315	18/11	27	71/60	15.1	89	530 (Y)
NEW 1729318*	23/16	27	71/60	19.1	91	530 (Y)

*Works in beds with slants

Aluminum Cross Box Gull-Wing

- .100" thick diamond tread
- Double-sided lids with gas shocks
- Includes tray and dividers
- Reinforced rib design
- Stainless steel one touch push button locks
- Suspends from pickup side rails w/included J-Hooks
- Fits full size pickups with 6-1/2' and 8' beds

Aluminum Cross Box Gull-Wing (Diamond Tread)



1710305

Aluminum Cross Box Gull-Wing **NEW** (Black Diamond Tread)



1720305


Part No.	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1710305	18/11	20	71/60	11.1	67	530 (Y)
1710308	23/16	20	71/60	14.2	73	530 (Y)
1710315	18/11	27	71/60	15.1	81	530 (Y)
1710318*	23/16	27	71/60	19.1	85	530 (Y)

*Works in beds with slants

Part No.	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1720305	18/11	20	71/60	11.1	67	530 (Y)
1720308	23/16	20	71/60	14.2	73	530 (Y)
NEW 1720315	18/11	27	71/60	15.1	81	530 (Y)
NEW 1720318*	23/16	27	71/60	19.1	85	530 (Y)

*Works in beds with slants

Lo-Sider Features



Lo-Sider Features



Removable tray with storage dividers.



The cover support housing protects the gas springs.



Stainless steel locking mechanism.



Full weather stripping keeps dust and moisture out.



Aluminum Lo-Sider

- .056" thick diamond tread
- Also available in black powder coat
- Door assisting gas shocks
- Locking stainless steel paddle latch
- Includes tray and dividers
- Mounting hardware included
- Fits full size pickups with 6-1/2' and 8' beds

Aluminum Lo-Sider (Diamond Tread)



Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1711010	Mounts along bed rail of pickups	13	10.5/16	47	5.2	23	530 (Y)
1711020	Mounts along bed rail of pickups	13	10.5/16	56	3.4	47	530 (Y)
1711025	Mounts along bed rail of pickups	13	10.5/16	70	4.0	52	530 (Y)
1711030	Mounts along bed rail of pickups	13	10.5/16	87	6.3	63	530 (Y)

Aluminum Lo-Sider **NEW** (Black)



Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1721010	Mounts along bed rail of pickups	13	10.5/16	47	5.2	23	530 (Y)
1721020	Mounts along bed rail of pickups	13	10.5/16	56	3.4	47	530 (Y)
1721025	Mounts along bed rail of pickups	13	10.5/16	70	4.0	52	530 (Y)
1721030	Mounts along bed rail of pickups	13	10.5/16	87	6.3	63	530 (Y)

NEW

Chest Features



All-Purpose Chest Features



Gas spring cover support protects spring from damage.



Two zinc-plated chest handles for easy lifting.



Angled body design is ideal for use with fifth wheel and gooseneck trailer applications.



Reinforced channels in lid for extra durability.



All-Purpose Jumbo Chest Features



Stainless Steel Locking Mechanism.



Gas Spring Cover Support Protects Spring from Damage.



Two zinc-plated chest handles for easy lifting.



Aluminum All-Purpose w/Angled Base



1712030

- .056" thick diamond tread
- Offset lid allows for 90° opening when placed against truck bed
- Angled body for use with fifth wheel or gooseneck trailer application
- Door assisting gas shocks
- Stainless steel one-touch push button locks
- Includes tray and dividers

Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1712010	Most Pickups (front slant on chest)	19	20/16	47/47	10	52.5	530 (Y)
1712020	Full-size Pickups, Long and Short Bed (front slant on chest)	19	20/16	55/54	12	55	530 (Y)
1712030	Full-size Pickups, Long and Short Bed (front and side slant on chest)	19	20/16	60/52	12.5	60	530 (Y)
1712035	Full-size Pickups, Long Bed Only (side slant on chest)	19	27/27	60/52	18	74	530 (Y)

Aluminum Jumbo Chest



1712110

- .100" thick diamond tread
- Door assisting gas shocks
- Aluminum hinge
- Locking stainless steel paddle latch
- Side-handles for easy lifting

Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1712110	Multipurpose	24	24/22	49/48	15	73.5	530 (Y)
1712120	Full-size Multipurpose, Long and Short Bed (front slant on chest)	30	30/28	49/48	24	92	530 (Y)

Poly Chest




1712230

- Constructed of high-density polyethylene
- Stainless steel hasp and hinge
- Designed to mount to the front of A-frame style trailers

Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1712230	Multipurpose - One Zinc Hasp	13.5	15/9.25	32/29.5	2.6	16	530 (Y)
1712240	Multipurpose - Two Zinc Hasp	17.25	19/13.25	44/41.25	6.3	28	530 (Y)
1712250	Multipurpose - One Zinc Hasp	22.5	19.5/18.75	51/47	8.4	34	530 (Y)
1712255	Multipurpose - Two Zinc Hasp	26	23/21	51/47.25	15.8	46	530 (Y)
1712260	Multipurpose - Two Zinc Hasp	23	25/19	77/73	18.8	52	530 (Y)

Pork Chop Features



Stainless Steel One-Touch Push-Button Rotary Locking Mechanism

Fully Concealed Aluminum Continuous Hinge

Gas Spring Cover Support

Aluminum Pork Chop

- Low profile over-the-wheel mounting offers convenient storage while maximizing pickup truck bed space
- Constructed of heavy-duty diamond tread aluminum
- Lid features gas shock and one-touch stainless steel push button rotary locking mechanism
- Fits most pickups
- May also be mounted in front of wheel wells on full-size long bed pickups

1711205

Pork Chop Features



Gas spring cover support protects spring from damage.



Fully concealed aluminum continuous hinge.



Stainless steel one-touch push-button rotary locking mechanism.



Thick gasket system helps to seal out weather and road grime.



Part No.	Application	Height	Depth	Width	Wt. (lbs.)	Cat.
1711205	Drivers' Side Rear/Passengers' Side Front	19/8.5	9.25	46.25/17.25	26	530 (Y)
1711206	Passengers' Side Rear/Drivers' Side Front	19/8.5	9.25	46.25/17.25	26	530 (Y)

Poly Trailer Tongue Box

- Constructed of high-density polyethylene
- Available in black or white
- Stainless steel hasp and hinge
- Designed to mount to the front of A-frame style trailers

Poly Trailer Tongue Box (White)



Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1701679	18	19	36/18	21	530 (Y)

Poly Trailer Tongue Box (Black)



Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1701680	18	19	36/18	21	530 (Y)

Aluminum Trailer Tongue Box



1701380

- .056 thick diamond tread aluminum
- Designed to mount to the front of A-frame style trailers
- Aluminum continuous hidden hinge
- Locking stainless steel paddle latch

Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1701380	15	14.5	34/20.7	17.5	530 (Y)
1701385	18.5	15	49/37	28	530 (Y)

Steel Trailer Tongue Box



1701280

- 14 gauge steel box w/12 gauge steel door
- Designed to mount to the front of A-frame style trailers
- Stainless steel continuous hidden hinge
- Locking stainless steel paddle latch

Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1701280	15	14.5	34/22.5	17.5	530 (Y)
1701281	12	13.25	26/14	33	530 (Y)
1701285	18.5	15	49/37	28	530 (Y)

Steel B-Packs

Steel B-Pack (Black)



BP855524B
(Offset Floor)

- 14 gauge steel box w/12 gauge steel doors
- Gas spring door holders
- Two fixed shelves
- Stainless steel continuous hidden hinge
- Locking stainless steel T-handle latches
- Built-in rain gutter w/automotive bulb seal
- Two folding, passenger side J-hooks
- Built-in chassis mounting rail
- Optional steel bolt-on underbody box (see B-Pack accessories or appropriate underbody category for more information)
- **Flat Floor:** Cab-over tucks
- **Offset Floor:** Conventional Cabs

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
BP855524B	Offset Floor (9.10")	55	24	85	536	592 (Y)
BP824624B	Flat Floor, No Offset	46	24	82	454	592 (Y)
NEW BP855924B	Flat Floor, No Offset	59	24	85	534	592 (Y)

Steel B-Pack (White)



BP824624W
(Flat Floor)

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
BP855524W	Offset Floor (9.10")	55	24	85	536	592 (Y)
BP824624W	Flat Floor, No Offset	46	24	82	454	592 (Y)
NEW BP855924W	Flat Floor, No Offset	59	24	85	534	592 (Y)

Steel B-Pack (Primer)



BP855524P
(Offset Floor)

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
BP855524P	Offset Floor (9.10")	55	24	85	536	592 (Y)
NEW BP855924P	Flat Floor, No Offset	55	24	59	534	592 (Y)



BP825524

- .100" thick aluminum diamond tread
- Gas spring door holders
- Two fixed shelves
- Stainless steel continuous hinge
- Locking die-cast T-handle compression latches
- Two folding J-hooks on passenger side of box
- Built-in rain gutter w/automotive bulb seal
- Spring cushioned mounting kit included
- Built-in chassis mounting rail
- Optional aluminum bolt-on underbody box (BP141624)
- **Flat Floor:** Cab-over tucks
- **Offset Floor:** Conventional Cabs



BP141624

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
BP824624	Flat Floor No Offset. Used on Cab-Over Trucks	46	24	82	216	592 (Y)
BP825524	Offset Floor (9.1"). Hangs Below Floor Level	55	24	82	234	592 (Y)
NEW BP826224	Offset Floor (16.35"). Hangs Below Floor Level	62	24	82	254	592 (Y)
BP925824	Offset Floor (8.75"). Hangs Below Floor Level	58	24	92	255	592 (Y)
NEW BP855924	Flat Floor No Offset. Used on Cab-Over Trucks	59	24	85	350	530 (Y)
BP141624	Optional Bolt-On Aluminum Underbody Toolbox	14	16	24	32	530 (Y)

B-Pack Accessories



3008086

- 5/8" U-bolts w/forged tie bars, springs and fasteners (all zinc plated)
- Included with aluminum B-Packs

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
3008086*	Universal Spring Cushion Mounting Kit	-	-	-	17	531 (Y)
1703300**	Optional Bolt-On Black Steel Underbody Toolbox	14	16	24	46	530 (Y)
1703400**	Optional Bolt-On White Steel Underbody Toolbox	14	16	24	46	530 (Y)
1703900**	Optional Bolt-On Primed Steel Underbody Toolbox	14	16	24	46	530 (Y)

*Failure to use supplied cushion mounting kit may void warranty on Aluminum B-Pack Toolboxes.

** See steel underbodies for more information and images.
Additional sizes available as custom orders.

Aluminum Step Box



1705181

- Provides framed steps w/built-in storage space
- Non-slip (grip punch) steps
- .125 smooth aluminum body
- .100 diamond tread aluminum door
- Single rubber D-bulb door seal protects from the elements
- Die-cast locking T-latch and continuous hinge
- Corner gussets on door opening provide extra strength
- 1/8" thick integral corner braces provide mounting support (for heavy loads and toolboxes wider than 18", #1701015 steel mounting brackets are recommended to prevent stress cracks)
- For medium and heavy-duty trucks

Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1705180	24	28	12	40	530 (Y)
1705181	24	28	18	46	530 (Y)
1705182	24	28	24	56	530 (Y)
1705183	24	28	30	66	530 (Y)

Between-The-Frame Box



- Mounts between truck frame rails
- Body constructed of .100" smooth aluminum
- .100" Diamond tread aluminum lid is cross braced w/.190" aluminum
- TIG Welded
- Full width stainless steel hinge with 1/4" diameter pin
- Overlapping lid design w/full perimeter gutter and D-bulb seals
- Zinc plated lock hasp

Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1705190	9	22	30	32	530 (Y)

Chain Carrier w/Hinged Lid



- Reinforced, structural steel construction
- Pre-drilled for simple frame mounting (bolts not included)
- Black powder coat finish
- TIG Welded
- Popular with over-the-road freight haulers required to carry tire chains

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
5910024	Hinged, Aluminum Diamond Plate Cover w/Lock Hasp	9	7.5	24	34	591 (N)
3023908	Replacement Lid	-	-	-	5.8	591 (N)

Parts Cabinet



5411018



5411005

- Store and index hardware or small parts
- White powder coated steel cabinet
- Injection molded plastic drawers with stops
- Includes two dividers per drawer
- Pre-drilled mounting holes (hardware not included)

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
5411018	18 Drawer Cabinet	12	11.75	32.5	30.8	541 (N)
5411000	Drawer Replacement	3.25	12.25	5	0.61	541 (N)
5411005	Mounting Bracket for Cabinet	1.75	-	13.75	1.25	541 (N)


Poly Storage Box



- Durable, corrosion free construction
- Double panel, sloped lid with integral hasp
- Stainless steel hinge
- Hand holds for ease of carrying
- Fork lift slots
- Provides a dry storage area
- Stackable
- 9031105 ships UPS

Part No.	Application	Height	Depth	Width	Wt. (lbs.)	Cat.
9031100	Store Grain, Salt, Etc. in a Dry Area	30	24	36	28	903-1 (N)
9031105	Store Grain, Salt, Etc. in a Dry Area	20	24	36	21	903-1 (N)
9031110	Material Scoop	-	-	-	2.47	903-1 (N)

Dry-Mat Tile



- 3/4" thick, tough automotive grade recycled plastic
- Relieves physical stress on the job
- Provides fast evaporation while protecting the surface below
- Maintains original shape and color
- Fast, easy installation

Part No.	Description	Length	Width	Wt. (lbs.)	Cat.
DM1212B	Tile	12	12	1.42	880 (N)
DM0212BM	Male Edge	12	2	0.35	880 (N)
DM0212BF	Female Edge	12	2	0.33	880 (N)
DM0214BMC	Male Corner	14	2	0.5	880 (N)

Door Lanyard



3003081

- PVC-coated steel wire lanyard with two swagged eyelets
- Custom sizes available by quote

Part No.	Dimensions	Wt. (lbs.)	Cat.
3027064	8.75" C-C	0.04	591 (N)
3027065	9.63" C-C	0.04	591 (N)
3003480	12.65" C-C	0.06	591 (N)
3004556	15.56" C-C	0.06	591 (N)
3003081	17.15" C-C	0.07	591 (N)
3024237	18.50" C-C	0.07	591 (N)
3024713	25.75" C-C	0.08	591 (N)
3024238	27.10" C-C	0.08	591 (N)

J-Hook Hanger



- Universal J-hook hangers
- Bolt-on or weld-on
- Folding zinc plated J-hooks swing flush with compartment walls when not in use

Part No.	Description	Height	Width	Wt. (lbs.)	Cat.
3009122	Double J-Hook w/Steel Mounting Angle	6.75	6	0.85	530-1 (N)
3009938	Triple J-Hook w/Aluminum Mounting Angle	7	18	2.16	530-1 (N)

Die Cast Compression Latch Folding T-Handle



- Powder coated die cast housing
 - Chrome handle
 - Locking chrome shank
 - Hidden Studs
 - Cam action roller engagement
 - Adjustable cam, from .850" to 1.320" (No tools required for adjustment)
- *Replacement for Buyers boxes using L8816 and L3890RLS latch**

Part No.	Description	Wt. (lbs.)	Cat.
LL9000	Single Point, Compression Latch w/Blind Studs, 1/2" Gasket and Cylinder w/keys included	2.04	510 (N)
LL90003	3-Point, Compression Latch w/Blind Studs, 1/2" Gasket and Cylinder w/keys included	2.04	510 (N)

Heavy-Duty Standard Size Flush Mount Folding T-Handle Latches



- Polished Stainless steel
- Available in single, double or triple point contact to address most applications
- Adjustable cam from 1.25" to 2" to accommodate door thicknesses
- Designed to mount into a 3.75" x 4" recess opening.
(L8816 fits into 4.375" x 3.5" recess opening)

Part No.	Description	Wt. (lbs.)	Cat.
L8815	Single Point Latch Folding T-Handle, w/Mounting Holes	1.25	510 (N)
L8816	Single Point Latch Folding T-Handle w/Blind Studs, Gasket and Cylinder w/keys included	1.50	510 (N)
L8915*	Single Point Latch Folding-T Handle, w/Mounting Holes	1.25	510 (N)
L8825	Double Point Latch Folding-T Handle, w/Mounting Holes, Rods Included	2.50	510 (N)
L8835	Triple Point Latch Folding-T Handle, w/Mounting Holes, Rods Included	2.75	510 (N)
L8855	Single Point Latch Folding-T Handle, w/Blind Studs, Gasket and Cylinder w/Keys Included	1.26	510 (N)
L8815G0	Gasket for L8815, L8855, L8915	0.01	510 (N)

* Zinc Plated

Heavy-Duty Standard Size Flush Mount Folding T-Handle Latch



- Polished Stainless steel
 - 3-Point latch
 - Adjustable cam from 0.25" to 1.6"
 - Designed to mount into a 4-3/8" x 3-1/2" recess opening
- *Replacement for Buyers poly underbody boxes only, will not work on standard underbody toolboxes**

Part No.	Description	Wt. (lbs.)	Cat.
L8816R	3-Point Latch Folding-T Handle, w/Roller	1.43	510 (N)

Cylinder and Key



19CH545



39LL71



L38RLSCH545



88CH545

- For standard and junior size latches.
- Various keys upon request

Part No.	Description	Wt. (lbs.)	Cat.
19CH545	Cylinder and Key	0.09	510 (N)
88CH510	Cylinder Lock w/ 2 Keys	0.13	510 (N)
39LL71	Cylinder and Key	0.09	510 (N)
L38RLSCH545	Cylinder for L3885RLS Latch	0.25	510 (N)
88CH545	Cylinder for L8815/L8915/L8816 Latch	0.25	510 (N)
CDC01Z	Zinc Die Cast Cylinder Dust Cover (Works w/all Cylinders and Keys Listed Above)	0.05	510 (N)

Underbody Replacement Parts

Part No.	Doors	Latches	Lanyards	Part No.	Doors	Latches	Lanyards	Part No.	Doors	Latches	Lanyards
1702100	1702100DOOR	L3890RLS	3003081	1702700	1702700DOOR	LL9000	3003081	1704415	1704415DOOR	L8816	3004713
1702103	1702103DOOR	L3890RLS	3003081	1702703	1702703DOOR	LL9000	3003081	1704705	1704705DOOR	LL9000	3004713
1702105	1702105DOOR	L3890RLS	3003081	1702705	1702705DOOR	LL9000	3003081	1704710	1704710DOOR	LL9000	3003081
1702110	1702110DOOR	L3890RLS	3003081	1702710	1702710DOOR	LL9000	3003081	1704715	1704715DOOR	LL9000	3003081
1702115	1702115DOOR	L3890RLS	3003081	1702715	1702715DOOR	LL9000	3003081	1705100	1705100DOORB	LL9000	3003081
1702200	1702200DOOR	L3890RLS	3003081	1702725	1702705DOOR	LL9000	3003081	1705101	1705101DOORB	LL9000	3003081
1702203	1702203DOOR	L3890RLS	3003081	1702805	1702805DOOR	LL9000	3003081	1705103	1705103DOORB	LL9000	3003081
1702205	1702205DOOR	L3890RLS	3003081	1702810	1702810DOOR	LL9000	3003081	1705105	1705105DOORB	LL9000	3003081
1702210	1702210DOOR	L3890RLS	3003081	1702815	1702815DOOR	LL9000	3003081	1705110	1705110DOORB	LL9000	3003081
1702215	1702215DOOR	L3890RLS	3003081	1702900	1702900DOOR	L8816	3003081	1705115	1705115DOORB	LL9000	3003081
1702295	/	L8816	3003081	1702905	1702905DOOR	L8816	3003081	1705120	1705110DOORB	LL9000	3003081
1702300	1702300DOOR	L8816	3003081	1702910	1702910DOOR	L8816	3003081	1705130	1705130DOORB	LL9000	3004713
1702303	1702303DOOR	L8816	3003081	1703100	1703100DOOR	L3890RLS	3003480	1705133	1705133DOORB	LL9000	3004713
1702305	1702305DOOR	L8816	3003081	1703103	1703103DOOR	L3890RLS	3003480	1705135	1705135DOORB	LL9000	3004713
1702310	1702310DOOR	L8816	3003081	1703150	1703150DOOR	L3890RLS	3003480	1705140	1705140DOORB	LL9000	3004713
1702315	1702315DOOR	L8816	3003081	1703203	1703203DOOR	L3890RLS	3003480	1705145	1705145DOORB	LL9000	3004713
1702317	1702317DOOR	L8816	3003081	1703300	1703300DOOR	L8816	3003480	1705150	1705150DOORB	LL9000	3003480
1702325	1702325DOOR	L8816	3003081	1703303	1703303DOOR	L8816	3003480	1705160	1705160DOORB	LL9000	3003480
1702400	1702400DOOR	L8816	3003081	1703305	1703305DOOR	L8816	3003480	1708310	1708310DOOR	L8816	3003081
1702403	1702403DOOR	L8816	3003081	1703330	1703330DOOR	L8816	3003480	1708410	1702410DOOR	L8816	3003081
1702405	1702405DOOR	L8816	3003081	1703350	1703350DOOR	L8816	3003480	1725100	1725100DOOR	LL9000	3003081
1702410	1702410DOOR	L8816	3003081	1703400	1703400DOOR	L8816	3003480	1725105	1725105DOOR	LL9000	3003081
1702415	1702415DOOR	L8816	3003081	1703403	1703403DOOR	L8816	3003480	1725110	1725110DOOR	LL9000	3003081
1702417	1702417DOOR	L8816	3003081	1703405	1703405DOOR	L8816	3003480	1725130	1725130DOOR	LL9000	3004713
1702500	1702500DOOR	LL9000	3003081	1703700	1703700DOOR	LL9000	3003480	1725135	1725135DOOR	LL9000	3004713
1702503	1702503DOOR	LL9000	3003081	1703703	1703703DOOR	LL9000	3003480	1725140	1725140DOOR	LL9000	3004713
1702505	1702505DOOR	LL9000	3003081	1703705	1703705DOOR	LL9000	3003480	1732300	1732300DOOR	LL90003	3024237
1702510	1702510DOOR	LL9000	3003081	1703900	1703900DOOR	L8816	3003480	1732305	1732305DOOR	LL90003	3024237
1702595	-	LL9000	3003081	1704300	1704300DOOR	L8816	3004713	1733203	1733203DOOR	LL90003	3024237
1702600	1702600DOOR	LL9000	3003081	1704303	1704303DOOR	L8816	3004713	1734300	1734300DOOR	LL90003	3024238
1702603	1702603DOOR	LL9000	3003081	1704305	1704305DOOR	L8816	3004713	1734303	1734303DOOR	LL90003	3024238
1702605	1702605DOOR	LL9000	3003081	1704310	1704310DOOR	L8816	3004713	1734305	1734305DOOR	LL90003	3024238
1702610	1702610DOOR	LL9000	3003081	1704315	1704315DOOR	L8816	3004713	1735100	1735100DOOR	LL90003	3003081
1702650	1702650DOOR	LL9000	-	1704400	1704400DOOR	L8816	3004713	1735105	1735105DOOR	LL90003	3003081
1702653	1702653DOOR	LL9000	-	1704403	1704403DOOR	L8816	3004713	1735130	1735130DOOR	LL90003	3004713
1702655	1702655DOOR	LL9000	-	1704405	1704405DOOR	L8816	3004713	1735133	1735133DOOR	LL90003	3004713
1702660	1702660DOOR	LL9000	-	1704410	1704410DOOR	L8816	3004713	1735135	1735135DOOR	LL90003	3004713

Barn-Door Replacement Parts

PART NO.	DOORS W/LATCH	DOOR W/O LATCH	LATCHES
1705201	1705201DOORBWLCH	1705201DOORBWLCH	LL90003
1705200	1705200DOORBWLCH	1705200DOORBWLCH	LL90003
1705203	1705203DOORBWLCH	1705203DOORBWLCH	LL90003
1702235	1702235DOORBWLCH	1702235DOORBWLCH	LL90003
1702240	1702240DOORBWLCH	1702240DOORBWLCH	LL90003
1702250	1702250DOORBWLCH	1702250DOORBWLCH	LL90003
1705205	1705205DOORBWLCH	1705205DOORBWLCH	LL90003
1705215	1705215DOORBWLCH	1705215DOORBWLCH	LL90003
1705305	1705305DOORBWLCH	1705305DOORBWLCH	LL90003
1705310	1705310DOORBWLCH	1705310DOORBWLCH	LL90003
1705315	1705315DOORBWLCH	1705315DOORBWLCH	LL90003
1705335	1705335DOORBWLCH	1705335DOORBWLCH	LL90003
1705340	1705340DOORBWLCH	1705340DOORBWLCH	LL90003
1705345	1705345DOORBWLCH	1705345DOORBWLCH	LL90003

See product specific information on pages 6-7



DESIGN BUILD DISTRIBUTE SUPPORT



Buyers Products Company 9049 Tyler Blvd. Mentor, OH 44060
440.974.8888 Toll-Free Fax 800.841.8003 www.buyersproducts.com