



## Product Catalog

*Product You Can Count On, People You Can Trust*

Active Tools.....	3
Aktas Air Springs.....	5
Breeze.....	6
Browline Metalworks.....	8
Brownsville Textiles.....	8
ClearPlus Wiper Blades.....	9
Dayco Tensioners.....	10
DCL International - DPF and DOC.....	12
Deflecto Reflector System.....	13
Deltran Battery Tender.....	14
Elvex Hard Hats.....	16
Energizer Batteries.....	17
Five Star Manufacturing Placards.....	19
Flex Fab Silicone Hose.....	20
Goodyear Airbags.....	23
Havells Lightbulbs.....	25
JBC Safety Cones.....	26
J.J. Keller.....	27
Lang-Mekra Mirrors.....	29
Monroe Shocks.....	30
Orafol Reflexite Tape.....	35
Permatex Fast Orange.....	36
Regal Telesteps Ladders.....	38
Safety Works.....	40
Seattle Glove Inc.....	41
Shinn Fu Bone Creepers.....	42
Teknor Apex Water Hoses.....	43
Titan Professional Tools.....	44
Transglobal Door.....	46
Torca Exhaust Clamps.....	47
Tru-flex Exhaust Hose.....	48
Unique Tool.....	49
US MotorWorks.....	50
Weitron Freon.....	54
WonderGel.....	55



#51-051-021 ResQ - 12V Car/SUV/Minivan air compressor  
 0 to 65 psi with built in pressure gauge, 12v power plug, deflate button on housing and includes travel bag. No sealant.  
 Adaptors for bicycle tires, balls and inflatable's.



#58-080-021 ResQ MAX - 12V Truck/Trailer/SUV air compressor  
 0 to 85 psi with built in pressure gauge, 12v alligator clamp connection. Deflate button on air hose and includes travel bag. Air hose is 20' long. Kit includes adaptors for bicycle tires, balls and inflatable's. No sealant.



#51-074-021 Tour - 12V Motorcycle/ATV air compressor  
 0 to 85 psi with built in pressure gauge. Connector styles are 12v power plug, alligator clips and scooter rings. Kit includes adaptors for balls and inflatable's. Comes with travel bag, no sealant.



#55-0320-21 AirGun - 9.6V Professional Sports Inflator – for rapid inflation of sports equipment including bicycles. Comes with rechargeable li-Ion battery and charger and 12v cable adapter. Pressure hose with thread connector for tires and adaptors for balls and inflatable's. Includes built in LED light and comes with travel bag.



#71-051-021 ResQ – 12V Professional air compressor & sealant repair kit.  
 0 – 65 PSI with built in pressure gauge. Kit includes 450ml bottle of sealant with sealant hose. Comes with 12v power plug, deflate button on housing, adaptors for bicycle tires, balls and inflatable's, all stored within a carrying case. Temporarily repairs holes up to 6mm. After application, maximum speed is 50mph and distance is 120 miles. Reorder part# 65-005-021 sealant when needed.





#71-063-021 ResQ Pro+ 12V Professional air compressor & sealant repair kit. 0 to 55 PSI with built in pressure gauge. Kit includes 450ml bottle of sealant with sealant hose. Comes with 12v power plug, deflate button, adaptors for bicycle tires, balls and inflatable's, all stored within a carrying case. Temporarily repairs holes up to 6mm. After application, maximum speed is 50mph and distance is 120 miles. Reorder part# 65-005-021 sealant when needed.



#71-069-021 EasyRider tire repair kit. Kit includes 12V High Performance compressor and a 250ml bottle of sealant with sealant hose. Recommended for motorcycles, (OEM Harley Davidson) and ATV's. Comes with 12v power plug, alligator clips and scooter rings. Also includes built in pressure gauge, adaptors for bicycle tires, balls and inflatable's within a travel bag. Repairs punctures up to 10mm. Maximum speed after repair is 50mph.

Reorder part# 61-069-021 sealant when needed.



#78-080-021 ResQ Max tire repair kit, for SUV's, trucks and trailers. Kit includes high performance air compressor and 620ml bottle of sealant with sealant hose. 0 to 85 PSI with built in pressure gauge, deflate button, alligator clamps, 16' coiled air line and travel bag. After application, maximum speed is 50mph and distance is 120 miles.

Reorder part# 64-010-021 sealant when needed.



#65-005-021 450ml sealant for ResQ Pro

#64-010-021 620ml sealant for ResQ MAX



#61-069-021 250ml sealant for EasyRider

<u>HDATP Part No.</u>	Airtech Part Number	Airtech Part No Space	Goodyear Prem Part Number	Goodyear SpringRide Part Number	Contitech Part #	Firestone
131672	39780-01 KPP	39780-01KPP	1R12-303	1R12-1072	9 10S-16 P 382	W01-358-9780
130212	39875 KPP	39875KPP	1R12-432	1R12-1077	9 10B-19.5 P 889	W01-358-9875
137072	38709KPP	38709KPP	1R13-159	1R13-262	10 10.5-15 P 460	W01-358-8709
137082	38713KPP	38713KPP	1R13-176	1R13-263	10 10-16 S 533	W01-358-8713
136972	39069 KPP	39069KPP	1R12-069	1R12-1069	9 10-14 P 312	W01-358-9069
134022	39265 K	39265K	1R12-375	1R12-1073	9 10-19 P 435	W01-358-9265
131612	39781 K ALU	39781KALU	1R12-603	1R12-1082	9 10-16 A 382	W01-358-9781
131392	39580 K	39580K	1R13-118	1R13-258	10 10-21 P 434	W01-358-9580
134042	39270 K	39270K	1R13-119	1R13-259	9 10-13.5 S 433	W01-358-9270
131352	39082 KPP	39082KPP	1R12-092	1R12-1070	9 10-16 P 310	W01-358-9082
137142	38050-01	38050-01	1R14-039	1R14-244	11 10.5C-16 A 320	W01-358-8050
137172	39648KPP	39648KPP	1R12-538	1R12-1080	9 10-18.5 P 456	W01-358-9648
132032	39366 KPP	39366KPP	1R12-487	NA	NA	NA
137002	39422 KPP	39422KPP	1R11-028	1R11-279	NA	W01-358-9422
137212	38829KPP	38829KPP	1R12-615	1R12-1083	NA	W01-358-8829
137182	38204KPP	38204KPP	1R12-508	1R12-1078	NA	W01-358-8204
131212	38729KPP	38729KPP	1R13-130	1R13-261	NA	W01-358-8729
131572	39622 KPP	39622KPP	1R11-221	1R11-280	9 9-10 P 576	W01-358-9622
140287	W11-3026	W11-3026	2B9-229	2B9-494	FD 200-19 505	W01-358-6897
132242	38091 KPP	38091KPP	1R14-171	1R14-245	11 10.5A-16 P 523	W01-358-8091
136032	39375 KPP	39375KPP	1R12-404	1R12-1076	9 10-18.5 P 451	W01-358-9375
137152	38755 K ALU	38755KALU	1R13-124	1R13-260	10 10-15 S 522	W01-358-8755
132072	39101 K ALU	39101KALU	1R12-103	NA	NA	NA
137192	38852KPP	38852KPP	1R12-568	1R12-1081	9 10-19 P 472	W01-358-8852
136122	39373 KPP	39373KPP	1R12-403	1R12-1075	9 10-18.5 P 519	W01-358-9373
132502	39921KPP	39921KPP	1R12-502	NA	NA	NA
137122	39370KPP	39370KPP	1R12-580	NA	NA	NA
140550	W11-3027	W11-3027	2B9-239	NA	NA	NA
131172	39367 K ALU	39367KALU	1R12-256	1R12-1071	9 10-21 P 505	W01-358-9367
136932	39371 KPP	39371KPP	1R12-401	1R12-1074	9 10-18.5 P 521	W01-358-9371





### Liner Clamps

To protect the hose from extrusion and shear, we extend an inner liner to cover the worm-gear slots. The liner protects soft surface hose (silicone and others) from clamping damage. Numbers with "H" suffix are 1/2" wide, "LIN" suffix are 5/16" wide. Sold in quantities of 10.



### Constant-Torque Clamps

A Belleville spring mechanism permits the constant torque clamp to automatically increase or decrease its own diameter due to changes in operational or environmental temperatures. This unique design eliminates "cold flow" leaks. These stainless steel clamps offer virtually unlimited product life, won't ruse or corrode and are reusable. The LSS version clamps come with a stainless steel screw and have a 5/8" wide band. The CT94 series clamp, for smaller diameter applications have a 9/16" band width. These clamps are sold in quantities of 10.

Part Number	Diameter Range			
	Minimum		Maximum	
	INCH	MM	INCH	MM
3505LIN	5/16"	8	11/16"	17.4
9206H	7/16"	11	25/32"	20
9210H	9/16"	14	1-1/16"	27
9212H	11/16"	17	1-1/4"	32
9216H	13/16"	21	1-1/2"	38
9220H	13/16"	21	1-3/4"	44
9224H	1-1/16"	27	2"	51
9228H	1-5/16"	33	2-1/4"	57
9232H	1-9/16"	40	2-1/2"	64
9236H	1-13/16"	46	2-3/4"	70
9240H	2-1/16"	52	3"	76
9244H	2-5/16"	59	3-1/4"	83
9248H	2-9/16"	65	3-1/2"	89
9252H	2-13/16"	71	3-3/4"	95
9256H	3-1/16"	78	4"	102
9260H	3-5/16"	84	4-1/4"	108
9264H	3-9/16"	91	4-1/2"	114
9272H	4-1/8"	105	5"	127

Part Number	Diameter Range			
	Minimum		Maximum	
	inch	mm	inch	mm
CT250LSS	1-3/4"	45	2-5/8"	67
CT300LSS	2-1/4"	57	3-1/8"	79
CT350LSS	2-3/4"	70	3-5/8"	92
CT400LSS	3-1/4"	83	4-1/8"	105
CT450LSS	3-3/4"	95	4-5/8"	118
CT500LSS	4-1/4"	108	5-1/8"	130
CT550LSS	4-3/4"	121	5-5/8"	143
CT9410	9/16"	14	1-1/16"	27
CT9412	11/16"	17	1-1/4"	32
CT9416	13/16"	21	1-1/2"	38
CT9420	13/16"	21	1-3/4"	44
CT9424	1-1/16"	27	2"	51



### T-Bolt Spring Loaded Clamps

The spring design of these clamps provide constant tension, used on applications such as charge air cooling systems. 3/4" band width, sold in quantities of 10.  
B9226 standard duty - B9224 heavy duty.

Part Number	Min. Inch	mm	Max Inch	mm
B9224-0306	3.06	77.8	3.38	85.7
B9224-0356	3.56	90.5	3.88	98.4
B9224-0406	4.06	103.2	4.38	111.1
B9226-0306	3.06	77.8	3.38	85.7
B9226-0356	3.56	90.5	3.88	98.4
B9226-0406	4.06	103.2	4.38	111.1



### T-Bolt Clamps

T-Bolt clamps offer high strength clamping. They have a 100% stainless steel, smooth band and are 3/4" wide. These clamps are sold in quantities of 10.


Part Number	Diameter Range			
	Minimum		Maximum	
	INCH	MM	INCH	MM
TB250	2.5"	63.5	2.81"	71.4
TB275	2.75"	69.9	3.06"	77.8
TB300	3"	76.2	3.31"	84.1
TB325	3.25"	82.6	3.56"	90.5
TB338	3.38"	85.7	3.69"	93.7
TB375	3.75"	95.3	4.06"	103.2
TB400	4"	101.6	4.31"	109.5
TB425	4.25"	108	4.56"	115.9
TB475	4.75"	120.7	5.06"	128.6
TB525	5.25"	133.4	5.56"	141.3



### V-Band Clamps

V-band clamps provide fast, secure coupling for connecting joints. Typical applications include heavy duty diesel engine exhaust and turbochargers. These clamps are sold individually.

Part #	Diameter	A	B	C	D	E
VT10321	3.21"	.05	.262	.141	.035	.75
VT10475	4.75"	.05	.400	.281	.040	.875
VT10588	5.88"	.05	.400	.281	.040	.875



**BROWNLINE**  
BROWN LINE METALWORKS

### Digital Angle Gauge

Quickly and easily measures angular rotation for Torque Turn applications.

Part Number: BLDAG001

#### Features:

- ◆ Ability to set target angle
- ◆ Warning lights and buzzer when nearing & hitting target angle
- ◆ Three button operation
- ◆ Significantly quicker to use than traditional angle gauge
- ◆ "Ratchet" feature allows user to ratchet wrench in tight spaces and still accumulate angle measurements




## BROWNSVILLE TEXTILES

Compressed space saving white knit shop rags available in a 25 lb box.

Part Number: BCK25

#### Features:

- ◆ Box required half the space of competitor's boxes
- ◆ Easy to dispense punch-out hole





# clearplus®

## Sentinel Series

ClearPlus® Sentinel Series® is designed with more pressure points than most other frame blades in the market. This allows better contact, pressure distribution and wrap around on highly curved windshields of today's vehicles.



## ProValue Series

ClearPlus® ProValue Series® is offered in bulk packaging to maximize savings. Available in 10 lengths and 5 connections.



## Signature/Universal Series

ClearPlus® Signature Series® is available in bulk or retail packaging. Signature Series® combines the advantages of hinged frame blades with the styling and form of "Beam" blades. This product features our Leading Edge® rubber technology using highest grade all natural rubber formulation, precision slitting and Liquid Molybdenum coating on wiping rubber element. Premium styling, potential for upgrading sales, and easy to use connection system for almost all old and new arm types make this product most universal in application coverage and the best return on inventory dollars.



## Winter Series

With a heavy-duty steel structure and a larger profile wiping element, the ClearPlus® Winter Series® lifts heavy, slushy snow and ice better than all season blades.





## Gold Label® NO SLACK® Idler/Tensioner Pulleys

**Designed to replace idler and tensioner pulleys for serpentine drives in heavy duty diesel engine applications**

The performance demands of original equipment manufacturers of over-the-road trucking and off-road equipment require a "built for punishment" heavy duty construction. That's why they specify Dayco. Dayco Gold Label No Slack™ Heavy Duty Pulleys are manufactured from steel, powdered metal, or engineered polymer materials to afford wear resistance under harsh environments and feature double pressed-in bearings and retainer to provide long life despite the shock loads experienced in diesel engine applications.

DAYCO PART #
89101
89102
89103
89104
89105

DAYCO PART #
89106
89108
89109
89110
89111
89112



## Gold Label® NO SLACK® Automatic Belt Tensioners

DAYCO PART #
89401
89402
89404
89405
89406
89407
89408
89409
89410

DAYCO PART #
89411
89412
89413
89414
89417
89418
89419
89420
89421

DAYCO PART #
89422
89423
89426
89428
89429
89431
89434
89435
89436

DAYCO PART #
89437
89438
89439
89440
89441
89442
89443
89444
89445

DAYCO PART #
89446
89447
89448
89449
89450
89452
89453
89454
89455

DAYCO PART #
89456
89457
89458
89459
89460
89462
89464
89469

DAYCO PART #
89470
89471
89472
89473
89474
89477

**Designed for heavy duty diesel engine accessory drive applications**

As the major supplier to heavy duty original equipment manufacturers, Dayco's Gold Label No Slack™ Heavy Duty Tensioners are guaranteed to be engineered and manufactured to the strictest design specification. The heavy-duty cast aluminum body and pulley arms translate into extra strength and durability. Dayco's Gold Label Heavy Duty Tensioner features a patented "flat spring"

design that's engineered to handle the higher torque and power pulses exerted by today's diesel engines. Rugged pulleys with double lifetime lubricated bearings deliver long lasting, dependable service. In addition, virtually all Dayco Gold Label Heavy Duty Tensioners feature "extremely damped" designs using a wave spring and a metal ring with a bonded rubber surface to act as a "radial shock absorber" for the tensioner arm.





## Top Moving Part Numbers with Cross Reference

Interchange is for reference only.				
Rank	DAYCO	Gates	Goodyear	Dynacraft
1	89419	38501	49514	D1186-2562
2	89457	38585	N/A	N/A
3	89101	38507	49111	N/A
4	89436	38503	49520	N/A
5	89449	38523	59530	N/A
6	89112	N/A	N/A	N/A
7	89440	38587	N/A	D1186-2613
8	89405	38506	49506	D1186-2393
9	89447	38569	49545	D1186-2621
10	89448	38610	N/A	D1186-2633
11	89408	38511	49509	D1186-2432
12	89411	38519	49511	D1186-2471
13	89439	38590	49569	D1186-2611
14	89438	38589	49552	N/A
15	89404	38557	49515	D1186-2380
16	89406	38516	49517	D1186-2406
17	89407	38517	49517	D1186-2419
18	89441	38511	49509	D1186-2623
19	89442	38505	49515	D1186-2609
20	89446	38591/38620	N/A	N/A



## DPF Filters and DOC Catalysts

DCL supplies to world leading engine manufacturers, original equipment manufacturers and after-market retrofit.

DCL International manufactures new replacement aftermarket diesel particulate filters (DPF) and diesel oxidation catalysts (DOC) under the brand ROADWARRIOR™, for on-road trucks model years 2007 and newer.

These are OEM direct fit replacements, designed to meet OEM specifications. Units work with OEM sensors & engine operating parameters.

All units are constructed with 409 stainless steel. DCL offers quick & simple cross-references to OEM part numbers. Filters are in-stock and designs are available for all makes & models.

All products are backed with a one-year unlimited mileage warranty.

Part #	Product Description	Engine
C001-SA	New Cordierite DPF	Cummins ISX
C002-SA	New Cordierite DPF	Detroit DD15
C003-SA	New Cordierite DPF	Paccar PX8
C019-ID	New Metallic DOC	Maxxforce 7, DT
C037-SA	New Cordierite DPF	CAT C9, C13, C15
C050-SA	New Cordierite DPF	Volvo/Mack MP7, MP8
C053-SA	New Cordierite DPF	Isuzu 6HK1
C055-SA	New Silicon Carbide DPF	Sprinter Van
C057-SA	New Cordierite DPF	Maxxforce 7, DT
C058-SA	New Cordierite DPF	Maxxforce 7, DT
C060-ID	New Metallic DOC	Cummins ISX
C061-SA	New Cordierite DPF	Volvo D11
C066-SA	New Cordierite DPF	Cummins ISX
C076-ID	New Metallic DOC	Cummins ISX
C088-SA	New Cordierite DPF	Detroit DD15



## Early Warning Triangle Kit



Item Number: 73-0711-41

Instantly tell motorists to be alert for a roadside emergency!

- ◆ Meets U.S. Federal Motor Vehicle Safety Standard No. 125 for warning devices
- ◆ Weighted base assures the triangle remains stable



Deltran



14



### Battery Tender Junior

#021-0123 12V / #021-0127 6V / #022-0192 12V

These units are perfect for all lead-acid, flooded or sealed maintenance free batteries (AGM and gel cell). Spark proof and reverse polarity protection ensures safety. They come with a 12' output cord (alligator clip and ring terminal) and offer a 5 year warranty.

#021-0123 not for sale in California and Oregon

#021-0127 not for sale in California

#022-0192 high efficiency model is approved for sale in California and Oregon



### Battery Tender Waterproof 800

#022-0150-DL-WH 12V

This unit is designed to operate in all weather. Hot, cold, wet or dry! It is 100% waterproof, made to use on your personal watercraft, damp or wet garage, basement sump pump, under a carport, this Battery Tender will operate anywhere. This unit is safe to use on all lead acid batteries, is reverse polarity protected and spark proof. Comes with alligator clip connection and a 3 year warranty applies.



**Battery Tender Plus**

- #021-0128 12V not for sale in California
- #021-0144 6V not for sale in California
- #021-0152 8V not for sale in California
- #021-0156 12V Gel not for sale in California & Oregon

Above units are a 1.25 amp battery charger designed to fully charge a battery and maintain it at proper storage voltage without the damaging effects caused by trickle chargers. Included is a quick connect ring terminal harness for hard to reach areas and alligator clips for an alternate connection. Units offer reverse polarity protection, spark proof and have a 10 year warranty.



**Battery Tender Plus High Efficiency;**

- #022-0185G-DL-WH 12V OK for sale in California
- 1.25 amp battery charger with quick connect ring terminal harness and alligator clips. Reverse polarity protection, spark proof and has a 5 year warranty. This unit replaces part number 021-0128 in the California market.



**Elvex® Tectra™ non-vented safety caps available in Blue, White, Orange or Yellow.**

- ◆ Non-vented with Class E, G & C Rating
- ◆ Lightweight, Polypropylene Patented Design Safety Cap
- ◆ Type 1 Helmet - provides protection from impacts to the top of the head
- ◆ Rain trough for water disbursement
- ◆ Meets ANSI Z89.1.2009



**6 point pin-lock suspension  
SC-50-6P**

**4 point pin-lock suspension  
SC-50-4P**



**6 point ratchet suspension  
SC-50-6R**

**4 point ratchet suspension  
SC-50-4R**





**Energizer Industrial, Eveready Gold & Energizer Max Alkaline Batteries**  
Available in sizes D, C, 9V, AA and AAA



**Energizer Ultimate Lithium Batteries**  
Available in sizes AA and AAA



**Energizer Industrial Pro 3 and Pro 6 Headlamps**

Whether it's waterproof, shatter-proof or hands-free, we're always thinking up ways to make our lighting more convenient for you to work with. We offer many different options in our line of industrial work flashlights and lighting, but they all share one thing—rugged dependability. Trust *Energizer*® for industrial and waterproof flashlights and portable lighting.

**Energizer LED Hard Case Lighting**

Serious professionals need serious lighting. On site or in the field, our *Energizer*® Hard Case® Professional® line of products offer the rugged dependability of the original *Energizer*® Hard Case® combined with innovative LED technology.

Pictured: Task Light (top), Project Light (left), Swivel Light (right)





18

Energizer Battery

	Type	30-digit Shelf Tag Description	Size	Volt	Case Pack		Pallet		
					Inner	Case	T	H	Total
INDUSTRIAL	EN91	ENERGIZER INDUSTRIAL ALK AA	AA	1.5	24	144	48	5	240
	EN92	ENERGIZER INDUSTRIAL ALK AAA	AAA	1.5	24	144	59	9	531
	EN93	ENERGIZER INDUSTRIAL ALK C	C	1.5	12	72	21	10	210
	EN95	ENERGIZER INDUSTRIAL ALK D	D	1.5	12	72	20	4	80
	EN22	ENERGIZER INDUSTRIAL ALK 9V	9V	9	12	72	63	5	315
GOOD	A91BP-4	EVEREADY GOLD ALK AA-4	AA	4	12	24	35	5	175
	A92BP-4	EVEREADY GOLD ALK AAA-4	AAA	4	12	24	35	5	175
	A93BP-2	EVEREADY GOLD ALK C-2	C	2	6	24	28	6	168
	A95BP-2	EVEREADY GOLD ALK D-2	D	2	n/a	12	24	11	264
	A522BP	EVEREADY GOLD ALK 9V-1	9V	1	12	24	35	5	175
BETTER	E91BP-4	ENERGIZER MAX ALK AA-4	AA	4	12	48	20	5	100
	E92BP-4	ENERGIZER MAX ALK AAA-4	AAA	4	12	48	20	7	140
	E93BP-2	ENERGIZER MAX ALK C-2	C	2	6	48	12	6	72
	E95BP-2	ENERGIZER MAX ALK D-2	D	2	n/a	12	24	11	264
	522BP	ENERGIZER MAX ALK 9V-1	9v	1	12	48	20	5	100
BEST	L91BP-2	Energizer Ultimate Li AA-2	AA	2	6	24	36	5	180
	L92BP-2	Energizer Ultimate Li AAA-2	AAA	2	6	24	36	4	144
	HD33A1EN	ENR INDUSTRIAL PRO 3 LED Head LT	LED	3-AAA	n/a	6	20	6	120
	HDL33AINE	ENR INDUSTRIAL PRO 6 LED Head LT	LED	3-AAA	n/a	6	16	6	96
	TUF2AAPE	ENR HARD CASE PROF LED TASK Flash LT	LED	2-AA	n/a	6	45	4	180
	TUF4AAPE	ENR HARD CASE PROF LED PROJ Flash LT	LED	4-AA	n/a	6	15	3	45
	TUFSW21PH	ENR HARD CASE PROF LED SWIV Flash LT	LED	2-AA	n/a	4	27	3	81



### Five Star Manufacturing SmartParts Placard System

Powder coated placards and corrosion resistant frames. Rivet-free technology for a tighter fit to the trailer. Stainless steel clips are also rust resistant.



HDATP #	MS Carita #	Label Master #	DESCRIPTION
80000	80SMP97	80SMP97	Slide In Placard Frame
80002	2CC	80SMPCC97	Slide In Placard Frame/ 2 CC
80004	4CC	80SMP4CC97	Slide In Placard Frame/4 CC
80200	SF	80SMP/S97	Slide In Placard Frame/split frame
81000	80SMP97	80SMW97	Slide in Placard Frame White
81001	80SMW-01	80SMW-01	Placcard Face Only- White
81002	80SMWCC97	80SMWCC97	Slide In Placard Frame/ 2 CC- White
81004	80SMW4CC97	80SMW4CC97	Slide In Placard Frame/4 CC- White
81200	80SMW/S97	80SMW/S97	Slide In Placard Frame/split frame- White
82008	81-8FO	81-8FO	8 Legend Brush Milled Alum. Flip Placard
82208	81-8CC	81-8CC	8 Legend Brush Milled Alum. Flip Placard/2 clipped corners
82408	81-8CC-4	81-8CC-4	8 Legend Brush Milled Alum. Flip Placard/4 clipped corners
82608	81-8SFO	81-8SFO	8 Legend Brush Milled Alum. Flip Placard/split frame
83008	81-8WFO	81-8WFO	8 Legend Alum. Flip Placard/ painted backplate(white)



# Flexfab®



## Charge Air Connectors

### Cold Side:

#### Construction:

- 3 Ply Silicone Coated Polyester Fabric with Stainless Steel Pressure Retention Rings

#### Specifications:

- Temperature range is  $-65^{\circ}\text{F}$  ( $-54^{\circ}\text{C}$ ) to  $+350^{\circ}$  ( $+177^{\circ}\text{C}$ )

#### Applications:

- Used on diesel truck engines to deliver pressurized intake air to the charge air intercooler and intake manifold.

## 90° and 45° Silicone Elbows

### Construction:

- Silicone hose made with 3 plies of Meta-Aramid Reinforcement

#### Specifications:

- Meets or exceeds the operating requirements of SAE J20 R1
- Meets or exceeds the operating requirements of TMC RP303B Class I Grade II
- Temperature range is  $-65^{\circ}\text{F}$  ( $-54^{\circ}\text{C}$ ) to  $+500^{\circ}$  ( $+260^{\circ}\text{C}$ )
- Standard wall thickness is .140".190"

#### Applications:

- For heavy duty pressure connections in hostile engine environments.
- Resists hardening, cracking, cold leaks, aging, and many chemicals.
- Can be used as coolant hose or charge air connector.
- Ideal for extreme temperature and various pressure ranges where high performance levels are required.
- For connection between the turbocharger and the engine.
- Resists chemicals, steam, ozone, coolants, and aging conditions normally found in the engine environment.





## Heater Hose—Premium

### Construction:

- Green cover Silicone hose with 1 ply of Nylon Reinforcement

### Specifications:

- Meets or exceeds the operating requirements of SAE J20 R3 Class A
- Meets or exceeds the operating requirements of TMC RP303B Class I Grade II
- Temperature range is  $-65^{\circ}\text{F}$  ( $-54^{\circ}\text{C}$ ) to  $+350^{\circ}$  ( $+177^{\circ}\text{C}$ )
- Standard wall thickness is  $.170"/.220"$

### Applications:

- Resistant to coolant additives.
- Resists hardening, cracking, cold leaks, aging, and many chemicals.
- Ideal for extreme temperature and various pressure ranges where high performance levels are required.

## Coolant Hose—4 Ply Polyester Reinforcement

### Construction:

- Blue Silicone hose with 4 plies of Polyester Reinforcement

### Specifications:

- Meets or exceeds the operating requirements of SAE J20 R1
- Meets or exceeds the operating requirements of TMC RP303B Class I
- Temperature range is  $-65^{\circ}\text{F}$  ( $-54^{\circ}\text{C}$ ) to  $+350^{\circ}$  ( $+177^{\circ}\text{C}$ )
- Standard wall thickness is  $.170"/.220"$

### Applications:

- For heavy duty pressure connections in hostile engine environments.
- Resists hardening, cracking, cold leaks, aging, and many chemicals.
- Ideal for extreme temperature and various pressure ranges where high performance levels are required.



Part #	Size	Description	Description
4070-0001	4" ID	Charge Air Connector	Charge Air Conn Red, Hot Side 6.00" OAL, HD Version of 7715-0002
7715-0002	4" ID	Charge Air Connector	Charge Air Conn Red, Hot Side 6.00" OAL, 4 Ply Meta Aramid Stainless Steel Rings
7727-0001	4" ID	Charge Air Connector	Charge Air Conn Red, Hot Side 8.00" OAL, 4 Ply Meta Aramid Stainless Steel Rings
7731-0001	3" ID	Charge Air Connector	Charge Air Conn Red, Hot Side 6.00" OAL, 4 Ply Meta Aramid Stainless Steel Rings
7732-0001	3.5" ID	Charge Air Connector	Charge Air Conn Red, Hot Side 6.00" OAL, 4 Ply Meta Aramid Stainless Steel Rings
7884-250	2.5" ID	Elbow	Elbow 90 degree, Blue 6.50" leg, 3 Ply Meta Aramid Fabric
7884-300	3" ID	Elbow	Elbow 90 degree, Blue 7.50" leg, 3 Ply Meta Aramid Fabric
7896-250	2.5" ID	Elbow	Elbow 45 degree, Blue 6.00" leg, 3 Ply Meta Aramid Fabric
7896-300	3" ID	Elbow	Elbow 45 degree, Blue 7.50" leg, 3 Ply Meta Aramid Fabric
5521-038x25	25' x 3/8"	Heater Hose	3/8" X25' Prem Green Silicone Heater Hose, Wall Thickness (.170"/.220")
5521-050x25	25' x 1/2"	Heater Hose	1/2" X 25' Prem Green Silicone Heater Hose, Wall Thickness (.170"/.220")
5521-062x25	25' x 5/8"	Heater Hose	5/8" Prem Green Silicone Heater Hose, Wall Thickness (.170"/.220")
5521-075x25	25' x 3/4"	Heater Hose	3/4" Prem Green Silicone Heater Hose, Wall Thickness (.170"/.220")
5521-100x25	25' x 1"	Heater Hose	1" Prem Green Silicone Heater Hose, Wall Thickness (.170"/.220")
5581-050	1/2" ID	Stick Hose	1/2" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-062	5/8" ID	Stick Hose	5/8" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-075	3/4" ID	Stick Hose	3/4" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-087	7/8" ID	Stick Hose	7/8" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-100	1" ID	Stick Hose	1" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-112	1-1/8" ID	Stick Hose	1 1/8" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-125	1-1/4" ID	Stick Hose	1 1/4" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-138	1-3/8" ID	Stick Hose	1 3/8" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-150	1-1/2" ID	Stick Hose	1 1/2" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-162	1-5/8" ID	Stick Hose	1 5/8" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-175	1-3/4" ID	Stick Hose	1 3/4" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-200	2" ID	Stick Hose	2" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-225	2-1/4" ID	Stick Hose	2 1/4" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-238	2-3/8" ID	Stick Hose	2 3/8" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-250	2-1/2" ID	Stick Hose	2 1/2" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-275	2-3/4" ID	Stick Hose	2 3/4" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-300	3" ID	Stick Hose	3" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-312	3-1/8" ID	Stick Hose	3 1/8" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-325	3-1/4" ID	Stick Hose	3 1/4" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-350	3-1/2" ID	Stick Hose	3 1/2" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-375	3-3/4" ID	Stick Hose	3 3/4" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-400	4" ID	Stick Hose	4" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester
5581-450	4-1/2" ID	Stick Hose	4 50" Coolant Hose Silicone, 3 Feet, Blue, 4 Ply Polyester

## Sleeve Air Springs

Sleeve air springs employ a flexible member without an internally molded bead. The flexible member is attached to the end retainers by pinching the material between the end retainers and exterior crimp rings which are then swaged to the proper diameter. Sleeve air springs are typically used in applications such as:

- Ride spring for passenger cars and trucks
- Isolators for truck cab suspensions
- Seat springs (cab springs) for trucks and buses
- Actuators and isolators for industrial applications



## Rolling Lobe Air Springs

Rolling lobe air springs incorporate a piston which allows the flexible member to roll along the piston's surface. Typical applications for rolling lobe air springs are:

- Ride spring for trucks, trailers, and buses
- Actuators and isolators for industrial applications



Super-Cushion Air Springs give your trucks, trailers and buses a new high in productivity and long life. The rolling lobe Air Springs provide constant-level hauling, and deliver trouble-free service.

## Bellow Air Springs

Bellows air springs have one, two, or three convolutions in the flexible member. There are two styles of bellows:

- Crimped design
- Sleeve type

With the *crimped design*, the end retainers are permanently attached by mechanically crimping the retainer around the built-in bead wire of the flexible member.

*Sleeve type bellows* offer similar characteristics to the crimped design bellows, but, as with the sleeve type rolling lobe, the flexible member is constructed without internally molded bead wires. The end retainers are permanently attached by pinching the flexible member between the end retainers and external crimp rings which are then swaged to the proper diameter. Sleeve type bellows offer the lowest force to compress of any type of air spring.





## ENGINEERED PRODUCTS

Top Moving Air Springs with Cross References listed below.

**Note: Additional Part Numbers available in the warehouse.**

Interchange is for reference only. Refer to Goodyear Tech Support For Full Interchange Data.

Rank	Part Number	Firestone	Euclid	Automann	Road Leveler	Triangle	Midwest Truck Parts
1	1R12-303	W01-358-9780	FS9780	1DK23I-9780	RL97800	8382	WA01-9780
2	1R13-159	W01-358-8709	FS8709	1DK25B-8751	RL87510	8453	WA01-8709
3	1R13-118	W01-358-9580	FS9580	1DK25C-9580	RL95800	8434	WA01-9580
4	1R12-069	W01-358-9069	FS9069	1DK23I-9069	RL90690	8312	WA01-9069
5	1R13-119	W01-358-9270	FS9270	1DK23I-9270	RL92700	8433	WA01-9270
6	1R12-092	W01-358-9082	FS9082	1DK23K-9082	RL90820	8310	WA01-9082
7	1R13-130	W01-358-8729	FS8729	1DK25D-8729	RL87290	8513	WA01-8729
8	1R12-615	W01-358-8829	FS8829	1DK23K-8829	RL88290	8449	WA01-8829
9	1R12-375	W01-358-9265	FS9265	1DK23L-9265	RL92650	8435	WA01-9265
10	1R12-508	W01-358-8204	FS8204	1DK23H-8204	RL82040	8484	WA01-8204
11	1R12-538	W01-358-9648	FS9648	1DK23M-9648	RL96480	8456	WA01-9648
12	1R13-176	W01-358-8713	FS8713	1DK25E-8713	RL87130	8533	WA01-8713
13	1R14-039	W01-358-8050	FS8050	1DK28A-8050	RL80500	8320	WA01-8050
14	1R13-124	W01-358-8755	FS8755	1DK25B-8755	RL87550	8522	WA01-8755
15	1R12-432	W01-358-9875	FS9875	1DK23R-1731	RLP8890	0	WA01-9875
16	1R12-103	W01-358-9101	FS9101	1DK23L-9101	RL91010	8315	WA01-9101
17	1R12-404	W01-358-9375	FS9375	1DK23M-9375	RL93750	8451	WA01-9375
18	1R12-401	W01-358-9371	FS9371	1DK23M-9371	RL93710	8521	WA01-9371
19	1R12-487	W01-358-9366	FS9366	1DK23H-9366	RL93660	8488	WA01-9366
20	2B9-201	W01-358-6935	FS6935	SP2B12R-6935	RL69350	4499	WA01-6935





## Havells Service Shop Lighting for Drop Lights

Havells USA is the one-stop shop for all your industrial and commercial lighting needs. Benefits include longer lamp life, increased light quality, energy and maintenance cost savings, improved lumen maintenance and excellent color rendering.

Part #	Watt	Description	Case Quantity
5016246	60W	ROUGH SURFACE LIGHT BULB	120
5060016	75W	ROUGH SURFACE LIGHT BULB	120
5060018	100W	ROUGH SURFACE LIGHT BULB	120
5026204	13 W	SPIRAL COMPACT FLUORESCENT LIGHT	40
5026170	23 W	SPIRAL COMPACT FLUORESCENT LIGHT	40



working together



**RS45015C**

18" Orange Traffic Cone  
Non Reflective 3 LBS



**RS45015C3M6**

18" Orange Traffic Cone  
Reflective 6" Collar 3 LBS



**RS70025C**

28" Orange Traffic Cone  
Non Reflective 5.5 LBS



**RS70025C3M64**

28" Orange Traffic Cone  
Reflective 6"+4" Collar 5.5 LBS



**RS70032CT3M64**

28" Orange Traffic Cone  
Reflective Recessed, 6"+4" Collar 5.5 LBS



**RS90045CT**

36" Orange Traffic Cone  
Non Reflective Recessed 10 LBS



**RS90055CT**

36" Orange Traffic Cone  
Non Reflective Recessed 12 LBS



**RS90055CT**

36" Orange Traffic Cone  
Reflective Recessed 6"+4" Collar 12 LBS



# J. J. Keller

& Associates, Inc.

Since 1953

**FIRE EXTINGUISHER INSIDE**

**THIS VEHICLE MAKES  
WIDE RIGHT TURNS**

**WIDE LOAD**

**OVERSIZE LOAD**

**CAUTION**  
  
**WIDE RIGHT TURNS**

**IF YOU  
CAN'T SEE  
MY  
MIRRORS  
I CAN'T SEE YOU**





# J. J. Keller & Associates, Inc.

Since 1953

28

J.J. Keller

Part Number	Category	Description
6203	Cone	Metal Traffic Cone Holder
1979	Decal	"If You Can't See My Mirrors, I Can't See You" - Horizontal
1072	Decal	"Fire Extinguisher Inside" - 2" x 18"
1128	Decal	"This Vehicle Makes Wide Right Turns" - Flatbed Decal
3358	Decal	"1075" Flammable Gas Vinyl Adhesive Placard
589	Decal	"Combustible" Vinyl Adhesive Placard
826	Decal	"Corrosive" Vinyl Adhesive Placard
86	Decal	"Danger" Vinyl Adhesive Placard
2636	Decal	"Explosive" Vinyl Adhesive Placard
531	Decal	"Flammable" Vinyl Adhesive Placard
363	Decal	"Flammable Gas" Vinyl Adhesive Placard
3480	Decal	"1993" Flammable Vinyl Adhesive Placard
942	Decal	"9" Miscellaneous Vinyl Adhesive Placard
274	Decal	"Non-Flammable Gas" Vinyl Adhesive Placard
755	Decal	"Poison" Vinyl Adhesive Placard
3388	Decal	"1203" Vinyl Adhesive Placard
948	Decal	"Caution Right Wide Turn" Horizontal Decal 16" x 11.5"
27112	Decal	Wire Placard Display Rack
12386	Flag	Mesh Warning Flag w/Grommets - Red Polyester
8601	Flag	Mesh Warning Flag w/Wire Rod - Orange Vinyl
3703	Flag	Mesh Warning Flag w/Dowel - Orange Vinyl
3704	Flag	Mesh Warning Flag w/Grommets - Orange Vinyl
12388	Flag	Mesh Warning Flag w/Wire - Red Jersey
3679	Flag	Mesh Warning Flag w/Grommets - Red Vinyl
3677	Flag	Mesh Warning Flag w/Dowel - Red Vinyl
5754	Logs	Vehicle Accident Kit w/Pouch
6002	Placards	Low Profile Placard Spring Clip
4376	Tape	Black Anti-Slip Grip Tape - 2" x 60'
4377	Tape	Black Anti-Slip Grit Tape - 4" x 60'
4378	Tape	Black Anti-Slip Grit Tape - 6" x 60'
8597	Wide Sign	Mesh Oversize Load Sign w/Grommets - 7' x 18"
3731	Wide Sign	Mesh Oversize Load Sign w/Ropes - 7' x 18"
3732	Wide Sign	Mesh Wide Load Sign w/Ropes - 7' x 18"
745	Wide Sign	Vinyl Wide Load Sign w/Grommets - 6' x 14"
3303	Wide Sign	Vinyl Wide Load Sign w/Ropes - 7' x 18"
3304	Wide Sign	Vinyl Wide Load Sign w/Grommets - 7' x 18"
12384	Wide Sign	Vinyl Wide Load Sign w/Bungee - 7' x 18"

ANNUAL VEHICLE INSPECTION REPORT

DATE: \_\_\_\_\_

INSPECTOR: \_\_\_\_\_

VEHICLE MAKE: \_\_\_\_\_

VEHICLE MODEL: \_\_\_\_\_

VEHICLE YEAR: \_\_\_\_\_

VEHICLE LICENSE: \_\_\_\_\_

VEHICLE VIN: \_\_\_\_\_

VEHICLE REGISTRATION: \_\_\_\_\_

VEHICLE INSURANCE: \_\_\_\_\_

VEHICLE WEIGHT: \_\_\_\_\_

VEHICLE TYPE: \_\_\_\_\_

VEHICLE USE: \_\_\_\_\_

VEHICLE CONDITION: \_\_\_\_\_

VEHICLE SAFETY: \_\_\_\_\_

VEHICLE MAINTENANCE: \_\_\_\_\_

VEHICLE INSPECTION: \_\_\_\_\_

VEHICLE REPAIRS: \_\_\_\_\_

VEHICLE NOTES: \_\_\_\_\_

VEHICLE SIGNATURE: \_\_\_\_\_

VEHICLE DATE: \_\_\_\_\_

FMCSA ANNUAL VEHICLE INSPECTION REPORT

VEHICLE IDENTIFICATION: \_\_\_\_\_

VEHICLE MAKE: \_\_\_\_\_

VEHICLE MODEL: \_\_\_\_\_

VEHICLE YEAR: \_\_\_\_\_

VEHICLE LICENSE: \_\_\_\_\_

VEHICLE VIN: \_\_\_\_\_

VEHICLE REGISTRATION: \_\_\_\_\_

VEHICLE INSURANCE: \_\_\_\_\_

VEHICLE WEIGHT: \_\_\_\_\_

VEHICLE TYPE: \_\_\_\_\_

VEHICLE USE: \_\_\_\_\_

VEHICLE CONDITION: \_\_\_\_\_

VEHICLE SAFETY: \_\_\_\_\_

VEHICLE MAINTENANCE: \_\_\_\_\_

VEHICLE INSPECTION: \_\_\_\_\_

VEHICLE REPAIRS: \_\_\_\_\_

VEHICLE NOTES: \_\_\_\_\_



VEHICLE SIGNATURE: \_\_\_\_\_

VEHICLE DATE: \_\_\_\_\_



Lang-Mekra North America is a leading OE manufacturer of Vision Systems that is headquartered in Ridgeway, South Carolina. Together with their German affiliate, Mekra Lang GMBH, their Brazilian affiliate Lang-Mekra de Brazil, and strategically located affiliates throughout the world, they are the leading provider of rearview mirrors and camera systems for commercial vehicles throughout the world. Lang-Mekra North America offers innovative solutions and technical expertise to enhance driver visibility and safety.

Lang-Mekra North America produces the world's highest quality, most technologically advanced mirror systems for its growing list of customers. They've achieved ISO 9000:2000, ISO 14001, ISO/TS 16949 and ISO/IEC 17025 certifications. In 1999 and 2002, Lang-Mekra was named South Carolina's Manufacturer of the Year for it's outstanding dedication to product quality and as the company policy states they are, "Taking the Ideal and Making it Real", in all areas of the operation.



## OESpectrum Electronic Struts & Shocks

OESpectrum struts are engineered specifically for foreign nameplate vehicles and feature the latest global original equipment valving technologies. Developed through years of research and on-vehicle testing, Monroe OESpectrum units provide an unprecedented level of handling precision and control while filtering out the ride harshness commonly encountered on many foreign nameplate applications.



## Gas-Magnum RV Shock

The Monroe Gas-Magnum RV shock absorber utilizes advanced technology, combining a gas charge and full displaced valving for superior RV performance.



## Gas-Magnum Severe Service Shock

Severe Service Ride Control products are engineered for emergency, municipal fleet and construction uses. These gas-charged, extra-durable Monroe shock absorbers feature strengthened components for superior stability and ride control in the toughest applications. Durable Severe Service shock absorbers have a larger bore for greater working capacity and arc-welded mounts for higher tensile strength.



## Gas-Magnum 60 Shock

The Monroe Gas-Magnum 60 shock absorber is gas-charged for quicker response and a stable, more comfortable ride. Replacing worn-out units with hard-working Gas-Magnum 60 shocks can help reduce excessive vibration. The result can be better tire life, less downtime and a lower cost per mile.



### Gas-Magnum 65 Shock

The Monroe Gas-Magnum 65 shock absorber is the first gas-charged, large-bore shock specifically designed for air spring and taper leaf suspensions. Its nitrogen gas charge provides the fast response essential for today's heavy truck suspension systems. Its extra-large piston bore is engineered to handle the demands of high mileage and severe use. When combined, the gas charge and large-bore provide the consistent control necessary for demanding truck suspensions.




### Gas-Magnum Truck Shock

The Monroe Gas-Magnum truck shock absorber is designed for mid to full size, hard working pick-up trucks and vans. These units provide firm control without a harsh ride. With up to twice the fluid capacity of standard 1 inch bore shocks, Monroe Gas-Magnum truck shocks work more efficiently with less effort.



### Gas-Magnum Cab Shock

The Monroe Gas-Magnum Cab Shock isolates the cab from the frame, offering a smoother, more comfortable ride. Specifically designed for today's heavy-duty cab suspension, the gas-charged Monroe Gas-Magnum Cab Shock utilizes patented groove tube technology and velocity-sensitive valving to deliver a new industry standard in driver comfort, with reduced fatigue (on most applications).



### Specialty Shocks

Monroe Specialty Shock Absorbers are direct fit replacements for vehicles equipped with factory air or electronic suspension. Available for popular passenger car, light truck and SUV applications.



### Monro-Magnum 70 Shock

Tough Monro-Magnum 70 shock absorbers deliver a firm, controlled ride for greater stability and increased driver comfort. Designed to fit just about any medium- or heavy-duty truck, tractor, trailer or bus on the road today, Monro-Magnum shocks meet or exceed demanding OE manufacturer specifications.



### Max-Air Adjust Shock

The Max-Air shock absorber is ideal for vehicles that haul heavy loads or tow trailers. Designed to maintain level vehicle height, they can be inflated or deflated as needed, from 20 psi to 150 psi with the vehicle loaded. Capacity is limited by vehicle suspension, tires and transmission. See vehicle owner's manual for details.



### Monro-Matic Plus Shock

Monro-Matic Plus shock absorbers are nitrogen gas charged and feature velocity sensitive valving and all weather fluid, which offers passenger cars improved comfort at an economical price.



### Sensa-Trac Load Adjusting Shock

The Monroe Sensa-Trac load adjusting shock absorber with PSD (position sensitive damping) and the Safe Tech system combines our exclusive precision tapered grooves in the pressure tube with application engineered valving and Fluon banded piston to improve the ride, handling and safety characteristics of the vehicle. These features allow the Monroe Sensa-Trac load adjusting shock absorber to adjust more rapidly to changing road and weight conditions than any other available shock absorber.





### OESpectrum Passenger Car Shock

OESpectrum struts are engineered specifically for foreign nameplate vehicles and feature the latest global original equipment valving technologies.

Developed through years of research and on-vehicle testing, Monroe OESpectrum units provide an unprecedented level of handling precision and control while filtering out the ride harshness commonly encountered on many foreign nameplate applications.



### OESpectrum Light Truck Shock

OESpectrum struts are engineered specifically for foreign nameplate vehicles and feature the latest global original equipment valving

technologies. Developed through years of research and on-vehicle testing, Monroe OESpectrum units provide an unprecedented level of handling precision and control while filtering out the ride harshness commonly encountered on many foreign nameplate applications.



### Reflex Monotube Shock

Monroe Reflex monotube shocks are specifically engineered to provide better handling, control and performance for light trucks and SUV's. These shocks feature a high-pressure gas charge that separates the unit internal oil and nitrogen to provide additional spring rate, helping to maximize damping efficiency and control. To further enhance ride control characteristics, Monroe Reflex monotube shocks include a hydraulic lockout to cushion the impact as the vehicle suspension is fully extended.



### Reflex Light Truck Shock

Monroe Reflex truck shock absorber with the patented ASD Technology combines specifically tuned valving with a Fluon banded piston. The ASD valve has the ability to sense acceleration to improve the handling, safety, and overall ride characteristics of sport-utility vehicles, mini-vans and light trucks. The ASD base valve will sense a bump in the road and automatically adjust the shock to absorb the impact, leaving the shock with greater control when it is needed. The features of the Monroe Reflex truck shock absorber make it the superior shock for improved handling, safety and comfort in all road conditions.






## Top Moving Shock Absorbers with Cross References

Interchange is for reference only. Refer to Monroe Tech Support for full interchange data: 800-651-4946.

Rank	Monroe	Gabriel
1	65416	85323
2	66893	83203
3	65490	85724
4	65101	85062
5	66608	83128
6	65492	85931
7	65495	85067
8	65486	85066
9	65139	85918
10	65400	85033
11	65409	85003
12	66886	83124
13	66884	83125
14	65148	85918
15	66636	83127
16	66502	646155
17	65419	85000
18	65102	85001
19	65103	85320
20	66607	85052



Catalog Number	Reflexite Vehicle Conspicuity Product Description	Product Size
18347	Solid White	2 x12"
18349	White Tanker Crescent	2"x24"
18352	11"Red/7"White	2"x18"
18359	6"Red/6"White	2"x12"
18376	American Flag	3.75"x6.5"
18379	Solid White	2"x12"
18381	11"Red/7"White (Retail Package)	2"x18"
18382	11"Red/7"White	2"x18"
18626	11"Red/7"White	2"x150'
18670	OEM Grade School Bus Yellow	1"x150'
18672	OEM Grade School Bus Yellow	2"x150'
18676	Solid White DOT C2	2"x150'
18686	11"Red/7"White	2"x150'
18692	6" Red/6" White	2"x150'
18786	Daybright School Bus Yellow	2"x150'
18796	Solid White DOT C2	2"x150'
18800	Solid White KC12	2"x150'
18804	11"Red/7"White	2"x30'
18806	11"Red/7"White	2"x150'
18816	6"Red/6"White	2"x150'
19160	11"Red/7"White	2"x150'
19567	11"Red/7"White (Retail Package)	2"x18"
19568	Solid White (Retail Package)	2"x12"
19569	6"Red/6"White (Retail Package)	2"x12"
20565	11"Red/7"White (1 Counter Box Kit 100 pc)	2"x18"



Part Number	Description	MOQ
1013	DL® PERMATEX® BLUE LABEL™ Cream Hand Cleaner	12
21222	PERMATEX® ULTRA CHERRY™ Pumice Hand Scrub	4
22732	GreZ Off® Heavy Duty Degreaser	12
23116	PERMATEX® FAST ORANGE® Smooth Hand Cleaner	6
23218	PERMATEX® FAST ORANGE® Smooth Hand Cleaner	4
23319	Glass & Stainless Steel Cleaner	12
25108	PERMATEX® FAST ORANGE® Pumice Hand Cleaner	12
25116	PERMATEX® FAST ORANGE® Pumice Hand Cleaner	12
25219	PERMATEX® FAST ORANGE® Pumice Hand Cleaner	4
25575	PERMATEX® FAST ORANGE® Pumice Bar Hand Soap	24
26801	Spray Nine® Tough Task Cleaner	4
26825	Spray Nine® Tough Task Cleaner	12
26832	Spray Nine® Tough Task Cleaner	12
35406	PERMATEX® Fast Orange® Pumice Cream Hand Cleaner	6
59235	PERMATEX® High Temperature Thread Sealant	6
80011	PERMATEX® FORM-A-GASKET® #2	12
80016	PERMATEX® FORM-A-GASKET® #2	12
80019	PERMATEX® Aviation FORM-A-GASK	12
80022	PERMATEX® Sensor Safe Blue RTV Silicone Gasket Maker	12
80025	PERMATEX® Decal & Adhesive Remover	12
80030	PERMATEX® Heavy Duty Radiator Cleaner	12
80038	PERMATEX® Prussian Blue	36
80043	PERMATEX® ELIMINATOR® II Engine Degreaser	12
80050	PERMATEX® Clear RTV Silicone Adhesive Sealant	12
80052	PERMATEX® FAST BREAK® Super Penetrant	12
80062	PERMATEX® HIGH TACK™ Gasket Sealant	12
80065	PERMATEX® HIGH TACK™ SPRAY-A-Gasket Sealant	12
80070	PERMATEX® Silicone Spray Lubricant	12
80072	PERMATEX® Undercoating	12
80075	PERMATEX® Chain Lube	12
80078	PERMATEX® Anti-Seize Lubricant	12
80208	PERMATEX® Anti-Seize Lubricant	12





Part Number	Description	MOQ
80369	PERMATEX® Battery Cleaner	12
80370	PERMATEX® Battery Protector &	12
80577	PERMATEX® Paint Stripper	12
80628	PERMATEX® Sensor Safe Blue RTV Silicone Gasket Maker	12
80631	PERMATEX® Thread Sealant with PTFE	12
80632	PERMATEX® Thread Sealant with PTFE	12
80633	PERMATEX® Thread Sealant with PTFE	12
80697	PERMATEX® Copper SPRAY-A-GASKET	12
80855	PERMATEX® Clear RTV Silicone Adhesive Sealant	12
81150	PERMATEX® Dielectric Tune-up Grease	6
81158	PERMATEX® Black RTV Silicone Adhesive Sealant	12
81160	PERMATEX® Hi Temp Red RTV Silicone Gasket	12
81173	PERMATEX® Black RTV Silicone Adhesive Sealant	12
81182	PERMATEX® Gear Oil RTV Gasket Maker	12
81409	PERMATEX® Hi Temp Red RTV Silicone Gasket	12
81422	PERMATEX® Sensor-Safe Hi-Temp Silicone Gasket	12
81464	PERMATEX® Anti-Seize Lubricant	12
81724	PERMATEX® ULTRA BLUE® Multi-Purpose Silicone Gasket Maker	12
81725	PERMATEX® ULTRA BLUE® Multi-Purpose Silicone Gasket Maker	12
81731	PERMATEX® Super Weatherstrip Adhesive	12
81833	PERMATEX® Rubberized Undercoating	12
81860	PERMATEX® Sensor Safe Blue RTV Silicone Gasket Maker	6
81878	PERMATEX® ULTRA COPPER® Max Temp Silicone Gasket Maker	12
81915	PERMATEX® Clear RTV Silicone Adhesive	12
81950	PERMATEX® ULTRA SLICK™ Engine Assembly Lube	12
81981	PERMATEX® White Lithium Grease	12
82080	PERMATEX® ULTRA BLACK® Maximum Oil Resistance Silicone Gasket Maker	6
82180	PERMATEX® ULTRA BLACK® Maximum Oil Resistance Silicone Gasket Maker	12
82190	PERMATEX® Super Glue	12
82191	PERMATEX® Super Glue Gel	12
82194	PERMATEX® ULTRA GREY® Rigid High-Torque Silicone Gasket Maker	12
82195	PERMATEX® ULTRA GREY® Rigid High-Torque Silicone Gasket Maker	6
82220	PERMATEX® Non-Chlorinated Brake & Parts Cleaner	12
82450	PERMATEX® Non-Chlorinated Brake & Parts Cleaner	12
82588	PERMATEX® Electrical Contact & Parts Cleaner	12
82606	PERMATEX® Professional Strength Brake & Parts Cleaner	12
84101	PERMATEX® PERMAPOXY™ 5 Minute General Purpose Epoxy	12
85080	PERMATEX® ULTRA BLACK® POWERBEAD™ Maximum Oil Res Silicone Gasket Maker	6
85120	PERMATEX® Liquid Electrical Tape	6
85224	PERMATEX® POWERBEAD™ THE RIGHT STUFF Gasket Maker	6
85913	PERMATEX® POWERBEAD™ Clear RTV Silicone Adhesive Sealant	6
85915	PERMATEX® POWERBEAD™ High Temp Silicone Gasket Maker	6



### Telesteps® Telescoping Ladder

The Telesteps ladder by Regal Aluminum is the perfect lightweight solution to any ladder need. Available in many heights and ladder types, there is surely a Telestep for your job.

LADDER MODEL	KIND	TYPE/GRADE	WEIGHT	CLIMBING HEIGHT
1400E	CONSUMER	1 250 LBS	18.5 LBS	14 FT
1600EP	PROFESSIONAL	1A 300 LBS	28 LBS	16 FT
12ES	COMBI	1AA 375	24 LBS	12 FT EXT/ 8FT STEP
612TC	STEP/EXT	1A 300 LBS	26.5 LBS	11 FT EXT/ 6 FT STEP
600FLS	STIK LADDER	1 250 LBS	14.3 LBS	6 FT ONE SIDED
700FLD	STIK LADDER	1 250 LBS	25.4 LBS	7 FT TWO SIDED



#### 1400E Aluminum Telescopic Extension Ladder

Telesteps 10.5 ft. Type 1, 250 lbs, extension ladder  
 Telescopes up to 10.5 ft, giving the user a 14 ft. reach

#### 1600EP Aluminum Telescopic Extension Ladder

Telesteps 12.5 ft. Type 1A, 300 lbs, extension ladder  
 Telescopes up to 12.5 ft, giving the user a 16 ft. reach

- Can be used at full height or by the foot for just the right height needed
- Patented “one touch” release mechanism for easy extension and retraction
- 100% Silicone swivel feet for sure footing and safe operation
- Locking indicator windows gives a visual cue that the ladder is locked
- Elliptical tubes for strength and reliability



### 12ES Combination Ladder

Telesteps 8.5 ft. step ladder height, 12 ft. extension ladder climbing height

Type 1A, 300 lbs, combination step, extension and adjustable ladder

For use on uneven surfaces and stairs

Has wide steps for more comfortable climbing and standing

Outer package dimensions 31.1" x 8.7" x 24", weight 36 lbs

Carry strap included



### 612TC Aluminum Step/Extension Ladder

Telesteps 10.5 ft. Type 1, 250 lbs extension ladder

Telescopes up to a 6 ft. step or an 11 ft. extension ladder

Can be used as a stand-alone step ladder and also as an extension ladder

Patented "one touch" release mechanism for easy extension and retraction

100% Silicone rubber feet for sure footing and safe operation

Locking indicator windows gives a visual cue that the ladder is locked



### 600FLS Aluminum Folding STIK Ladder, single sided

Telesteps 6 ft. Type 1, 250 lbs, single sided Aluminum Folding STIK step ladder

Single sided design for climbing on one side only

Unique design allows the ladder to be opened and then folded into a small STIK for easy storage

Locking tabs to lock the ladder in place once opened for safe usage

### 700FLD Aluminum Folding STIK Ladder, double sided

Telesteps 7 ft. Type 1, 250 lbs, double sided Aluminum Folding STIK step ladder

Double sided design for climbing on both sides

Unique design allows the ladder to be opened and then folded into a small STIK for easy storage

Locking tabs to lock the ladder in place once opened for safe usage



Your personal safety specialists.™



**Solid Safety Vest - Lime Green**  
CVCL2SLL, CVCL2SXL, CVCL2SLX2  
Available in size Large, XL or 2XL



**Mesh Safety Vest - Orange**  
CVCL2SOL, CVCL2SOXL, CVCL2SOX2  
Available in size Large, XL or 2XL



**Mesh Tear Away Vest - Orange**  
CVCL2ADJO  
Adjustable Size

**Mesh Safety Vest - Lime Green**  
CVCL2MLL, CVCL2MLXL, CVCL2MLX2  
Available in size Large, XL or 2XL



**Hi-Viz Mesh Vest - Orange**  
CV201  
Adjustable Size



**Hi-Viz Mesh Vest - Lime w/Glove Combo**  
C36HIVIZ3  
Adjustable Size



**Non-Certified Mesh Vest - Lime Green**  
817890  
Adjustable Size



**Hi-Viz Driver Glove**  
C32111M, C32111L, C32111XL  
Available in Medium, Large and XL



**Mesh Safety Vest - Orange**  
CV211R  
Adjustable Size

**Hi-Viz Leather Palm Glove**  
SWX00107  
Available in Large



**160 Piece First Aid Kit**  
#10049585

**All Purpose First Aid Kit**  
#10068529





**Exciting Products from  
Seattle Glove  
Coming Soon!**



### **The Bone-ster™ Mechanics Creeper - Model #4031**

Who says small can't be strong? The Bone-ster may be our littlest creeper, but its double-ribbed body gives it an incredible 400-pound capacity! 3 inch diameter wheels



### **The Bone™ Mechanics Creeper - Model #6031**

Our most popular product, the Bone has been around since 1994 and continues to impress with its big 5 inch diameter wheels that roll over just about anything that can be found in a shop - from nuts and bolts to drop cords and floor drains!



### **The Rough Rider™ Mechanics Creeper - Model #7031**

The Rough Rider is a beefed up version of the Bone, made specifically to be used outdoors in less than ideal conditions. Extremely popular with military, police and other government agencies in the US and Canada.

The Rough Rider is designed to be used on extremely rough pavement, dirt, and even grass and gravel with a firm substrate!



### **The Tail Bone™ Mechanics Seat - Model #5031**

The Tail Bone is a BIG mechanics seat that puts you at a low 12 inches off the ground, perfect for any job you can think of.

The extra stable tripod design and 32 inch wide base make it the most stable mechanics seat on the market!



### **The Tail Bone™ Rough Rider Mechanics Seat - Model #5131**

The Tail Bone Rough Rider has all the features of the standard Tail Bone, but uses the wheels from the Rough Rider creeper, sitting you an extra inch higher off the ground, giving it extra ground clearance and allowing it to be used in outdoor conditions.



## Teknor Apex Water Hoses

Available in NeverKink®, Industrial Duty, Medium Duty and Light Duty.

STOCK NO.	ID X LGTH	Description	Minimum Order
			Quantity
<b>Best</b>			
8695-50	5/8" X 50'	~Leak-proof, SealFast™ brass couplings for watertight connections	5
8695-100	5/8" x 100'	~Heavy-duty radial braid reinforcement for high burst strength	3
		~Flexible rubber construction for easy cold weather handling	
<b>Better</b>			
8640-50	5/8" X 50'	~Guaranteed NOT to Kink or Tangle	5
8640-75	5/8" X 75'	~Long Lasting, Solid Brass Couplings	3
8640-100	5/8" X 100'	~Contains Microshield to Prevent Mold & Mildew	3
		~Remains Flexible Down to 45 Degrees	
<b>Good</b>			
8336-50	5/8" X 50'	~KinkGuard™ helps prevent kining at faucet connection	5
8336-75	5/8" X 75'	~Leak-proof, SealFast™ brass couplings for watertight connections	3
8336-100	5/8" X 100'	~Radial braid reinforcement for durability	3
8336-150	5/8" X 150'	~Scuff-resistant outer layer	3
		~ Made with recycled materials	
<b>Economy</b>			
8400-50	5/8" X 50'	~ Made with recycled materials	5
8400-75	5/8" X 75'		3
8400-100	5/8" X 100'		3

**TITAN**  
PROFESSIONAL TOOLS



**Part # 11015**  
Folding Utility Knife - Red  
MOQ—12  
(Replacement blade #11034)



**Part # 11018**  
Folding Utility Knife - Blue  
MOQ—12  
(Replacement Blade #11034)



**Part # 11034**  
10 pc. Standard Utility Knife Blades  
MOQ - 40 (40 ten packs)



**Part # 12030**  
Multi-Purpose Razor Scraper  
MOQ - 6  
(Replacement blade 11036 or 11038)



**Part # 12031**  
Mini Scraper Razor  
MOQ - 6  
(Replacement blade 11036 or 11038)



**Part # 11039**  
21pc. Heavy Duty Razor Blades  
MOQ - 6 (6 twenty-one packs)



**Part # 11036**  
100 pc. #9 Single Edge Razor Blades  
MOQ - 6 (6 one hundred packs)



**Part # 11038**  
100 pc. #12 Single Edge Razor Blades  
MOQ - 6 (6 one hundred packs)



**Part # 19382**  
3/8" x 50' Red Rubber Air Hose  
MOQ - 6



**Part # 21264**  
5-7/8" Round Magnetic Tray (1 magnet)  
MOQ - 6



**Part # 21265**  
5-3/8" x 9-3/8" Rectangular  
Magnetic Parts Tray  
MOQ - 6



**Part # 22016**  
6" Professional Forged Grade Bench Vice  
MOQ - 1

**Part # 22018**  
8" Professional Forged Grade Bench Vice  
MOQ - 1



**Part # 41264**

Clear Protective Replacement Lenses

MOQ—1



**Part # 51500**

A/C Fin Comb



**Part # 45205**

555 piece Cotter Pin Kit - 6 sizes



**Part # 45202**

407 piece SAE  
O-Ring Kit, 34 sizes



**Part # 45203**

417 piece Metric  
O-Ring Kit, 34 sizes



**Part # 41267**

Solar Powered Auto Dark  
Welding Helmet (Swoosh)

MOQ - 1



**Part # 41265**

Solar Powered Auto Dark  
Welding Helmet (Eagle)

MOQ—1



**Part # 41266**

Solar Powered Auto Dark  
Welding Helmet (Flames)

MOQ - 1



	<b>Roll-Up Door Springs</b>		<b>Replacement Panels &amp; Parts</b>
	<b>Roll-Up Door Hinges</b>		<b>Extreme Duty 1/2" Composite</b>
	<b>Roll-Up 2 1/8" Insulated</b>		<b>Extreme Duty 1/4" Composite</b>
	<b>Roll-Up 3/4" Dry Freight</b>		<b>Quick Part Finder</b>



**TRANSGLOBAL**


Transglobal, Inc. manufactures a variety of products for the transportation industry, including 3/4" dry-freight wood, 1/4" and 1/2" composite doors, refrigerated doors, replacement parts, ramp door spring systems, and other products.

Established in 2003, Transglobal brings over 50 years of experience in roll-up door manufacturing for the OEM truck trailer, truck body, and aftermarket transportation industry.

*Transglobal Is Dedicated To Parts Excellence For The Transportation Industry!*



With over 700 trailer parts, Transglobal Door can be ordered through Josh Schwartz via email at [Josh.schwartz@hdatruckpride.com](mailto:Josh.schwartz@hdatruckpride.com) or at 314-291-3345 x250



Torca Part #	Minimum Order Quantity	Description	Dia/Size
E20ST	10	EasySeal - Flat Band Clamp - Stainless Steel	2.0"
E22ST	10	EasySeal - Flat Band Clamp - Stainless Steel	2.25"
E25ST	10	EasySeal - Flat Band Clamp - Stainless Steel	2.5"
E27ST	10	EasySeal - Flat Band Clamp - Stainless Steel	2.75"
E30ST	10	EasySeal - Flat Band Clamp - Stainless Steel	3.0"
E35ST	10	EasySeal - Flat Band Clamp - Stainless Steel	3.5"
E40ST	10	EasySeal - Flat Band Clamp - Stainless Steel	4.0"
E45ST	10	EasySeal - Flat Band Clamp - Stainless Steel	4.5"
E50ST	10	EasySeal - Flat Band Clamp - Stainless Steel	5.0"
E60ST	10	EasySeal - Flat Band Clamp - Stainless Steel	6.0"
L22SA	10	LAP Joint Clamp - 304 Stainless Steel	2.25"
L27AA	10	LAP Joint Clamp - Aluminized Steel	2.75"
L27SA	10	LAP Joint Clamp - 304 Stainless Steel	2.75"
L35AA	10	LAP Joint Clamp - Aluminized Steel	3.5"
L35SA	10	LAP Joint Clamp - 304 Stainless Steel	3.5"
L40AA	10	LAP Joint Clamp - Aluminized Steel	4.0"
L40SA	10	LAP Joint Clamp - 304 Stainless Steel	4.0"
L45SA	10	LAP Joint Clamp - 304 Stainless Steel	4.5"
L45AA	10	LAP Joint Clamp - Aluminized Steel	4.5"
L50AA	10	LAP Joint Clamp - Aluminized Steel	5.0"
L50SA	10	LAP Joint Clamp - 304 Stainless Steel	5.0"
L60AA	10	LAP Joint Clamp - Aluminized Steel	6.0"
L60SA	10	LAP Joint Clamp - 304 Stainless Steel	6.0"





Length	18" (1.5')	24" (2')	36" (3')	72" (6')	120" (10')	300" (25')	360" (30')
<b>Diameter</b>							
1"						<b>GF1300</b>	
3"						<b>SF3300</b>	
3.5"					<b>SF35120</b> Stainless .015"		
4"		<b>GF424</b> Galvanized	<b>GF436</b> Galvanized	<b>AF472</b> Aluminized .018" <b>SF472</b> Stainless .015"	<b>SF4120</b> Stainless .015"	<b>HDGF4300</b> Galvanized .018" <b>SF4300</b> Stainless .015"	<b>SF4360</b> Stainless .015"
5"	<b>GF518</b> Galvanized <b>SF518</b> Stainless	<b>GF524</b> Galvanized <b>SF524</b> Stainless	<b>GF536</b> Galvanized	<b>AF572</b> Aluminized .018" <b>GF572</b> Aluminized .015" <b>HDGF572</b> Galvanized .018" <b>SF572</b> Stainless .015"	<b>SF5120</b> Stainless .015"	<b>HDGF5300</b> Galvanized .018" <b>SF5300</b> Stainless .015"	

### Part Number Identification

Prefix	Body	Suffix
AF – Aluminized Flex	1 – 1" Diameter Flex	18—18" Long Flex
GF – Galvanized Flex	3 – 3" Diameter Flex	24—24" Long Flex
HDGF – Heavy Duty Galvanized Flex	3.5 – 3.5" Diameter Flex	36—36" Long Flex
SF – Stainless Flex	4 – 4" Diameter Flex	72—72" Long Flex (6')

### Ordering instructions

When ordering flex tubing order by the roll and not by foot.

Example: to order 25' of 5" stainless flex you would order a quantity of one SF5300.





## Pre-Trip Inspection Tool



CSA Compliance at your fingertips!

Save time and money by performing your pre-trip, post-trip and P.M. Inspections all with one handy tool that can fit easily in your pocket or on your keychain. The Pre-Trip Inspection Tool will allow you to perform instant visual inspections on tire tread depth, brake stroke, brake shoe thickness, and windshield damage. Every driver, mechanic and maintenance manager should be equipped with the Pre-Trip Inspection Tool. Easy to use, easy to store.

## Replacement Water Pumps for CAT Applications



#613890 3406E



#US70 C12



#US74 3116  
w/4.37" pulley



#US75 3126  
w/3.75" pulley



#US2035 3406 B / C



#7C9222 3406  
Plate Adapter

<u>HDATP#</u>	<u>OEM#</u>	<u>Haldex#</u>	<u>Sloan-6#new/4#reman</u>
613890	613890	RW6012X	6012/4012
US70	1767000	RW4011X	N/A
US74	4P3683	RW4016X	6017
US75	1208402	RW4015X	6016
US2035	7C4957	RW1194PX	6006/4006
7C9222	7C9222	RW1194BPK	N/A

# Replacement Water Pumps for Cummins Applications



#US2045  
Idler Assy.



#US69NX  
ISC/ISL



#US740  
C Series



#US740H  
C Series  
Short Nose



#US2000 855  
Small Cam FFC  
2 Groove Pulley



#US2001  
Big Cam 855  
NTC 290, 350, 400



#US2032  
Big Cam IV  
855 Multi Groove



#US2060  
Big Cam III



#US2062 NT 88  
Big Cam IV  
NTC 300, 315,  
350, 365, 400



#US2203  
M11/L10E  
1991 & Later  
3 Hole Mount



#US2204  
M11/L10  
Short Shaft



#US7123H  
B Series  
New Style  
ISB Engine



#US7145HN  
B Series  
New Style  
Hardened Pulley



#US7145N  
B Series  
New Style



#3803605 N14



#4089908  
ISX 10 Groove



#4089910  
ISX 12 Groove



#3066330  
N14 Idler

HDATP#	OEM#	Haldex#	Sloan-6#new/4#reman
3066330	3066330	RW1074X	6074/4074
US2045	3064919	RW1173X	6059/4059
3803605	3803605	RW1073X	6073/4073
4089908	4089908	RW4068X	N/A
4089910	4089910	RW4066	N/A
US69NX	4089647	RW6079	6082
US740	3913430	RW6077X	6077/4077
US740H	3806180	RW6077X	6077/4077
US2000	3000886	RW1171X	6015/4051

HDATP#	OEM#	Haldex#	Sloan-6#new/4#reman
US2001	3022474	RW1170X	6052/4052
US2032	3801708	RW1172X	6064/4064
US2060	3027174	RW1177X	6064/4064
US2062	3803138	RW1176X	6069/4069
US2203	3803403	RW4076X	6076/4076
US2204	3800745	N/A	N/A
US7123H	3286278	N/A	6081
US7145HN	3286277	RW6075X	6075/4075
US7145N	3286275	RW6075X	6075/4075

# Replacement Water Pumps for Detroit, Ford & IH/Navistar

52

US Motor Works



#US60P 60 Series Detroit  
Late Model and Series 50  
Kangaroo Pouch



#US66 Ford/IH  
7.3L PowerStroke



#US4114 Ford/IH  
6.9L & 7.3L PowerStroke  
w/turbo tube

#US2129 60 Series Detroit  
12.0L EGR



#US2128 IH/NAV  
DT466 New Gen 04+



#US3705 IH/NAV  
6.9L & 7.3L



#US3710 IH/NAV  
DT466 CONV




#US3713 IH/NAV  
DT466 New Gen

<u>HDATP#</u>	<u>OEM#</u>	<u>Haldex#</u>	<u>Sloan-6#new/4#reman</u>
US60P	23526039	RW4123X	6122/4122
US2129	23532542	RW4124	N/A
	23531257		
US66	1823669C92	RW4114X	6315/6316
US4114	F7TX8501B,C	RW1767	6311
US2128	1842664C91	RW6311	6317
US3705	1809374	RW1747X	6305/4305
US3710	680155C92	RW1190X	6301/4301
US3713	1817687C95	RW1310X	6313/4313

## Electric Fuel Pump Kits - Universal Application

53



#USEP12005 For carbureted engines up to 350CID  
4 – 6 PSI 33GPH

#USEP12043 For carbureted engines up to 350CID  
2 – 3.5 PSI 28GPH



#USEP8012HPT Rotary vane style, 5 – 9 PSI 35 – 40 GPH

#USEP8016HPT Rotary vane style, 2.5 – 4.5 PSI 35 – 40 GPH



#USEP8012SP Solenoid design, 5 – 9 PSI 30 GPH

#USEP8016SP Solenoid design, 2.5 – 4.5 PSI 30 GPH

**All Kits are 12V and 5/16" Hose Connection**

# WEITRON Freon



HDATP Part No.	30 #	Auto non returnable cylinder
R134A-30		<b>Qty</b>
	*	1-2 Pallets
	**	3-9 Pallets
	***	10 or more (considered trailer load)

1 pallet = 40 cylinders

HDATP Part No.	12oz	Auto non returnable cylinder
R134A-12		<b>Qty</b>
	*	1-2 Pallets
	**	3-9 Pallets
	***	10 or more (considered trailer load)

1 pallet = 108 cases, 12 each per case

HDATP Part No.	24 #	Auto non returnable cylinder
R404A-24		<b>Qty</b>
	*	1-2 Pallets
	**	3-9 Pallets
	***	10 or more (considered trailer load)

1 pallet = 40 cylinders

HDATP Part No.	30#	Auto non returnable cylinder
R22-30		<b>Qty</b>
	*	1 Pallet (limited quantities)

1 pallet = 40 cylinders

HDATP Part No.	30 #	Auto non returnable cylinder
R401A-30		<b>Qty</b>
	*	1-2 Pallets
	**	3-9 Pallets
	***	10 or more (considered trailer load)

1 pallet = 40 cylinders

HDATP Part No.	13oz	Auto non returnable cylinder
R134AHM-12		High Mileage for older applications. 12 oz (R134a) 1oz (leak sealer / wear additive)
		<b>Qty</b>
	*	1 Pallets

1 pallet = 108 cases, 12 each per case




### WonderGel Roll n' Go Seat Cushion

Part# WG-RG-001

Our WonderGel Roll n' Go seat cushion offers therapeutic support and pressure relief by implementing our exclusive column-buckling gel technology.


The Roll n' Go is designed especially for transport, rolling easily to carry or to fit into your bag, briefcase, or carryon, to go anywhere. Its low profile of 1" makes it a perfect seat cushion for cars without a lot of headroom, making your drive oh so much better. The Roll n' Go measures 13.5x15.5" and its small size makes it great for traveling so any chair you use will be more comfortable! Try the WonderGel Roll n' Go today and have comfort wherever you go!



### WonderGel Original Seat Cushion

Part# WG-OG-001


The WonderGel Original seat cushion offers therapeutic support and amazingly comfortable pressure relief by implementing our exclusive column-buckling gel technology. At 1.25" tall, its low profile makes it great for cars without a lot of headroom. The Original seat cushion also comes with our deluxe, black, washable, zippered cover with a non-skid base and carrying handle. This carrying handle makes it very easy to take the Original seat cushion anywhere you go and have comfort everywhere you sit. The dimensions of the cushion are approximately 15.25x17.25" to fit in any chair. Check out the WonderGel seat cushion today and have comfort wherever you are!



### WonderGel Extreme Seat Cushion

Part# WG-EX-001

Our WonderGel Extreme seat cushion offers therapeutic support and amazingly comfortable pressure relief by implementing our exclusive column-buckling gel technology. Very popular among professional truck drivers, its deep 2" of gel are great for cars and trucks that allow more head room. The Extreme seat cushion also comes with our deluxe, black, washable, zippered cover with a non-skid base and carrying handle. This carrying handle makes it very easy to take the Extreme seat cushion anywhere you go and have comfort everywhere you sit. The dimensions of the cushion are approximately 15.25x17.25" to fit in any chair. Get your WonderGel Extreme seat cushion today and have comfort wherever you are!



### WonderGel DoubleGel Seat Cushion

Part# WG-DG-002

Our WonderGel DoubleGel seat cushion offers therapeutic support and amazingly comfortable pressure relief by implementing our exclusive column-buckling gel technology. With its dual-layering of therapeutic gel that is 2" thick, the DoubleGel seat cushion is especially excellent for home and work office chairs. The top layer allows soft sink-in while the bottom layer is engineered to distribute the support. While this cushion is very popular among professional truck drivers, it is also a fantastic addition to any car. The DoubleGel seat cushion also comes with our deluxe, black, washable, zippered cover with a non-skid base and carrying handle. This carrying handle makes it very easy to take the DoubleGel seat cushion anywhere you go and have comfort everywhere you sit. The dimensions of the cushion are approximately 15.25x17.25" to fit in any chair. Try a WonderGel DoubleGel seat cushion today and have comfort wherever you are!



*608 Lambert Pointe Drive, Building C  
Hazelwood, MO 63042*