



HUTCHENS INDUSTRIES INC.


EZ PULL IDENTIFICATION



HUTCHENS PART NO.	LINKAGE LENGTH	USAGE
18945-01	12.64	8901 SLIDES
18945-03	18.64	
18945-05	24.14	
18945-07	16.53	



HUTCHENS PART NO.	LINKAGE LENGTH	USAGE
19033-01	12.06	98 SERIES SLIDES
19033-03	17.94	
19033-09	15.94	




HUTCHENS PART NO.	LINKAGE LENGTH	USAGE
19299-01	12.06	NEWAY NSH SLIDES
19299-03	17.94	

EZ PULL IDENTIFICATION	ER: 2012041	REV: DATE:	SHEET 1 OF 9
	PROJ: 20120800	REV ER:	DRAWING NO. 26288


HUTCHENS INDUSTRIES INC.

EZ PULL IDENTIFICATION




HUTCHENS PART NO.	LINKAGE LENGTH	ORIENTATION*	USAGE
19395-01	12.64	LH SHOWN	NEWAY NSB SLIDES
19395-02	12.64	RH OPPOSITE	
19395-03	18.64	LH SHOWN	
19395-04	18.64	RH OPPOSITE	

*ORIENTATION DETERMINED BY PIN CAGE WELD LOCATION



HUTCHENS PART NO.: 20564-01
 USAGE: MERITOR RHP11 B-STYLE




HUTCHENS PART NO.: 20565-01
 USAGE: MERITOR RHP11 TRUE-B


EZ PULL IDENTIFICATION	ER: 2012041	REV: DATE:	SHEET 2 OF 9
	PROJ: 20120800	REV ER:	DRAWING NO. 26288

HUTCHENS INDUSTRIES INC.

EZ PULL IDENTIFICATION



HUTCHENS PART NO.	LINKAGE LENGTH	USAGE
20635-01	12.06	9851 SLIDES
20635-02	17.94	




HUTCHENS PART NO.	LINKAGE LENGTH	USAGE
20852-01	13.83	WILSON PROPRIETARY SLIDE
20852-02	19.03	
20852-03	13.10	
20852-04	15.94	CUSH Z-RAIL SLIDE


EZ PULL IDENTIFICATION	ER: 2012041	REV: DATE:	SHEET 3 OF 9
	PROJ: 20120800	REV ER:	DRAWING NO. 26288

HUTCHENS INDUSTRIES INC.

EZ PULL IDENTIFICATION



HUTCHENS PART NO.	LINKAGE LENGTH	ORIENTATION	USAGE
21007-01	12.06	LH SHOWN	DANA SLIDES
21007-02	12.06	RH OPPOSITE	
21007-03	17.94	LH SHOWN	
21007-04	17.94	RH OPPOSITE	




HUTCHENS PART NO.	LINKAGE LENGTH	ORIENTATION	USAGE
21360-01	12.06	LH SHOWN	DANA SLIDES
21360-02	12.06	RH OPPOSITE	SR1VK200/201
21360-03	17.94	LH SHOWN	
21360-04	17.94	RH OPPOSITE	
21360-05	23.94	LH SHOWN	
21360-06	23.94	RH OPPOSITE	


EZ PULL IDENTIFICATION	ER: 2012041	REV: DATE:	SHEET 4 OF 9
	PROJ: 20120800	REV ER:	DRAWING NO. 26288

HUTCHENS INDUSTRIES INC.

EZ PULL IDENTIFICATION



HUTCHENS PART NO.: 23385-01
 USAGE: H9201




HUTCHENS PART NO.	LINKAGE LENGTH	ORIENTATION	USAGE
23424-01	18.64	LH SHOWN	DANA SLIDES SR1VK200P/201P FRONT PINS
23424-02	18.64	RH OPPOSITE	
23424-03	12.64	LH SHOWN	
23424-04	12.64	RH OPPOSITE	
23424-05	24.71	LH SHOWN	
23424-06	24.71	RH OPPOSITE	


EZ PULL IDENTIFICATION	ER: 2012041	REV: DATE:	SHEET 5 OF 9
	PROJ: 20120800	REV ER:	DRAWING NO. 26288

HUTCHENS INDUSTRIES INC.

EZ PULL IDENTIFICATION



HUTCHENS PART NO.	LINKAGE LENGTH	ORIENTATION	USAGE
23425-01	18.64	LH SHOWN	DANA SLIDES SR1VK200P/201P REAR PINS
23425-02	18.64	RH OPPOSITE	
23425-03	12.64	LH SHOWN	
23425-04	12.64	RH OPPOSITE	
23425-05	24.71	LH SHOWN	
23425-06	24.71	RH OPPOSITE	




HUTCHENS PART NO.	LINKAGE LENGTH	ORIENTATION	USAGE
23757-01	18.64	LH SHOWN	DANA SLIDE SR1VK420 REAR PINS
23757-02	18.64	RH OPPOSITE	
23757-03	12.64	LH SHOWN	
23757-04	12.64	RH OPPOSITE	


EZ PULL IDENTIFICATION	ER: 2012041	REV: DATE:	SHEET 6 OF 9
	PROJ: 20120800	REV ER:	

HUTCHENS INDUSTRIES INC.


EZ PULL IDENTIFICATION



HUTCHENS PART NO.	LINKAGE LENGTH	ORIENTATION	USAGE
23794-01	18.64	LH SHOWN	DANA SLIDE SR1VK420 FRONT PINS
23794-02	18.64	RH OPPOSITE	
23794-03	12.64	LH SHOWN	
23794-04	12.64	RH OPPOSITE	



HUTCHENS PART NO.: 24602-01
 USAGE: H9101Z 6.31 HI




HUTCHENS PART NO.	LINKAGE LENGTH	USAGE
24686-01	12.06	H9036I/H9001
24686-03	13.63	
24686-05	19.63	
24686-07	11.75	


EZ PULL IDENTIFICATION	ER: 2012041	REV: DATE:	SHEET 7 OF 9
	PROJ: 20120800	REV ER:	DRAWING NO. 26288

HUTCHENS INDUSTRIES INC.


EZ PULL IDENTIFICATION



HUTCHENS PART NO.	LINKAGE LENGTH	USAGE
24812-01	15.38	H9101Z 7.50 HI
24812-02	12.38	



HUTCHENS PART NO.	LINKAGE LENGTH	ORIENTATION	USAGE
25243-01	13.83	LH SHOWN	WILSON PROPRIETARY
25243-02	13.83	RH OPPOSITE	
25243-03	19.03	LH SHOWN	
25243-04	19.03	RH OPPOSITE	




HUTCHENS PART NO.	LINKAGE LENGTH	USAGE
25590-01	17.94	SERIES 10
25590-03	13.63	
25590-05	15.94	

EZ PULL IDENTIFICATION	ER: 2012041	REV: DATE:	SHEET 8 OF 9
	PROJ: 20120800	REV ER:	DRAWING NO. 26288


HUTCHENS INDUSTRIES INC.

EZ PULL IDENTIFICATION



HUTCHENS PART NO.: 25895-01

USAGE: SERIES 10 CHASSIS SLIDE INBOARD BEARING PLATES



HUTCHENS PART NO.	LINKAGE LENGTH	USAGE
26031-01	17.94	SERIES 10 TTMA
26031-02	12.06	

EZ PULL IDENTIFICATION	ER: 2012041	REV: DATE:	SHEET 9 OF 9
	PROJ: 20120800	REV ER:	DRAWING NO. 26288