

 Maxxima®

LED EMERGENCY WARNING

Think Safety
Think Maxxima



LED MINI STROBES



M20372WCL

3 LED'S



M20372RCL



M50110



M20372BCL



M50111



M20372YCL



M50115



M20373YCL

4 LED'S



M20373WYCL



M50113



M20373BWCL



M50114



M20373BRCL



M50116

Surface Mount Warning Strobes

- Multi-Function Strobes
- 11 Selectable Flash Patterns
- Polycarbonate Clear Lens
- Aluminum Die-cast Base
- Black Bezel Included
- Meets SAE J595
- Synchronized or Alternating Flash
- 100,000 Hour Rated LED Life
- 5 Year Warranty

Part Number

- M20372BCL Blue Clear Lens
- M20372RCL Red Clear Lens
- M20372WCL White Clear Lens
- M20372YCL Amber Clear Lens

Accessories

- M50110 Black Vinyl Grommet
- M50111 Chrome Plastic Bezel
- M50115 Stainless Steel Mounting Bracket

Product Specs

- LED's 3
- Width 3.8"
- Height 1.6"
- Depth 1.3"
- Voltage 12.8 VDC, Amp Draw 200 Milliamps

Surface Mount Warning Strobes

- Multi-Function Strobes
- 18 Selectable Flash Patterns
- Polycarbonate Clear Lens
- Aluminum Die-cast Base
- Black Bezel Included
- Synchronized or Alternating Flash
- 100,000 Hour Rated LED Life
- 5 Year Warranty

Part Number

- M20373BRCL Blue & Red LEDs, Clear Lens
- M20373BWCL Blue & White LEDs, Clear Lens
- M20373YCL Amber Clear Lens
- M20373WYCL Amber & White LEDs, Clear Lens

Accessories

- M50113 Black Vinyl Grommet
- M50114 Chrome Plastic Bezel
- M50116 Stainless Steel Mounting Bracket

Product Specs

- LED's 4
- Width 4.8"
- Height 1.6"
- Depth 1.3"
- Voltage 12.8 VDC, Amp Draw 400 Milliamps

LED WARNING STROBES



M42700Y

32 LED's



M42700R



M63200Y



M63200R

32 LED's



M42210Y



M42210R

52 LED's

4" Round Warning Strobes

- Three Selectable Flash Patterns
- Dual, Quad, Split Flash
- Synchronized or Alternating Flash
- Meets SAE J845 (SAE W3-2(36))
- Smart Chip Surge Protection
- Polycarbonate Lens & Housing
- Moisture, Vibration and Corrosion Proof
- 100,000 Hour Rated LED Life
- 5 Year Warranty

Part Number

M42700Y Amber
M42700R Red

Product Specs

LED's 32
Diameter 4.25"
Depth 2.40"
Voltage 12.8 VDC, Amp Draw 200 Milliamps
Grommet Mount
Connector PL - 3

Oval Warning Strobes

- Three Selectable Flash Patterns
- Dual, Quad, Split Flash
- Synchronized or Alternating Flash
- Meets SAE J845 (SAE W3-2(40))
- Smart Chip Surge Protection
- Moisture, Vibration and Corrosion Proof
- 100,000 Hour Rated LED Life
- 5 Year Warranty

Part Number

M63200Y Amber
M63200R Red

Product Specs

LED's 32
Width 6.4"
Height 2.2"
Depth 1.7"
Voltage 12.8 VDC, Amp Draw 200 Milliamps
Grommet Mount
Connector PL - 3

Rectangular LED Warning Strobes

- Two Selectable Flash Patterns, Dual & Quad Flash
- Meets SAE J845 (SAE W3-2(40))
- Moisture, Vibration and Corrosion Proof
- 100,000 Hour Rated LED Life

Part Number

M42210Y Amber
M42210R Red

Product Specs

LED's 52
Width 5.25"
Height 3.38"
Depth 1.96"
Voltage 12.8 VDC, Amp Draw 280 Milliamps
Grommet Mount
Connector PL - 3


LED EMERGENCY FLASHER

3 LED's



M42705Y


18 LED'S



SDL-50 Amber



SDL-52 Red



SDL-53 Blue

15 LED'S



SDL-30



SDL-33

5" Warning Beacon

- Surface Mount
- 5 Year Warranty
- Polycarbonate Lens & Housing
- 100,000 Hour Rated LED Life

Part Number

M42705Y Amber

Product Specs

LED's 3
Height 5.1"
Depth 2.3"
Voltage 12.8 VDC
Amp Draw 240 Milliamps
Mounting 2 Hole
2 Blunt Cut Leads

Battery Operated Emergency Flashers

- LED lamp Visible up to 1-1/4 Miles
- 3 Functions Steady, Flash, & Split Flash
- Magnets Instantly Attach to Stationary Vehicle Only
- Built-In Stand for Vertical or Horizontal Mounting
- Weather Resistant
- Operates 72 Hours on 4AA Batteries (not included)

Part Number

SDL-50 Amber
SDL-52 Red
SDL-53 Blue

Product Specs

LED's 18
Width 6.25"
Height 3.6"
Depth 1.6"

Battery Operated Sequential Arrow Emergency Warning Banners

- Measure 16" x 26"
- Waterproof
- Operates 145 Hours on 2AA Batteries (not included)
- Moisture, Vibration & Corrosion Proof
- 100,000 Hour Rated LED Life

Part Number

SDL-30 Red
SDL-33 Amber

PRODUCT SPECS

LED's 15
Width 26"
Height 16"
Voltage 3.0 VDC
Mounting Magnets & Grommets