



A Higher Standard of Performance.™

an EnPro Industries company

SUPER-CUSHION AIR SPRINGS®

FOR TRUCK, TRAILER AND BUS SUSPENSIONS AND FOR CAB AND SEAT SPRINGS

GOODYEAR
AIR SPRINGS

SUPER-CUSHION® AIR SPRINGS | FOR TRUCK, TRAILER AND BUS SUSPENSIONS AND FOR CAB AND SEAT SPRINGS

GOODYEAR
AIR SPRINGS



The GOODYEAR trademark is used by STEMCO LP under license from The Goodyear Tire & Rubber Company. Goodyear Air Springs are manufactured and sourced exclusively by STEMCO LP or its affiliates.

© 2016 STEMCO Ip. All rights reserved. STEMCO Ip is an EnPro Industries, Inc. (NYSE: NPO) company.

Making the Roadways Safer®

STEMCO LP
300 Industrial Blvd.
Longview, Texas 75602

P.O. Box 1989
Longview, Texas 75606-1989

stemco.com | 800-527-8492

Get durability, performance and value with air springs for truck, trailer, bus and cab seat applications.

Goodyear Air Springs offer:

- Bright yellow Mylar tag – easy identification
- Superior load cushioning – reduced in-transit damage
- Improved driver comfort and reduced driver fatigue
- Long life performance through advanced engineering



GOODYEAR
AIR SPRINGS

GOODYEAR
AIR SPRINGS

TWO NAMES YOU TRUST, ONE
REMARKABLE
PRODUCT LINE




STEMCO[®]
A Higher Standard of Performance.[™]
an EnPro Industries company

The quality you trust, now from the leader in roadway safety.

STEMCO is now the official manufacturer of Goodyear[®] Air Spring products, including Super Cushion[®] rolling lobe and bellows air springs, sleeve and custom designed air springs. Designed to reduce driver fatigue, component wear and downtime, Goodyear[®] Air Spring products lead the industry in comfort and performance.

GOODYEAR
AIR SPRINGS

TABLE OF CONTENTS

| AIR SPRING PRODUCT INFORMATION | PAGE |
|--|-------------|
| Air Suspension Features and Benefits..... | A1 |
| Super-Cushion® Air Springs for Trucks, Trailers, & Buses..... | A2 |
| Components of Super-Cushion® Air Springs..... | A3 |
| Unique Product Identification System..... | A4 |
| How to Choose the Correct Replacement Air Spring..... | A5 |
| Air Spring Identification..... | A6-A7 |
| Air Spring Installation..... | A8-A9 |
| Air Suspension Vehicle Maintenance Checklist..... | A10 |
| Selected Non-warrantable Conditions..... | A11-A13 |
| NEW ADDITIONS | |
| 2014 New Air Spring Additions..... | A14 |
| IDENTIFICATION & APPLICATION INFORMATION | |
| Bellows..... | 1-30 |
| Rolling Lobe..... | 31-107 |
| Sleeve..... | 108-119 |
| FLEX MEMBER INDEX | 121-124 |
| FIRESTONE FLEX MEMBER CROSS REFERENCE | 125-126 |
| PISTON INDEX | |
| Pistons for Rolling Lobe Air Springs..... | 127-130 |
| CROSS REFERENCE INFORMATION | |
| Competitors to Super-Cushion® | 131-140 |
| DISCONTINUED PARTS | 141 |
| TERMS AND CONDITIONS | 143-145 |



AIR SUSPENSION FEATURES & BENEFITS

Greater level of isolation...

- * Reduces need for electrical and instrument maintenance.
- * Reduces cab and body damage.
- * Reduces axle, transmission and tire wear.
- * Reduces downtime.
- * Extends trailer life.
- * Reduces driver fatigue.

For the owner-operator, air suspension...

- * Improves isolation in both loaded and unloaded conditions.
- * Broadens types of loads available for transport, including electronic equipment where air suspensions are required by the shipper.
- * Greater driver comfort.
- * Increased resale value.
- * Protects hinges, lights, rivets, and all trailer hardware.

Reasons for increased air suspension usage:

- * Suspension manufacturers have built in a greater degree of durability, longer warranty periods.
- * Increased need for greater axle excursion.

SUPER-CUSHION®

Air Springs for Trucks, Trailers and Buses

Super-Cushion® air springs for trucks, trailers buses, and cab & seat springs protect cargo, provide constant-level hauling, and deliver long, trouble-free service.

Super-Cushion® air springs give your trucks, trailers and buses a new high in productivity and long life. They offer a quiet, cushioned ride. Truck, trailer and bus bodies last longer than with steel springs because there is less vibration. The driver rides in greater comfort, becomes less fatigued and stays more alert. Plus cargo has better protection from shock and vibration. Whenever you want to add an axle, Super-Cushion® air springs fit right in.

Super-Cushion® air springs, when used with leveling valves, also maintain consistent trim regardless of the load. That means clearance heights remain constant, and that trailer floors are flush with loading dock floors for ease of loading and unloading.

For driver comfort, load cushioning, and long life for your trucks, trailers, bus, and cab and seat springs specify Goodyear Engineered Products Super-Cushion® air springs.



GOODYEAR
AIR SPRINGS


Components Of Super-Cushion® Air Springs

ROLLING LOBE AIR SPRING (1R DESIGN)

Combination Stud/
Air Fitting

Lower Retainer

Piston




DOUBLE CONVOLUTION AIR SPRING (2B DESIGN)

Flexible Member
(Bellows)

Girdle Ring


Internal Rubber
Bumper (Optional)



Unique Product Identification System

The Super-Cushion® air spring assembly part number consists of the Product Description and the Assembly Number. Elements of this system are shown in the following example for ordering a 2B12-300 Assembly:

2 B 12 - 300




These three numbers represent a unique identifier for this particular air spring.

This is the nominal outside working diameter of the air spring assembly, in inches. (It is not the maximum diameter.)

This letter refers to the type of air spring:
B - Bellows
R - Rolling Lobe (bead type conventional)
S - Sleeve (beadless rolling lobe type)

Number of convolutions in the assembly:
1 - single convolute
2 - double convolute
3 - triple convolute

How to Choose the Correct Replacement Air Spring



Many air springs appear to be similar in design and size at first glance. However, differences in the manufacturing techniques used for similar looking air springs may create substantial differences in operating dimensions. Specifically, the inflated (or operating) diameters of seemingly identical air springs will vary depending on the angle of the reinforcing fabric used in the flexible member.

For example, air spring models 1R12-092 and 1R13-039 appear very similar when first examined. However, the 1R12-092 model will inflate (operate) on vehicle at approximately 12" diameter, while the 1R13-039 model will operate at 13" diameter. In a substitution of the 1R13-039 air spring for the 1R12-092 in a truck trailer suspension, the larger air spring inflated diameter would most likely rub on another suspension component (such as a tire, shock absorber, or bracket) and cause failure within a few miles.

Air springs with interference type failures will not be considered for warranty claims. Be sure to select the correct replacement!

To select the proper Goodyear Engineered Products Super-Cushion® replacement air spring, use the procedure on the next page.

CAUTION: Numbers molded on the rubber bag (flexible member) are **NOT** the assembly part numbers. Bags with the same numbers are used with different combinations of top and bottom metals. They may or may not have an internal rubber bumper.


Air Spring Identification

1. Start with the original equipment or aftermarket part number. It is usually located on a label affixed to the top plate of the air spring. If it is a Goodyear Engineered Products part number, simply double check the product photo in the main body of the catalog. If you have an O.E. number or a Firestone number look in the cross-reference section.

2. If the O.E. part number or aftermarket part number is unknown you should begin your search with the bellows number. The number is molded into the rubber part of the air spring. Once identified you can narrow down the choices in the Flexible Members Index section.

3. Measure the width of the top plate and make a note of the bolt pattern or taps.

4. Measure the width of the piston or bottom bead plate and make a note how the bolt pattern is oriented compared to the bolts on the top plate (Inline or Rotated). The view of this orientation should appear as if you are looking directly through a clear drinking glass from the top to bottom. This is how the catalog illustrations are drawn.



5. Measure the height of the air spring with no air pressure from the top plate to the bottom of the piston. This is the extended height.

6. Compress the bag as far as possible with no air pressure and measure the height. This is the compressed height or minimum height.

7. Measure the distance from center to center of each bolt on the top and bottom of the air spring.



2B DESIGN



3B DESIGN

NOTES:


If the air spring you are replacing has studs (retainers) attached to the top or bottom plate, and the Goodyear Engineered Products Super-Cushion® air spring is identical except that it has recessed, blind taps, use the optional shoulder studs 578-92-9-056. (Pictured to the right.) Screw these into the plate using Locktite #271, or equivalent, thread lock to insure that the studs do not loosen in service.

If you wish to use cap screws or your own bolts to attach air springs with recessed blind nuts to the suspension, the screw must have 3/8-16 threads and must extend no more than 0.562" into the blind taps. Deeper penetration will cause the new air spring to leak and it cannot be repaired satisfactorily.

Air springs with damaged blind taps cannot be considered for warranty claims.

SHOULDER STUD

578-92-9-056



Air Spring Installation

Before you start installing air springs, make sure you have all the necessary tools and equipment to perform the repair safely. Familiarize yourself with the suspension on which you are performing the repair by reviewing the manufacturer's service guide.

If you are in doubt about something, ask for assistance from a qualified suspension specialist, the suspension manufacturer or the air spring manufacturer; it can save you a lot of time and aggravation later in the job.

Here are important tips to remember when installing a new unit:

**When disconnecting the leveling valve linkage, check for bent or broken linkage; if you find any, replace the damaged parts.

**Check shock absorbers for possible replacement. There are usually two warning signs indicating a worn shock. If it can be easily compressed or extended, it is time for a new unit. Also, if the vehicle has just been brought in for service, the shock should be warm to the touch. If not, it needs to be replaced. Remember, proper shock maintenance is one of the keys to long air spring life.

**Once the air lines are disconnected, check the line for cracks or damage. Also check for loose fittings, and replace any worn components.

**Some times the cause of air spring failure is visible and/or readily apparent; other times it is not. When it is not, inspect the air spring after you have removed it to determine the cause of failure and then correct the root cause of the problem.

**With the air spring removed, other parts of the air suspension become more accessible. Check for wear or damage of the frame hangers, trailing arm bushings, torque rods, the trailing arms and the air spring mounts. Again, replace components where necessary.

**Also check the area around the air spring mounting to ensure there are not any obstacles or sharp edges that can damage the new air spring.

**Before installing the new unit, clean the air spring mounting plates to ensure proper attachment to the suspension.

**Always use new attaching bolts for the installation. Old bolts should never be reused since they may fail.

**Check the leveling arm for proper operation. Under load, the leveling arm should move from the neutral position up to the intake position. This lets air into the springs, which brings the arm back to the neutral position. When the load is removed, the leveling arm should move down to the exhaust position. That opens the exhaust valve, allowing air to escape until the arm returns to the neutral position.

Air Spring Installation

NOTES

Add Shoulder Stud #578-92-9-056 where required.

SAFETY & LONGEVITY RULES

1. Use Goodyear Engineered Products Flexible Members on Goodyear Engineered Product Pistons Only.
2. Replace ALL air springs on each axle instead of just one.

Following Rule 1 will prevent component failure due to interference with other suspension parts or other truck/trailer components.

Following Rule 2 will give equal riding heights & bounce response to insure a stable and safer ride.

Any old air spring assemblies which are still serviceable could be carried

AIR SPRING TORQUE REQUIREMENTS

The following values are considered to be the maximum allowable torque for the designated mounting hardware.

| <u>Maximum Torque (ft. lbs.)</u> | |
|----------------------------------|----|
| 3/8" - UNC BLIND TAPS | 25 |
| 1/2" - UNC BOLT OR STUD | 25 |
| 3/4" - UNC STUD | 55 |
| 3/4" - UNF COMBO STUD | 50 |

AIR FITTINGS

| | |
|-----------|----|
| 1/4" NPTF | 20 |
| 1/2" NPTF | 20 |
| 3/4" NPTF | 20 |


Air springs failing due to overtorqueing will not be considered for warranty claims.

Air Suspension Maintenance Vehicle Check-List

- * Check air lines and fittings for leaks: rubbing on air spring.
- * Check proper clearance around air spring when inflated. Generally, a minimum of 1-1/2" will allow for the increased diameter which occurs in heavy jounce.
- * Periodically, check suspension for proper ride height. This dimension should be maintained +/- 1/4" to protect the springs and shocks from over-extension or frequent bottoming out of the suspension.
- * When doing routine vehicle maintenance, block up the suspension and check for irregular wear or material build-up on the flexmember. Clean, if necessary, using a non-petroleum based cleaning solution.
- * Check rolling lobe piston for material build-up. Hardened debris on the piston will shorten spring life and should be removed as part of your regular maintenance.
- * Check shock absorbers for any signs of leaking hydraulic fluid, broken end connections, worn bushings or cylinders, and over extension.
- * Periodically, check nuts and bolts for proper torque. See manufacturer's manual for specific recommendations.
- * Check height control valve to see that it is functioning properly. Clean or replace, if necessary. A properly maintained valve will save hundreds of dollars in unneeded maintenance expense.

Routine inspection of all of the above, according to a pre-determined mileage maintenance schedule will extend the life of your vehicle and reduce your overall maintenance expense.

SELECTED NON-WARRANTABLE CONDITIONS




Over-Extension

- Eventual tearing away of the bellows from the top plate or the bottom piston.
- The top plate may appear convex.
- Commonly seen on lift axle applications, particularly on trucks and tractors used in severe on/off road service such as construction, logging, or quarrying.
- Results from operation of the air spring beyond its rated maximum extended height or long-term operation at or near its maximum extended height.

Possible causes:

- Improper restraint of the downward travel of the axle that allows the air spring to operate beyond its rated maximum extended height.
- The ride position is too high due to improper adjustment or improper functioning of the leveling valve.
 - Can result in long-term operation of the air spring at or near its rated maximum extended height.
- Shock absorbers are not functioning properly, are missing or are improperly sized.
- Incorrect air spring for application (too short).



Normal Cycle Fatigue

- Fatigue cracks will appear on the outer surface of the rubber as a normal part of the ageing process.
- Minor cracks are not ordinarily a cause for removal.
- The air spring will still function properly provided there is no air leakage.

SELECTED NON-WARRANTABLE CONDITIONS




DAMAGE FROM CHEMICALS

Rubber Damage from Chemicals

- Grease and oil are common examples that can cause this condition after prolonged contact with the rubber flexible member.

Possible causes:

- Excessive oil in the air supply.
- Excessive greasing of universal joints.
- Excessive greasing of the fifth wheel.
- Leaking seals in suspension components.
- Use of petroleum based cleaners on the air spring (use only soap and water for cleaning).



Corrosion and Impacts

- Deterioration of the top plate or piston.

Possible causes:

- Chemical exposure.
- Road debris being flung into the piston causing a crack.
- Pitting from salt.
- Excessive oil or water in the air supply.
- Build-up of debris on the piston, top plate, or girdle hoops (keep clean with soap and water).

CORROSION & IMPACTS

SELECTED NON-WARRANTABLE CONDITIONS



External Abrasion

- A hole rubbed into the side of the bellows.

Possible causes:

- Bellows contact with components on the vehicle (such as air lines).
- Road dirt and debris.
- Worn or failed parts in the suspension.
 - Worn bushing
 - Broken shock
 - misalignment
- Leak or pinch in air line causing spring to be under-inflated.

New Air Springs

| <u>New part number</u> | <u>Type</u> | <u>New part number</u> | <u>Type</u> |
|------------------------|--------------|------------------------|-------------|
| 1B5-510 | Bellows | 1S4-187 | Sleeve |
| 1B12-322 | Bellows | 1S4-205 | Sleeve |
| 1R8-009 | Rolling Lobe | 1S5-157 | Sleeve |
| 1R8-031 | Rolling Lobe | 1S5-175 | Sleeve |
| 1R8-041 | Rolling Lobe | 1S5-176 | Sleeve |
| 1R9-071 | Rolling Lobe | 1S5-186 | Sleeve |
| 1R10-165 | Rolling Lobe | 1S6-036 | Sleeve |
| 1R10-171 | Rolling Lobe | 1S6-641 | Sleeve |
| 1R11-109 | Rolling Lobe | 1S8-003 | Sleeve |
| 1R11-176 | Rolling Lobe | 2B14-362 | Sleeve |
| 1R11-207 | Rolling Lobe | 2B7-540 | Sleeve |
| 1R11-209 | Rolling Lobe | 2B7-541 | Sleeve |
| 1R12-212 | Rolling Lobe | 3B12-337 | Sleeve |
| 1R12-377 | Rolling Lobe | 3B14-453 | Sleeve |
| 1R12-406 | Rolling Lobe | 3B14-456 | Sleeve |
| 1R12-507 | Rolling Lobe | 3B14-462 | Sleeve |
| 1R12-535 | Rolling Lobe | 3B14-463 | Sleeve |
| 1R12-539 | Rolling Lobe | | |
| 1R12-540 | Rolling Lobe | | |
| 1R12-545 | Rolling Lobe | | |
| 1R12-592 | Rolling Lobe | | |
| 1R12-593 | Rolling Lobe | | |
| 1R12-645 | Rolling Lobe | | |
| 1R12-663 | Rolling Lobe | | |
| 1R12-1047 | Rolling Lobe | | |
| 1R12-1048 | Rolling Lobe | | |
| 1R12-1049 | Rolling Lobe | | |
| 1R13-149 | Rolling Lobe | | |
| 1R13-235 | Rolling Lobe | | |
| 1R13-237 | Rolling Lobe | | |
| 1R13-239 | Rolling Lobe | | |
| 1R14-117 | Rolling Lobe | | |
| 1R14-151 | Rolling Lobe | | |
| 1R14-155 | Rolling Lobe | | |
| 1R14-164 | Rolling Lobe | | |
| 1R14-176 | Rolling Lobe | | |
| 1R14-179 | Rolling Lobe | | |
| 1R14-198 | Rolling Lobe | | |
| 1R14-201 | Rolling Lobe | | |
| 1R14-222 | Rolling Lobe | | |
| 1R14-232 | Rolling Lobe | | |
| 1R14-236 | Rolling Lobe | | |
| 1R14-240 | Rolling Lobe | | |

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|---|
| 1B5-510 Flexmember 579-91-3-501 | | ASC-92-8-109 | ASB-92-6-045 | |
| 1B8-564 Flexmember 579-91-3-532 | | ASC-92-8-171 | ASB-92-6-055 | |
| 1B12-301 Flexmember 578-91-3-301 | | ASA-92-8-002 | ASA-92-6-002 | Conti 64595 FS330-11468 FIRESTONE 7009 W013587009 NEWAY 905-57-002 TRIANGLE 4468 TRP AS70090 |
| 1B12-305 Flexmember 578-91-3-301 | | ASA-92-8-006 | ASA-92-6-002 | FIRESTONE 6920 7043 W013586920 W013587043 |
| 1B12-306 Flexmember 578-91-3-301 | | ASA-92-8-002 | ASA-92-6-002 | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers | |
|--|---|-------------------------|-------------------------|---|--|
| 1B12-313 <u>Flexmember</u> 578-91-3-301 | | ASA-92-8-002 | ASA-92-6-002 | <u>Conti</u> 64596 FS330-11474 <u>FIRESTONE</u> W013587008 | |
| 1B12-322 <u>Flexmember</u> 578-91-3-301 | | ASB-92-8-164 | ASA-92-6-002 | | |
| 1B14-350 <u>Flexmember</u> 578-91-3-351 | | ASA-92-8-028 | ASA-92-6-013 | <u>Conti</u> 64523 FS530-14442 <u>FIRESTONE</u> 7103 W013587103 <u>PEERLESS</u> 0550-00015 <u>TRIANGLE</u> 4442 <u>TRP</u> AS71030 | |
| 1B14-351 <u>Flexmember</u> 578-91-3-351 | | ASA-92-8-028 | ASA-92-6-013 | <u>AMERICAN CARRIER</u> 8003007 <u>Conti</u> 64524 64525 FS530-14446 FS530-14447 <u>FIRESTONE</u> 7105 W013587104 W013587105 <u>TRIANGLE</u> 4447 | <u>TRP</u> AS71050 |
| 1B14-358 <u>Flexmember</u> 578-91-3-352 | | ASA-92-8-031 | ASA-92-6-015 | <u>Conti</u> 64521 FS530-14339 <u>DAYTON</u> 354-7112 <u>FIRESTONE</u> 7112 W013587112 <u>INT'L / NAVISTAR</u> 554782C1 <u>LOAD GUARD</u> SC2012 | <u>NEWAY</u> 905-57-026 905-57-028 905-57-041 AR-1834 <u>RIDEWELL</u> 1003587112C S-3364-C <u>TRIANGLE</u> 4339 |













- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 1B14-373 Flexmember 578-91-3-351 | | ASA-92-8-174 | ASA-92-6-056 | |
| 2B6-530 Flexmember 579-923-510 | | ASC-92-8-154 | ASB-92-6-051 | |
| 2B6-535 Flexmember 579-92-3-515 | | ASC-92-8-175 | ASA-92-6-052 | Conti 66094 FD110-15766 LOADAIR P10-754U |
| 2B7-540 Flexmember 579-92-3-525 | | ASA-92-8-114 | ASB-92-6-049 | |
| 2B7-541 Flexmember 579-92-3-525 | | ASC-92-8-171 | ASB-92-6-049 | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|--|
| 2B7-542 Flexmember 579-923-525 |  | ASC-92-8-171  | ASB-92-6-058  | |
| 2B7-548 Flexmember 579-92-3-526 |  | ASC-92-8-171  | ASC-92-6-122  | Conti 67667 FD110-17A775 HENDRICKSON 5079 TRP ASC7750 |
| 2B8-550 Flexmember 579-92-3-530 |  | ASA-92-8-114  | ASB-92-6-049  | AMERICAN CARRIER 8003006 Conti 64601 FD120-20509 FIRESTONE 7325 W013587325 MACK TRUCK 227QS32 57QK1113 TRIANGLE 4509 WATSON & CHALIN AS-0030 |
| 2B9-200 Flexmember 578-92-3-202 |  | ASA-92-8-016  | ASA-92-6-010  | Conti 64267 FD200-19320 DAYTON 354-6910 DINA A-8127-19 FIRESTONE 6910 W013586910 GRANNING 1371 HDA PMABG-6910B HENDRICKSON 45843-3 B-8768 INT'L/ NAVISTAR 554783C1 LOAD GUARD SC2011 MASA 227138412 PREVOST 63-0173 R & S TRUCK & BODY 1027405 RIDEWELL 1003586910C S-4512-C TAURUS AS218-6910 TRIANGLE 4320 TRP AS69100 WATSON & CHALIN AS-0001 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|----------------------------------|---------------------|--|
| 2B9-201 Flexmember 578-92-3-202 | | ASA-92-8-016 | ASA-92-6-010 | Conti 64515 FD200-19499 DAYTON 354-6902 FIRESTONE 6935 W013586935 FLEETRITE 2B9-491 FREIGHTLINER 16-14318-000 GRANNING 4848 HDA PMABG-6902B HENDRICKSON B-2630 INT'L/ NAVISTAR 554784C1 LOAD GUARD SC2010 MASA 227004001 R & S TRUCK & BODY 1027505 RIDEWELL S-1728-C SAUR AXLES (SAS) P50-733A (LIFT SUSPENSIONS INC. 200042 TAURUS AS218-6902 TRIANGLE 4310 4499 TRP AS69350 |
| 2B9-206 Flexmember 578-92-3-202 | | ASA-92-8-040 | ASA-92-6-010 | Conti 64510 FD200-19315 DAYTON 354-6905 E-Z RIDE 8030120 FIRESTONE 6905 W013586905 HENDRICKSON 45843-1 B-3518 B-5270 INT'L/ NAVISTAR 1685175C1 LOAD GUARD SC2071 RIDEWELL 1003586905C S-2845-C TAURUS AS218-6905 TRIANGLE 4315 TRP AS69050 WATSON & CHALIN AS-0020 |
| 2B9-210 Flexmember 578-92-3-202 | | ASA-92-8-040 | ASA-92-6-010 | Conti 64511 FD200-19362 FIRESTONE 6908 W013586908 TRIANGLE 4362 TRP AS69080 WATSON & CHALIN AS-0035 |
| 2B9-216 Flexmember 578-92-3-202 | | ASA-92-8-060 .750-14 NPTF | ASA-92-6-010 | DINA AZ-8127-19 PREVOST 63-0174 TRAILERS DE MONTERREY 73312B |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers | |
|--|---|---------------------|---------------------|--|--|
| 2B9-218 Flexmember 578-92-3-206 | | ASA-92-8-113 | ASA-92-6-010 | Conti 64553 FD200-25453 FIRESTONE 6927 W013586927 INT'L/ NAVISTAR 1685176C1 LOAD GUARD SC2072 REYCO 12906-01 12906-02 | TAURUS AS218-6927 TRIANGLE 4453 TRP AS69270 |
| 2B9-225 Flexmember 578-92-3-202 | | ASA-92-8-117 | ASA-92-6-044 | FIRESTONE 6928 W013586928 TTX 1999408 | |
| 2B9-229 Flexmember 578-92-3-211 | | ASA-92-8-113 | ASA-92-6-077 | Conti 64517 FD200-19505 FD200-22706 FIRESTONE 6897 W013586897 FLEETRITE 2B9-490 TRIANGLE 4505 TRP AS68860 AS68970 | WATSON & CHALIN AS-0058 |
| 2B9-230 Flexmember 578-92-3-202 | | ASA-92-8-113 | ASA-92-6-044 | Conti 64513 FD200-19450 FIRESTONE 6940 W013586940 TRIANGLE 4450 TRP AS69400 | |
| 2B9-239 Flexmember 578-92-3-211 | | ASA-92-8-016 | ASA-92-6-010 | Conti 64509 FD200-19310 FIRESTONE 6902 W013586902 RIDEWELL 1003586902C TRP AS69020 WATSON & CHALIN AS-0002 | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|---|
| 2B9-240 Flexmember 578-92-3-202 | | ASB-92-9-151 | ASB-92-9-151 | FIRESTONE 7119 W013587119 MCI 12C-1-36 PREVOST 63-0166 |
| 2B9-244 Flexmember 578-92-3-202 | | ASA-92-8-172 | ASA-92-6-044 | |
| 2B9-245 Flexmember 578-92-3-202 | | ASA-92-8-113 | ASA-92-6-108 | Conti 64519 FD200-19510 FIRESTONE 7788 W013587788 TRIANGLE 4510 WATSON & CHALIN AS-0088 |
| 2B9-246 Flexmember 578-92-3-211 | | ASA-92-8-172 | ASA-92-6-108 | Conti 64514 FD200-19452 FIRESTONE 6932 W013586932 RIDEWELL 1003586932C TRIANGLE 4452 |
| 2B9-250 Flexmember 578-92-3-206 | | ASA-92-8-040 | ASA-92-6-010 | Conti 64549 FD200-25426 FIRESTONE 6943 W013586943 LOAD GUARD SC2122 NEWAY 905-57-237 SUSPENSIONS INC. 200835 TRIANGLE 4426 TRP AS69430 WATSON & CHALIN AS-0041 |
















- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|--|
| 2B9-251 Flexmember 578-92-3-206 | | ASA-92-8-040 | ASA-92-6-010 | Conti 64552 FD200-25429 FIRESTONE 6948 W013586948 LOAD GUARD SC2123 RIDEWELL 1003586948C TRIANGLE 4429 TRP AS69480 |
| 2B9-252 Flexmember 578-92-3-206 | | ASA-92-8-172 | ASA-92-6-044 | Conti 64554 FD200-19448 FD200-25454 FIRESTONE 6944 W013586944 HISTEER 10302 LOAD GUARD SC2124 SUSPENSIONS INC. 200118 TRIANGLE 4448 TRP AS69440 |
| 2B9-253 Flexmember 578-92-3-206 | | ASA-92-8-040 | ASA-92-6-010 | Conti 64550 FD200-25427 FIRESTONE 6945 W013586945 LOAD GUARD SC2125 RIDEWELL 1003586945C TRIANGLE 4427 TRP AS69450 |
| 2B9-254 Flexmember 578-92-3-206 | | ASA-92-8-172 | ASA-92-6-010 | Conti 64555 FD200-25463 FIRESTONE 6946 W013586946 LOAD GUARD SC2126 RIDEWELL 1003586946C SUSPENSIONS INC. 200180 TRIANGLE 4463 TRP AS69460 |
| 2B9-255 Flexmember 578-92-3-206 | | ASA-92-8-016 | ASA-92-6-010 | Conti 64551 FD200-25428 DAYTON 354-6947 FIRESTONE 6947 W013586947 HENDRICKSON B-8701 LOAD GUARD SC2127 RIDEWELL 1003586947C TRIANGLE 4428 TRP AS69470 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|--|
| 2B9-265 Flexmember 578-92-3-206 |  | ASA-92-8-270  | ASA-92-6-044  | Conti 64512 FD200-19448 FIRESTONE W013586941 |
| 2B9-266 Flexmember 578-92-3-208 |  | ASA-92-8-292  | ASA-92-6-044  | Conti 64554 FD200-25-454 FD200-25454 FIRESTONE W013586944 HISTEER 10307 TRIANGLE 4454 TRP AS69440 |
| 2B9-270 Flexmember 578-92-3-206 |  | ASA-92-8-298  | ASA-92-6-010  | RIDEWELL 1002B09270G |
| 2B9-280 Flexmember 578-92-3-211 |  | ASA-92-8-172  | ASA-92-6-044  | Conti 64512 FD200-19448 FIRESTONE 6941 W013586941 HISTEER 10302 TRIANGLE 4448 TRP AS69410 |
| 2B9-288 Flexmember 578-92-3-211 |  | ASA-92-8-016  | ASA-92-6-010  | Conti 64516 FD200-19504 FIRESTONE 6926 W013586926 TRP AS69260 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|----------------------|
| 2B9-296 Flexmember 578-923-211 | | ASA-92-8-113 | ASA-92-6-125 | |
| 2B9-606 Flexmember 578-923-211 | | ASA-92-8-040 | ASA-92-6-010 | |
| 2B9-607 Flexmember 578-923-208 | | ASA-92-8-270 | ASA-92-6-010 | |
| 2B9-611 Flexmember 578-923-211 | | ASA-92-8-270 | ASA-92-6-134 | |
| 2B9-614 Flexmember 578-9-23-211 | | ASA-92-8-270 | ASA-92-6-134 | |













- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers | |
|---|---|---------------------|---------------------|---|--|
| 2B10-226 Flexmember 578-92-3-250 | | ASA-92-8-113 | ASA-92-6-010 | Conti 67705 FD200-19713 FD200-22524 FIRESTONE 7795 W013587795 HENDRICKSON B-14486 TRIANGLE 4524 | |
| 2B12-300 Flexmember 578-92-3-309 | | ASA-92-8-003 | ASA-92-6-001 | Conti 64283 FD330-22327 DAYTON 354-7424 FIRESTONE 7424 W013587424 HDA PMABG-7424B INT'L / NAVISTAR 554785C1 LOAD GUARD SC2024 | NEWAY 905-57-014 TC-144-2 R & S TRUCK & BODY 1090215 SAUR AXLES (SAS) P10-755 TAURUS AS214-7424 TRIANGLE 4327 WATSON & CHALIN AS-0009 |
| 2B12-304 Flexmember 578-92-3-309 | | ASA-92-8-005 | ASA-92-6-006 | Conti 64501 FD330-22500 FIRESTONE 7344 W013587344 FLXIBLE 6-336-13 6-336-5 SMOOTH RIDE P10-755C | |
| 2B12-305 Flexmember 578-92-3-310 | | ASA-92-8-026 | ASA-92-6-002 | Conti 64531 FD330-22323 FD330-30323 DAYTON 354-7443 FIRESTONE 7443 W013587443 GRANNING 1218 1589 INT'L / | NAVISTAR 554786C1 LOAD GUARD SC2026 RIDEWELL 1003587443C S-2683-C TRIANGLE 4323 WATSON & CHALIN AS-0027 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---|--|---|
| 2B12-307 Flexmember 578-92-3-309 |  | ASA-92-8-017  | ASA-92-6-002  | Conti 64488 FD330-22318 FIRESTONE 7403 W013587403 GRANNING 2725 HDA PMABG-7403B HENDRICKSON B-1159 B-2883 INT'L/ NAVISTAR 554080C1 R & S TRUCK & BODY 1040201 1090201 RIDEWELL S-4302-C SUSPENSIONS INC. 200448 TRIANGLE 4318 WATSON & |
| 2B12-309 Flexmember 578-92-3-309 |  | ASA-92-8-002  | ASA-92-6-002  | Conti 64270 FD330-22313 DAYTON 354-7400 FAB TEK 40080 FIRESTONE 7400 W013587400 FREIGHTLINER 16-10769-000 GMC 693230 GRANNING 2726 HDA PMABG-7400B HENDRICKSON C-1013 INT'L/ NAVISTAR 554788C1 LOAD GUARD SC2020 MASA 227002002 NEWAY 905-57-016 TC-144-4 R & S TRUCK & BODY 1027519 RIDEWELL 1003587400C S-788-C TAURUS AS214-7400 TRIANGLE 4313 WATSON & CHALIN AS-0003 |
| 2B12-313 Flexmember 578-92-3-309 |  | ASA-92-8-004  | ASA-92-6-004  | Conti 64494 FD330-22364 DAYTON 354-7405 FIRESTONE 7405 W013587405 HUTCHENS IND. 10384-01 INT'L/ NAVISTAR 1685177C1 LOAD GUARD SC2073 SUSPENSIONS INC. 200981 TAURUS AS214-7405 TRIANGLE 4364 |
| 2B12-317 Flexmember 578-92-3-310 |  | ASA-92-8-004  | ASA-92-6-004  | Conti 64539 FD330-30502 FIRESTONE 7499 W013587499 SUSPENSIONS INC. 201602 TRIANGLE 4502 |
















- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 2B12-318 Flexmember 578-92-3-309 | | ASA-92-8-006 | ASA-92-6-002 | FIRESTONE 7185 W013587185 |
| 2B12-319 Flexmember 578-92-3-309 | | ASA-92-8-005 | ASA-92-6-004 | Conti 64497 FD330-22367 DAYTON 354-7409 FIRESTONE 7409 W013587409 INT'L / NAVISTAR 1685178C1 LOAD GUARD SC2074 TAURUS AS214-7409 TRIANGLE 4367 |
| 2B12-320 Flexmember 578-92-3-309 | | ASA-92-8-003 | ASA-92-6-004 | Conti 64489 FD330-22334 DAYTON 354-7437 FIRESTONE 7401 7437 W013587401 W013587437 GMC 2076095 711954 HDA PMABG-7401B INT'L / NAVISTAR 554789C1 LOAD GUARD SC2025 NEWAY 905-57-015 TC-144-3A RIDEWELL 1003587437C 1006587437C S-3363-C TRIANGLE 4334 4337 VOLVO 2076095 WATSON & CHALIN AS-0014 |
| 2B12-324 Flexmember 578-92-3-310 | | ASA-92-8-017 | ASA-92-6-002 | Conti 64532 FD330-30340 FD330-30513 DAYTON 354-7447 E-Z RIDE 8030150 FIRESTONE 7447 7790 W013587447 W013587790 HENDRICKSON 1475 B-6242 INT'L / NAVISTAR 554790C1 LOAD GUARD SC2028 TRIANGLE 4340 4513 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|--|
| 2B12-340 <u>Flexmember</u> 578-92-3-309 |  | ASB-92-9-153  | ASB-92-8-153  | <u>FIRESTONE</u> 7124 W013587124 <u>MCI</u> 12C-3-52 <u>PREVOST</u> 63-0185 |
| 2B12-345 <u>Flexmember</u> 578-92-3-315 |  | ASA-92-8-005  | ASA-92-6-002  | <u>Conti</u> 64597 FD331-26514 <u>FIRESTONE</u> 7545 W013587545 <u>HENDRICKSON</u> 1796 <u>TRIANGLE</u> 4514 <u>WATSON & CHALIN</u> AS-0087-1F |
| 2B12-346 <u>Flexmember</u> 578-92-3-315 |  | ASA-92-8-005  | ASA-92-6-002  | <u>Conti</u> 64599 FD331-26-541 FD331-26541 <u>FIRESTONE</u> 7550 W013587550 <u>HISTEER</u> 10315 <u>TRIANGLE</u> 4541 <u>WATSON & CHALIN</u> AS-0087 |
| 2B12-402 <u>Flexmember</u> 578-92-3-310 |  | ASA-92-8-005  | ASA-92-6-002  | <u>Conti</u> 64534 FD330-30370 DAYTON 354-7446 <u>FIRESTONE</u> 7446 W013587446 HDA PMABG-7446B <u>HENDRICKSON</u> B-3798 INT'L/ <u>NAVISTAR</u> 554791C1 <u>LOAD GUARD</u> SC2027 <u>R & S TRUCK & BODY</u> 1082914 <u>SILENT DRIVE</u> AS-7446 <u>TRIANGLE</u> 4370 <u>WATSON & CHALIN</u> AS-0005 |
| 2B12-406 <u>Flexmember</u> 578-92-3-309 |  | ASA-92-8-005  | ASA-92-6-002  | <u>Conti</u> 64268 FD330-22331 DAYTON 354-7410 <u>FIRESTONE</u> 7410 W013587410 <u>FREIGHTLINER</u> 16-11378-000 INT'L/ <u>NAVISTAR</u> 554792C1 <u>LOAD GUARD</u> SC2023 <u>TAURUS</u> AS214-7410 <u>TRIANGLE</u> 4331 <u>TRP</u> AS74100 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 2B12-410 Flexmember 578-92-3-309 | | ASA-92-8-017 | ASA-92-6-004 | Conti 64492 FD330-22346 DAYTON 354-7404 FIRESTONE 7404 W013587404 HENDRICKSON B-1345 B-5468 INT'L/ NAVISTAR 554793C1 LOAD GUARD SC2022 TAURUS AS214-7404 TRIANGLE 4346 |
| 2B12-411 Flexmember 578-92-3-309 | | ASA-92-8-088 | ASA-92-6-006 | Conti 64500 FD330-22472 DAYTON 354-7181 FIRESTONE 7181 W013587181 FRUEHAUF UAB-5620 UCC-3054-1 INT'L/ NAVISTAR 554794C1 LOAD GUARD SC2018 TAURUS AS214-7181 TRIANGLE 4472 |
| 2B12-412 Flexmember 578-92-3-309 | | ASA-92-8-088 | ASA-92-6-038 | Conti 64499 FD330-22471 DAYTON 354-7183 FIRESTONE 7183 W013587183 FRUEHAUF UCA-0112 UCA-0112B INT'L/ NAVISTAR 554795C1 LOAD GUARD SC2019 TAURUS AS214-7183 TRIANGLE 4471 |
| 2B12-416 Flexmember 578-92-3-315 | | ASA-92-8-002 | ASA-92-6-002 | Conti 64533 FD330-30369 FIRESTONE 7444 W013587444 HENDRICKSON B-9830 TRIANGLE 4369 |
| 2B12-424 Flexmember 578-92-3-309 | | ASA-92-8-006 | ASA-92-6-002 | TRAILERS DE MONTERREY 73312A |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|----------------------------------|---------------------|--|
| 2B12-425 Flexmember 578-92-3-309 | | ASA-92-8-002 | ASA-92-6-002 | Conti 64493 FD330-22363 E-Z RIDE 8030190 FIRESTONE 7180 W013587180 INT'L/ NAVISTAR 1685179C1 LOAD GUARD SC2075 NEWAY 570-07-180 PEERLESS 0550-00001 RIDEWELL 1003587180C S-4538-C TAURUS AS214-7180 TRIANGLE 4363 |
| 2B12-426 Flexmember 578-92-3-309 | | ASA-92-8-003 | ASA-92-6-002 | Conti 64495 FD330-22365 DAYTON 354-7406 FIRESTONE 7406 W013587406 INT'L/ NAVISTAR 1685180C1 LOAD GUARD SC2076 RIDEWELL 1003587406C S-3159-C TAURUS AS214-7406 TRIANGLE 4365 |
| 2B12-427 Flexmember 578-92-3-309 | | ASA-92-8-004 | ASA-92-6-002 | Conti 64491 FD330-22343 DAYTON 354-7429 FIRESTONE 7429 W013587429 INT'L/ NAVISTAR 1685181C1 KWIK-LOK/ TODCO CP-5223 LOAD GUARD SC2077 TAURUS AS214-7429 TRIANGLE 4343 |
| 2B12-428 Flexmember 578-92-3-310 | | ASA-92-8-002 | ASA-92-6-002 | Conti 64536 FD330-30372 FIRESTONE 7473 W013587473 INT'L/ NAVISTAR 1685182C1 LOAD GUARD SC2078 RIDEWELL 1003587473C TRIANGLE 4372 |
| 2B12-429 Flexmember 578-92-3-309 | | ASA-92-8-006 .750-14 NPTF | ASA-92-6-002 | Conti 66300 FD330-22780 FIRESTONE 7184 W013587184 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|---|
| 2B12-432 Flexmember 578-92-3-309 | | ASA-92-8-005 | ASA-92-6-001 | Conti 4465 64498 FD330-22368 FD330-22465 FIRESTONE 7423 W013587423 INT'L / NAVISTAR 1681750C1 LOAD GUARD SC2101 TRIANGLE 4368 |
| 2B12-434 Flexmember 578-92-3-310 | | ASA-92-8-017 | ASA-92-6-002 | Conti 64535 FD330-30371 FD330-30464 FIRESTONE 7472 W013587472 HENDRICKSON 36514-5 B-12514-005 INT'L / NAVISTAR 1681751C1 LOAD GUARD SC2128 SAUR AXLES (SAS) PB10-784 TRIANGLE 4371 4464 |
| 2B12-440 Flexmember 578-92-3-315 | | ASA-92-8-005 | ASA-92-6-004 | Conti 64284 FD331-26480 FIRESTONE 7555 W013587555 HENDRICKSON 20018 REYCO 18813-01 20018-01 TRIANGLE 4480 TRP AS75550 |
| 2B12-446 Flexmember 578-92-3-310 | | ASA-92-8-002 | ASA-92-6-002 | Conti 64533 FD330-30369 FIRESTONE 7444 W013587444 HENDRICKSON B-9830 TRIANGLE 4369 |
| 2B12-463 Flexmember 578-92-3-309 | | ASA-92-8-257 | ASA-92-6-002 | Conti 64502 FD330-22540 FIRESTONE 6850 W013586850 RIDEWELL 1003586850C TRP AS68500 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 2B14-354 Flexmember 578-92-3-353 | | ASA-92-8-028 | ASA-92-6-013 | Conti 64548 FD530-22374 DAYTON 354-7145 FIRESTONE 7145 W013587145 INT'L/ NAVISTAR 554796C1 LOAD GUARD SC2016 MACK TRUCK 57QL239 RIDEWELL 1003587145C S-4540-C TRIANGLE 4374 VOLVO 35203-0005 35203-3204 |
| 2B14-355 Flexmember 578-92-3-353 | | ASA-92-8-028 | ASA-92-6-013 | AMERICAN CARRIER 8003005 Conti 64546 FD530-22342 DAYTON 354-7146 FIRESTONE 7146 W013587146 INT'L/ NAVISTAR 554797C1 LOAD GUARD SC2017 NEWAY 905-57-039 AR-1520 RIDEWELL 1003587146C TRIANGLE 4342 |
| 2B14-356 Flexmember 578-92-3-353 | | ASA-92-8-028 | ASA-92-6-013 | Conti 64545 FD530-22321 FIRESTONE 7136 W013587136 GRANNING 1626 HDA PMABG-7136B HENDRICKSON B-1080 INT'L/ NAVISTAR 554798C1 LOAD GUARD SC2014 R & S TRUCK & BODY 1027556 RIDEWELL 1003587136C TRIANGLE 4321 WATSON & CHALIN AS-0004 |
| 2B14-359 Flexmember 578-92-3-353 | | ASA-92-8-031 | ASA-92-6-015 | Conti 64544 FD530-22316 FIRESTONE 7140 W013587140 GRANNING 1015 HDA PMABG-7140B HENDRICKSON B-3184 INT'L/ NAVISTAR 554799C1 LOAD GUARD SC2015 R & S TRUCK & BODY 1090214 RIDEWELL 1003587140C TRIANGLE 4316 WATSON & CHALIN AS-0008 |
| 2B14-360 Flexmember 578-92-3-353 | | ASA-92-8-031 | ASA-92-6-015 | Conti 64543 FD530-22311 DAYTON 354-7135 FIRESTONE 7135 W013587135 HENDRICKSON B-12514-014 INT'L/ NAVISTAR 554800C1 LOAD GUARD SC2013 NEWAY 905-57-001 PEZZANI AR-21-A RIDEWELL 1003587135C S-1326-C TRIANGLE 4311 TRUCKSTELL 63641 63644 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|-------------------------|-------------------------|---|
| 2B14-362 Flexmember 566-92-3-356 | | ASA-92-8-028 | ASA-92-6-013 | FIRESTONE 6800 |
| 2B14-363 Flexmember 578-92-3-356 | | ASA-92-8-030 | ASA-92-6-013 | |
| 2B14-365 Flexmember 578-92-3-356 | | ASA-92-8-046 | ASA-92-6-014 | Conti 64590 FD530-30451 DAYTON 354-6801 E-Z RIDE 8030160 FIRESTONE 6801 W013586801 HENDRICKSON B-2734 INT'L / NAVISTAR 1685183C1 LOAD GUARD SC2079 RIDEWELL 1003586801C TRIANGLE 4451 TRP AS68010 WATSON & CHALIN AS-0021 |
| 2B14-366 Flexmember 578-92-3-353 | | ASA-92-8-100 | ASA-92-6-015 | Conti 64589 FD530-30449 DAYTON 354-6803 FIRESTONE 6803 W013586803 HENDRICKSON B-6412 LOAD GUARD SC2129 TRIANGLE 4449 TRP AS68030 |
| 2B14-367 Flexmember 578-92-3-353 | | ASA-92-8-049 | ASA-92-6-043 | Conti 64547 FD530-22345 DAYTON 354-7123 FIRESTONE 7123 7133 W013587123 W013587133 INT'L / NAVISTAR 1685184C1 KWIK-LOK / TODCO 53671 LOAD GUARD SC2080 TRIANGLE 4345 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 2B14-383 Flexmember 578-92-3-356 | | ASA-92-8-174 | ASA-92-6-118 | Conti 64604 FD530-35530 FIRESTONE 7557 W013587557 HISTEER 10316 REYCO 19983-01 TRIANGLE 4530 WATSON & CHALIN AS-0089 |
| 2B14-462 Flexmember 578-92-3-356 | | ASA-92-8-030 | ASA-92-6-013 | Conti 64593 FD530-30532 FD530-35720 FIRESTONE 6805 W013586805 RIDEWELL 1003586805C TRP AS68050 |
| 2B14-469 Flexmember 566-23-8-329 | | ASA-92-8-352 | ASA-92-6-016 | NEWAY 905-57-257 |
| 2B14-470 Flexmember 578-92-3-356 | | ASA-92-8-031 | ASA-92-6-015 | Conti 64606 FD530-35544 FIRESTONE 7782 W013587782 TRIANGLE 4544 WATSON & CHALIN AS-0032 |
| 2B14-473 Flexmember 578-92-3-353 | | ASA-92-8-046 | ASA-92-6-014 | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|---|
| 2B14-476 Flexmember 578-92-3-356 | | ASA-92-8-352 | ASA-92-6-016 | Conti 64605 FD530-35543 FIRESTONE 6799 W013586799 NEWAY 905-57-203 TRP AS67990 WATSON & CHALIN AS-0034 |
| 2B14-479 Flexmember 578-923-356 | | ASA-92-8-030 | ASA-92-6-013 | |
| 3B12-300 Flexmember 578-93-3-100 | | ASA-92-8-017 | ASA-92-6-002 | Conti 64562 FT330-29431 FT330-29469 DAYTON 354-8008 FIRESTONE 8008 8025 W013588008 W013588025 HENDRICKSON B-11637 LOAD GUARD SC2130 RIDEWELL 1003588008C TRIANGLE 4431 4469 WATSON & CHALIN AS-0019 |
| 3B12-301 Flexmember 578-93-3-100 | | ASA-92-8-002 | ASA-92-6-002 | Conti 64563 FT330-29432 FT330-29498 FIRESTONE 8010 8030 W013588010 W013588030 LOAD GUARD SC2119 RIDEWELL 1003588010C 1003588030C S-5844-C TRIANGLE 4432 |
| 3B12-303 Flexmember 578-93-3-100 | | ASA-92-8-005 | ASA-92-6-002 | Conti 64285 FT330-29434 FIRESTONE 8018 W013588018 HISTEER 10303 LOAD GUARD SC2131 TRIANGLE 4434 WATSON & CHALIN AS-0075 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|----------------------------------|---------------------|---|
| 3B12-304 Flexmember 578-93-3-100 | | ASA-92-8-002 | ASA-92-6-000 | Conti 64568 FT330-29503 FIRESTONE 8006 W013588006 LOAD GUARD SC2132 SUSPENSIONS INC. 200620 TRIANGLE 4430 4503 |
| 3B12-305 Flexmember 578-93-3-100 | | ASA-92-8-006 .750-14 NPTF | ASA-92-6-002 | |
| 3B12-310 Flexmember 578-93-3-100 | | ASA-92-8-005 | ASA-92-6-002 | Conti 64565 FT330-29466 FIRESTONE 8027 W013588027 SILENT DRIVE AS-8025 AS-8027 SUSPENSIONS INC. 200117 TRIANGLE 4466 |
| 3B12-312 Flexmember 578-93-3-100 | | ASA-92-8-005 | ASA-92-6-035 | Conti 64571 FT330-29508 FT330-29525 FIRESTONE 8033 W013588033 HENDRICKSON B-14487 LOAD GUARD SC2784 TRIANGLE 4508 4525 |
| 3B12-315 Flexmember 578-93-3-100 | | ASA-92-8-017 | ASA-92-6-111 | Conti 64573 FT330-29547 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|--|---------------------------------------|--|
| 3B12-319 Flexmember 578-93-3-100 | <p>18.0 4.5</p> <p>3B12-319</p> | ASA-92-8-017 <p>5.50 9.00</p> | ASA-92-6-002 <p>6.20 9.00</p> | Conti 64560 FT330-29413 FIRESTONE 8032 W013588032 HENDRICKSON B-12405 S-12405 TRIANGLE 4413 WATSON & CHALIN AS-0048 |
| 3B12-322 Flexmember 578-93-3-103 | <p>19.0 4.6</p> <p>3B12-322</p> | ASA-92-8-230 <p>5.50 10.30 1.38</p> | ASA-92-6-110 <p>6.20 10.30</p> | FIRESTONE 8042 W013588042 HENDRICKSON 1015 NEWAY 905-57-236 |
| 3B12-323 Flexmember 578-93-3-103 | <p>19.0 4.6</p> <p>3B12-323</p> | ASA-92-8-367 <p>6.20 10.30</p> | ASA-92-6-110 <p>6.20 10.30</p> | FIRESTONE 8043 W013588043 HENDRICKSON S-14795 |
| 3B12-324 Flexmember 578-93-3-100 | <p>18.0 5.1</p> <p>3B12-324</p> | ASA-92-8-159 <p>6.20 9.00</p> | ASA-92-6-002 <p>6.20 9.00</p> | WATSON & CHALIN AS-0048-2G |
| 3B12-325 Flexmember 578-93-3-103 | <p>19.0 4.5</p> <p>3B12-325</p> | ASA-92-8-363 <p>2.87 6.20 10.30</p> | ASA-92-6-106 <p>6.20 10.30</p> | FIRESTONE 8048 W013588048 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 3B12-326 Flexmember 578-93-3-103 | | ASA-92-8-364 | ASA-92-6-106 | FIRESTONE 8047 W013588047 |
| 3B12-328 Flexmember 578-93-3-100 | | ASA-92-8-017 | ASA-92-6-111 | Conti 64572 FT330-29546 FIRESTONE 7994 W013587994 TRIANGLE 4546 WATSON & CHALIN AS-0019-1F |
| 3B12-329 Flexmember 578-93-3-100 | | ASA-92-8-159 | ASA-92-6-111 | Conti 64573 FT330-29547 FIRESTONE 7990 W013587990 W013587995 TRIANGLE 4547 WATSON & CHALIN AS-0048-1F |
| 3B12-335 Flexmember 578-93-3-100 | | ASA-92-8-005 | ASA-92-6-111 | Conti 64570 FT330-29520 FT330-29723 FIRESTONE 7996 W013587996 GRANNING 8221 TRIANGLE 4520 |
| 3B12-337 Flexmember 578-93-3-104 | | ASA-92-8-406 | ASA-92-6-110 | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------------------------|---------------------------------------|---|
| 3B12-338 Flexmember 578-93-3-100 | <p>18.0 5.1 3B12-338</p> | ASA-92-8-331 <p>5.50 9.00</p> | ASA-92-6-002 <p>6.20 9.00</p> | |
| 3B12-342 Flexmember 578-93-3-100 | <p>18.0 4.5 3B12-342</p> | ASA-92-8-431 <p>6.20 9.00</p> | ASA-92-6-002 <p>6.20 9.00</p> | WATSON & CHALIN AS-0048-3G |
| 3B12-347 Flexmember 578-93-3-103 | <p>19.0 4.5 3B12-347</p> | ASA-92-8-367 <p>6.20 10.30</p> | ASA-92-6-121 <p>6.20 10.30</p> | |
| 3B12-415 Flexmember 578-93-3-105 | <p>19.5 4.6 3B12-415</p> | ASA-92-8-017 <p>5.50 9.00</p> | ASA-92-6-002 <p>6.20 9.00</p> | Conti 66522 FT330-29554 FIRESTONE 8038 W013588038 HISTER 10313 |
| 3B12-416 Flexmember 578-93-3-105 | <p>19.5 4.6 3B12-416</p> | ASA-92-8-005 <p>6.20 9.00</p> | ASA-92-6-002 <p>6.20 9.00</p> | FIRESTONE 8039 W013588039 HISTER 10303 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊗ (with dot) - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ (with cross) - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ (with dot and cross) - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 3B14-351 Flexmember 578-93-3-350 | | ASA-92-8-028 | ASA-92-6-013 | |
| 3B14-354 Flexmember 578-93-3-350 | | ASA-92-8-028 | ASA-92-6-013 | Conti 64506 FT530-32336 E-Z RIDE 8030170 FIRESTONE 7808 W013587808 INT'L/ NAVISTAR 554801C1 LOAD GUARD SC2031 PEERLESS 0550-00030 RIDEWELL 1003587808C S-4830-C TRIANGLE 4336 TRUCKSTELL 63640 |
| 3B14-356 Flexmember 578-93-3-350 | | ASA-92-8-028 | ASA-92-6-013 | Conti 64504 FT530-32329 DAYTON 354-7798 FIRESTONE 7798 W013587798 GRANNING 1613 HDA PMABG-7798B INT'L/ NAVISTAR 554802C1 LOAD GUARD SC2029 TRIANGLE 4329 4436 WATSON & CHALIN AS-0006 |
| 3B14-359 Flexmember 578-93-3-350 | | ASA-92-8-031 | ASA-92-6-015 | Conti 64503 FT530-32325 DAYTON 354-7818 E-Z RIDE 8030180 FIRESTONE 7816 7818 W013587816 W013587818 GRANNING 1014 1476 HENDRICKSON B-6861 INT'L/ NAVISTAR 554803C1 LOAD GUARD SC2032 RIDEWELL 1003587818C 1003587839C S-2685-C TRIANGLE 4325 4437 WATSON & CHALIN AS-0025 AS-0033 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 3B14-360 Flexmember 578-93-3-350 | | ASA-92-8-031 | ASA-92-6-015 | Conti 64505 FT530-32333 DAYTON 354-7800 FIRESTONE 7800 W013587800 GRANNING 4514 HOLLAND HITCH 4514 INT'L / NAVISTAR 554804C1 LOAD GUARD SC2030 RIDEWELL 1003587800C S-1505-C TRIANGLE 4333 4439 |
| 3B14-361 Flexmember 578-93-3-350 | | ASA-92-8-030 | ASA-92-6-013 | |
| 3B14-364 Flexmember 578-93-3-350 | | ASA-92-8-100 | ASA-92-6-015 | Conti 64581 FT530-35455 HENDRICKSON B-7100 TRIANGLE 4455 |
| 3B14-365 Flexmember 578-93-3-350 | | ASA-92-8-100 | ASA-92-6-015 | |
| 3B14-367 Flexmember 578-93-3-350 | | ASA-92-8-100 | ASA-92-6-050 | Conti 64583 FT530-35457 DAYTON 354-7847 HENDRICKSON B-8874 TRIANGLE 4457 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 3B14-450 Flexmember 556-33-8-335 | | ASA-92-8-028 | ASA-92-6-013 | FIRESTONE W013587845 |
| 3B14-451 Flexmember 578-93-3-335 | | ASA-92-8-100 | ASA-92-6-015 | Conti 64582 FT530-35456 FIRESTONE 7846 W013587846 HENDRICKSON S-7853 TRIANGLE 4456 |
| 3B14-452 Flexmember 578-93-3-335 | | ASA-92-8-174 | ASA-92-6-056 | Conti 64580 FT530-35441 FIRESTONE 7850 W013587850 HISTEER 10301 SUSPENSIONS INC. 200177 TRIANGLE 4441 WATSON & CHALIN AS-0086 |
| 3B14-453 Flexmember 578-33-8-335 | | ASA-92-8-028 | ASA-92-6-013 | Conti 64576 FT530-35436 FIRESTONE 7838 W013587838 |
| 3B14-455 Flexmember 556-33-8-335 OBSOLETE | | ASA-92-8-031 | ASA-92-6-113 | |




- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|--|
| 3B14-456 Flexmember 578-33-8-335 | | ASA-92-8-031 | ASA-92-6-015 | FIRESTONE 7839 |
| 3B14-457 Flexmember 556-33-8-335 | | ASA-92-8-100 | ASA-92-6-015 | Conti 64581 FT530-35455 FIRESTONE 7843 W013587843 |
| 3B14-459 Flexmember 556-33-8-335 | | ASA-92-8-100 | ASA-92-6-050 | Conti 64583 FT530-35457 FIRESTONE 7847 W013587847 |
| 3B14-462 Flexmember 578-33-8-335 | | ASA-92-8-031 | ASA-92-6-013 | FIRESTONE 7855 |
| 3B14-463 Flexmember 578-33-8-335 | | ASA-92-8-174 | ASA-92-6-013 | FIRESTONE 7859 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING BELLOWS

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---|--|--|
| 3B14-464 Flexmember 556-33-8-335 |  | ASA-92-8-100  | ASA-92-6-013  | Conti 64587 FT530-35534 FIRESTONE 7862 W013587862 |
| | | | | |















- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--------------------------------------|----------------------------|--|-------------------|--------------------|---------|----------|--------------|---------|-------------|----------|------------|----------------|------------------|----------|-----------|----------|------------|----------------|------------|---------|----------------|--|----------|--|------------|--|---------|--|----------|--|
| 1R8-009 Flexmember 566-16-3-007 Piston 566-16-7-000 Aluminum | <p>18.6 6.8</p> | ASC-16-8-003 <p>3.38 5.31</p> | <p>1/2-20 UNF 8.25</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1R8-031 Flexmember 566-16-3-007 Piston 566-16-7-000 Aluminum | <p>18.6 5.6</p> | ASC-16-8-004 <p>3.38 5.31</p> | <p>1/2-20 UNF 8.25</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1R8-034 Flexmember 566-16-3-007 Piston 566-16-7-021 Composite | <p>18.6 5.8 1.51</p> | ASC-16-8-004 <p>3.38 5.31</p> | <p>8.00</p> | <table border="0"> <tr> <td><u>FIRESTONE</u></td> <td><u>LES AUTOBUS</u></td> </tr> <tr> <td>5710</td> <td>10530086</td> </tr> <tr> <td>5730</td> <td>698934</td> </tr> <tr> <td>W013585710</td> <td>G5001705</td> </tr> <tr> <td>W013585730</td> <td><u>NOVABUS</u></td> </tr> <tr> <td><u>FLXIBLE</u></td> <td>G5001705</td> </tr> <tr> <td>6-304-156</td> <td>G5001706</td> </tr> <tr> <td>6-336-175</td> <td><u>PREVOST</u></td> </tr> <tr> <td><u>GMC</u></td> <td>63-0226</td> </tr> <tr> <td>10530086</td> <td></td> </tr> <tr> <td>6617550</td> <td></td> </tr> <tr> <td>698634</td> <td></td> </tr> <tr> <td>8870484</td> <td></td> </tr> <tr> <td>G5008051</td> <td></td> </tr> </table> | <u>FIRESTONE</u> | <u>LES AUTOBUS</u> | 5710 | 10530086 | 5730 | 698934 | W013585710 | G5001705 | W013585730 | <u>NOVABUS</u> | <u>FLXIBLE</u> | G5001705 | 6-304-156 | G5001706 | 6-336-175 | <u>PREVOST</u> | <u>GMC</u> | 63-0226 | 10530086 | | 6617550 | | 698634 | | 8870484 | | G5008051 | |
| <u>FIRESTONE</u> | <u>LES AUTOBUS</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5710 | 10530086 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5730 | 698934 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| W013585710 | G5001705 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| W013585730 | <u>NOVABUS</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>FLXIBLE</u> | G5001705 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6-304-156 | G5001706 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6-336-175 | <u>PREVOST</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>GMC</u> | 63-0226 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10530086 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6617550 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 698634 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8870484 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| G5008051 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1R8-041 Flexmember 566-16-3-007 Piston 566-16-7-021 Composite OBSOLETE | <p>18.8 5.8</p> | ASC-16-8-004 <p>3.38 5.31</p> | <p>1/2-20 UNF 8.00</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1R9-003 Flexmember 566-18-3-004 Piston 566-16-7-021 Composite | <p>17.9 5.6</p> | ASC-16-8-004 <p>3.38 5.31</p> | <p>8.00</p> | <table border="0"> <tr> <td><u>AM GENERAL</u></td> <td><u>NEW FLYER</u></td> </tr> <tr> <td>5973923</td> <td>5920815</td> </tr> <tr> <td><u>Conti</u></td> <td>5973877</td> </tr> <tr> <td>66-5-13S056</td> <td>5973923</td> </tr> <tr> <td>68136</td> <td>5993113</td> </tr> <tr> <td><u>FIRESTONE</u></td> <td></td> </tr> <tr> <td>5409</td> <td></td> </tr> <tr> <td>W013585409</td> <td></td> </tr> <tr> <td>W013585435</td> <td></td> </tr> <tr> <td><u>FLXIBLE</u></td> <td></td> </tr> <tr> <td>6-336-11</td> <td></td> </tr> <tr> <td><u>GMC</u></td> <td></td> </tr> <tr> <td>662743</td> <td></td> </tr> </table> | <u>AM GENERAL</u> | <u>NEW FLYER</u> | 5973923 | 5920815 | <u>Conti</u> | 5973877 | 66-5-13S056 | 5973923 | 68136 | 5993113 | <u>FIRESTONE</u> | | 5409 | | W013585409 | | W013585435 | | <u>FLXIBLE</u> | | 6-336-11 | | <u>GMC</u> | | 662743 | | | |
| <u>AM GENERAL</u> | <u>NEW FLYER</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5973923 | 5920815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>Conti</u> | 5973877 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66-5-13S056 | 5973923 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68136 | 5993113 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>FIRESTONE</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5409 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| W013585409 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| W013585435 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>FLXIBLE</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6-336-11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>GMC</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 662743 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---|--|--|
| 1R9-025 Flexmember 566-18-3-010 Piston 566-16-7-017 Aluminum |  | ASC-16-8-004  |  | |
| 1R9-038 Flexmember 566-18-3-010 Piston 566-16-7-017 Aluminum |  | ASC-16-8-004  |  | <u>Conti</u> 66-5-13S039 68121 <u>FIRESTONE</u> 5406 W013585406 <u>GMC</u> 2021085 667512A 667512C 716111 <u>GRANNING</u> 1971 |
| 1R9-047 Flexmember 566-18-3-004 Piston Not Included |  | ASC-16-8-004  | USE EXISTING SUPER CUSHION PISTON | <u>FLXIBLE</u> 6-336-166 |
| 1R9-053 Flexmember 566-18-3-004 Piston 566-16-7-021 Composite |  | ASC-16-8-003  |  | <u>GMC</u> 672755 <u>MCI</u> 12L-4-212 12L-4-8 |
| 1R9-054 Flexmember 566-18-3-004 Piston 566-16-7-000 Aluminum |  | ASC-16-8-020  |  | <u>INT'L / NAVISTAR</u> 2013947C2 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|---|
| 1R9-056 Flexmember 566-18-3-004 Piston 566-16-7-000 Aluminum | | ASC-16-8-020 | | INT'L / NAVISTAR 2013948C2 |
| 1R9-065 Flexmember 566-18-3-003 Piston 566-16-7-009 Steel | | ASC-16-8-024 | | Conti 66-5-11S027 66-5B-11S525 68108 68119 FIRESTONE 2119 8997 W013582119 W013588997 GRANNING 5122 HENDRICKSON B-2394 NEWAY 905-57-029 905-57-034 RIDEWELL 1003588997C TRIANGLE 8525 WATSON & CHALIN AS-0026 |
| 1R9-070 Flexmember 566-18-3-004 Piston 566-16-7-021 Composite | | ASC-16-8-004 | | Conti 66-5-13S446 68123 FIRESTONE 5410 W013585410 GRANNING 2112 RIDEWELL 1003585410C TRIANGLE 8446 WATSON & CHALIN AS-0029 |
| 1R9-071 Flexmember 566-18-3-004 Piston 566-16-7-021 Composite | | ASC-16-8-018 | | |
| 1R10-019 Flexmember 566-20-3-022 Piston 566-20-7-240 Composite | | ASA-92-8-151 | | FIRESTONE 9115 W013589115 FLXIBLE 6-336-209 GMC 2475408 684242 716110 |













- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--------------------------------------|---|---|
| 1R10-030 Flexmember 566-20-3-022 Piston Not Included | <p>17.0 6.0</p> | ASA-92-8-151 <p>4.76 9.00</p> | USE EXISTING SUPER CUSHION PISTON | GMC 667513A 667513C 720414 |
| 1R10-072 Flexmember 566-20-3-029 Piston 566-20-7-055 Aluminum | <p>13.3 5.1</p> | ASA-92-8-162 <p>5.50 9.00</p> | <p>4.12 8.60</p> | |
| 1R10-085 Flexmember 566-20-3-021 Piston Not Included | <p>20.1 6.0</p> | ASA-92-8-151 <p>4.76 9.00</p> | USE EXISTING SUPER CUSHION PISTON | FIRESTONE 9017 W013589017 FLXIBLE 97-240-153 GMC 661759A 661759C 667302 677302 8875032 G1019449 LES AUTOBUS 661759C NOVABUS N15558 PREVOST 63-0044 TMC 661759C |
| 1R10-087 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite | <p>20.1 7.1</p> | ASA-92-8-152 <p>4.76 9.00</p> | <p>4.12 9.27</p> | BLUEBIRD 990671 FLXIBLE 6-336-212 GMC G1019452 PREVOST 63-0067 63-0158 |
| | | | | |
















- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|--|
| 1R10-089 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite |  | ASA-92-8-151  |  | AUTO BUS 6-336-174 10530087 6-841-92 FIRESTONE 97-240-153 9017 GMC 9067 10530087 9236HR 661756 9386 677302 9436 684192 9610 684193 W013589017 684195-3 W013589067 8870485 W013589236 8875032 W013589386 NOVABUS W013589436 N15558 W013589610 PREVOST FLXIBLE 6-304-157 63-0044 |
| 1R10-090 Flexmember 566-20-3-021 Piston 566-20-7-120 Composite |  | ASA-92-8-151  |  | GMC 10530087 684192 661756 684193 684192 6989635 684193 G1020957 6989635 G1019450 G1020957 LES AUTOBUS 10530087 698935 G5008052 TMC 10530087 |
| 1R10-091 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite |  | ASA-92-8-152  |  | FIRESTONE 9380 W013589380 FLXIBLE 6-336-15 6-336-182 GMC 662744 MCI 12F-4-34 12L-4-261 12L-4-5 12M-4-6 |
| 1R10-099 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite |  | ASA-92-8-309  |  | DINA 224-B020030 MCI 1496372 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|---|
| 1R10-101 Flexmember 566-20-3-027 Piston 566-20-7-150 Steel |  | ASA-92-8-179  |  | FIRESTONE 5770 W013585770 MCI 39390246 |
| 1R10-105 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite |  | ASA-92-8-151  |  | FIRESTONE 9043 NOVABUS G1076863 |
| 1R10-108 Flexmember 566-20-3-021 Piston 566-20-7-120 Composite |  | ASA-92-8-152  |  | FIRESTONE 8899 W013588899 PREVOST 63-0077 |
| 1R10-109 Flexmember 566-20-3-021 Piston 566-20-7-077-03 Aluminum |  | ASA-92-8-017  |  | ORION 020117511-4 T14-1044 |
| 1R10-118 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite |  | ASA-92-8-179  |  | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--------------------------------------|----------------------|---|
| 1R10-120 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite | <p>20.1 7.1</p> | ASA-92-8-162 <p>5.50 9.00</p> | <p>9.27</p> | Conti 64388 99K-15P424 FIRESTONE 9293 W013589293 NEWAY 905-57-120 NOVABUS N38168 TRIANGLE 8424 TRP AS92930 |
| 1R10-122 Flexmember 566-20-3-021 Piston 566-20-7-237 Composite | <p>22.1 9.1</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>9.80</p> | Conti 64389 99K-15P425 FIRESTONE 9291 W013589291 NEWAY 905-57-122 905-57-139 TRIANGLE 8425 TRP AS92910 |
| 1R10-127 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite | <p>20.1 7.8</p> | ASA-92-8-102 <p>5.50 9.00</p> | <p>4.12 9.27</p> | ORION 20117526 |
| 1R10-133 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite | <p>20.1 8.1</p> | ASA-92-8-152 <p>4.76 9.00</p> | <p>4.12 9.27</p> | FIRESTONE W013589592 |
| 1R10-137 Flexmember 566-20-3-023 Piston 566-20-7-240 Composite | <p>21.8 7.1</p> | ASA-92-8-429 <p>5.50 9.00</p> | <p>4.12 9.27</p> | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊗ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--------------------------------------|------------------------------|--|
| 1R10-165 Flexmember 566-20-3-021 Piston 566-20-7-240 Composite | <p>20.1 6.0</p> | ASA-92-8-407 <p>4.76 9.0</p> | <p>4.12 9.27</p> | |
| 1R10-171 Flexmember 566-20-3-021 Piston 566-20-7-387 Composite | <p>18.0 6.7</p> | ASA-92-8-355 <p>5.87 9.00</p> | M12 X 1.75-6g <p>9.00</p> | |
| 1R11-018 Flexmember 566-22-3-006 Piston 566-20-7-079 Steel | <p>18.5 7.2</p> | ASA-20-8-004 <p>4.76 7.50</p> | <p>4.12 10.12</p> | Conti 99-14A322 DAYTON 352-9073 352-9415 FIRESTONE 9415 W013589415 HENDRICKSON B-7193 INT'L/ NAVISTAR 554761C1 KENWORTH K-102-A K-303-5 LOAD GUARD SC2049 RIDEWELL 1003589073C 1013580708C TAURUS AS103-9073 TRIANGLE 8322 |
| 1R11-028 Flexmember 566-22-3-021 Piston 566-20-7-014 Steel | <p>13.0 3.7</p> | ASA-92-8-024 <p>6.20 9.00</p> | <p>4.12 9.3</p> | Conti 64255 99-12P314 FIRESTONE 9422 W013589422 FLEETRITE 1R11-278 INT'L/ NAVISTAR 554762C1 KENWORTH K-303-14 K-303-15 K-303-6 LOAD GUARD SC2050 TOYO TRL230H360382 TRIANGLE 8314 TRP AS94220 WATSON & CHALIN AS-0017 |
| 1R11-039 Flexmember 566-22-3-143 Piston 566-20-7-036 Aluminum | <p>17.0 6.1</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>7.87 10.10</p> | Conti 64379 99-14A337 FIRESTONE 9439 W013589439 TRIANGLE 8337 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Stud - 3/4-10
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|----------------------|--|
| 1R11-045 Flexmember 566-22-3-143 Piston 566-20-7-077-03 Aluminum | <p>18.0 6.0</p> | ASA-92-8-164 <p>5.5 9.00</p> | <p>4.12 9.50</p> | |
| 1R11-047 Flexmember 566-22-3-021 Piston 566-20-7-014 Steel | <p>11.9 3.8</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>9.25</p> | MCI 12J-3-53 |
| 1R11-066 Flexmember 566-22-3-021 Piston 566-20-7-055 Aluminum | <p>13.0 4.7</p> | ASA-92-8-327 1.00-11.50 NPTF <p>2.75 6.20 9.00</p> | <p>8.60</p> | FIRESTONE 9447 W013589447 RIDEWELL 1003589447C |
| 1R11-075 Flexmember 566-22-3-028 Piston 566-20-7-055 Aluminum | <p>15.4 4.3</p> | AS1-92-8-163 <p>3.05 9.00</p> | <p>4.12 8.60</p> | |
| 1R11-088 Flexmember 566-22-3-143 Piston 566-20-7-120 Composite | <p>18.3 8.1</p> | ASA-92-8-152 <p>4.76 9.00</p> | <p>4.12 9.98</p> | FIRESTONE 5739 W013585739 PREVOST 63-0092 63-0104 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊗ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|---|---|
| 1R11-090 Flexmember 566-22-3-143 Piston 566-20-7-079 Steel | <p>18.3 8.1</p> | ASA-92-8-438 1.250-12 UNF outside .500-14 NPTF inside <p>4.76 9.00</p> | <p>4.12 10.12</p> | <u>PREVOST</u> 63-0090 63-0094 63-0106 |
| 1R11-094 Flexmember 566-22-3-143 Piston 566-20-7-240 Composite | <p>18.0 6.4</p> | ASA-92-8-179 <p>5.50 9.00</p> | <p>9.27</p> | |
| 1R11-097 Flexmember 566-22-3-044 Piston 566-20-7-079 Steel | <p>22.1 8.1</p> | ASA-92-8-152 <p>4.76 9.00</p> | <p>4.12 10.12</p> | <u>PREVOST</u> 63-0129 |
| 1R11-109 Flexmember 566-22-3-143 Piston Not Included | <p>18.3 8.1</p> | ASA-92-8-438 1/2-14 NPTF <p>4.76 9.00</p> | USE EXISTING SUPER CUSHION PISTON | <u>PREVOST</u> 63-0109 |
| 1R11-115 Flexmember 566-22-3-051 Piston 566-20-7-183 Steel | <p>18.3 6.2</p> | ASA-92-8-271 .500-14 NPTF <p>2.87 6.20 9.00</p> | <p>6.20 7.84</p> | <u>MCI</u> 12-03-1041 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|---|---|
| 1R11-121 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-156 Composite | <p>17.3 6.4</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>7.87 10.10</p> | <u>Conti</u> 64379 99-14A337 <u>FIRESTONE</u> 9441 W013589441 <u>FLXIBLE</u> 6-336-200 <u>GILLIG</u> 53-13187 53-14006 53-8212 <u>NOVABUS</u> N16374 |
| 1R11-130 <u>Flexmember</u> 566-22-3-049 <u>Piston</u> 566-20-7-124 Steel | <p>18.8 5.6</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>7.87 9.50</p> | <u>NOVABUS</u> N17842 |
| 1R11-143 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-240 Composite | <p>17.1 7.0</p> | ASA-92-8-304 M22x 1.5-6G outside 250 18NPTF inside <p>M12x 1.75-6G 2.06 3.49 9.00</p> | <p>M12x 1.75-6g 2.06 12mm smooth pin 9.27</p> | <u>DINA</u> 224-B020020 <u>MCI</u> 12-03-6034 1512076 |
| 1R11-147 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-240 Composite | <p>18.0 7.8</p> | ASA-92-8-102 <p>5.50 9.00</p> | <p>4.12 9.27</p> | <u>ORION</u> 20217501 |
| 1R11-149 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-239 Composite | <p>16.5 5.5</p> | ASA-92-8-142 <p>6.2 9.00</p> | <p>9.80</p> | <u>Conti</u> 64364 99-12P464 <u>FIRESTONE</u> 8901 W013588901 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---------------------|---------------------|---|
| 1R11-150 Flexmember 566-22-3-021 Piston 566-20-7-055 Aluminum | | ASA-92-8-162 | | Conti 64286 99-12P563 FIRESTONE 9448 W013589448 RIDEWELL 1003589448C TRIANGLE 8563 TRP AS94480 |
| 1R11-151 Flexmember 566-22-3-021 Piston 566-20-7-055 Aluminum | | ASA-92-8-162 | | BLUEBIRD 1286814 FIRESTONE 9457 W013589457 RIDEWELL 1003589457C |
| 1R11-152 Flexmember 566-22-3-021 Piston 566-20-7-055 Aluminum | | ASA-92-8-162 | | CHANCE BUS 23891728 FIRESTONE 9459 W013589459 RIDEWELL 1003589459C |
| 1R11-159 Flexmember 566-22-3-021 Piston 566-20-7-014 Steel | | ASA-92-8-162 | | Conti 64367 99-12P479 FIRESTONE 9387 W013589387 TRP AS93920 |
| 1R11-161 Flexmember 566-22-3-057 Piston 566-20-7-150 Steel | | ASA-92-8-115 | | AMERICAN CARRIER 8003023 FIRESTONE 5766 W013585766 HUTCHENS IND. 19141-01 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|--|
| 1R11-162 Flexmember 566-22-3-021 Piston 566-20-7-014 Steel | | ASA-92-8-164 | | |
| 1R11-166 Flexmember 566-22-3-143 Piston 566-20-7-235 Composite | | ASA-92-8-164 | | Conti 64386 99K-15P417 FIRESTONE 9295 W013589295 NEWAY 905-57-121 TRIANGLE 8417 TRP AS92950 |
| 1R11-169 Flexmember 566-22-3-143 Piston 566-20-7-250 Composite | | ASA-92-8-151 | | NOVABUS G1202328 G1202651 G1202652 |
| 1R11-170 Flexmember 566-22-3-143 Piston 566-20-7-240 Composite | | ASA-92-8-165 | | |
| 1R11-171 Flexmember 566-22-3-057 Piston 566-20-7-150 Steel | | ASA-92-8-164 | | AMERICAN CARRIER 8003003 Conti 64627 99-12P705 FIRESTONE 9421 W013589421 TRIANGLE 8468 TRP AS94210 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊗ (with dot) - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ (with cross) - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ (with circle) - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|--|
| 1R11-175 Flexmember 566-22-3-060 Piston 566-20-7-257 Composite | | ASA-92-8-355 | M12 x 1.75-6G | INT'L/ NAVISTAR 3541733C1 |
| 1R11-176 Flexmember 566-22-3-075 Piston 566-20-7-257 Composite | | ASA-92-8-355 | M12 x 1.75-6G | |
| 1R11-178 Flexmember 566-22-3-143 Piston 566-20-7-209 Composite | | ASA-92-8-005 | | Conti 67492 99-14P895 FIRESTONE W01W359385 NEW FLYER 55089 TRP AS93850 |
| 1R11-179 Flexmember 566-22-3-143 Piston 566-20-7-209 Composite | | ASA-92-8-005 | | Conti 64631 99-14P708 99K-15P708 FIRESTONE W01W359465 NEW FLYER 99865 |
| 1R11-189 Flexmember 566-22-3-049 Piston 566-20-7-240 Composite | | ASA-92-8-309 | | MCI 1498928 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|----------------------|---|
| 1R11-191 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-239 Composite | <p>16.5 6.0</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>9.80</p> | <u>Conti</u> 64381 99-14A517 99-14P517 <u>FIRESTONE</u> 8919 W013588919 <u>RIDEWELL</u> 1003588919C <u>TRIANGLE</u> 8517 |
| 1R11-200 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-252 Composite | <p>13.6 5.0</p> | ASA-92-8-003 <p>2.88 6.20 9.00</p> | <p>4.12 9.30</p> | <u>Conti</u> 64365 99-12P477 <u>FIRESTONE</u> 9376 W013589376 <u>MCI</u> 14002 <u>MONOCO</u> <u>COACH</u> 14002 <u>TRIANGLE</u> 8477 <u>TRP</u> AS93760 |
| 1R11-201 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-252 Composite | <p>13.6 4.5</p> | ASA-92-8-017 <p>5.50 9.00</p> | <p>4.12 9.30</p> | <u>Conti</u> 64366 99-12P478 <u>FIRESTONE</u> 9377 W013589377 <u>REYCO</u> 21054-01 <u>TRIANGLE</u> 8478 <u>TRP</u> AS93770 |
| 1R11-202 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-252 Composite | <p>13.6 4.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>4.12 9.30</p> | <u>Conti</u> 64363 99-12P447 <u>FIRESTONE</u> 9378 W013589378 <u>RIDEWELL</u> 1003589378C <u>TRIANGLE</u> 8447 <u>TRP</u> AS93780 |
| 1R11-203 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-251 Composite | <p>13.6 4.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>9.20</p> | <u>Conti</u> 64367 99-12P479 <u>FIRESTONE</u> 9387 W013589387 <u>RIDEWELL</u> 1003589387C <u>TRIANGLE</u> 8479 <u>TRP</u> AS93870 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|---|
| 1R11-204 Flexmember 566-22-3-021 Piston 566-20-7-253 Composite | | ASA-92-8-164 | | Conti 64362 99-12P401 FIRESTONE 8900 W013588900 REYCO 17361-01 TRIANGLE 8401 |
| 1R11-205 Flexmember 566-22-3-021 Piston 566-20-7-253 Composite | | ASA-92-8-017 | | Conti 64368 99-12P516 FIRESTONE 9476 W013589476 REYCO 20446-01 TRIANGLE 8516 TRP AS94760 |
| 1R11-207 Flexmember 566-22-3-021 Piston 566-20-7-156 Composite | | ASA-92-8-269 | | |
| 1R11-209 Flexmember 566-22-3-143 Piston 566-20-7-209 Composite | | ASA-92-8-151 | | |
| 1R11-216 Flexmember 566-22-3-068 Piston 566-20-7-257 Composite | | ASA-92-8-355 | M12 x 1.75-6G | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting
- ⊕ - Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|---------------------|---|
| 1R11-219 Flexmember 566-22-3-021 Piston 566-20-7-287 Steel | | ASA-92-8-374 SAE 45 flare, .500 O.D. tube SAE J512, .750-16 UNF-2A | | Conti 66112 99-9P860 FIRESTONE 9617 W013589617 KENWORTH K-303-18 TRIANGLE 8514 |
| 1R11-220 Flexmember 566-22-3-021 Piston 566-20-7-286 Steel | | ASA-92-8-374 SAE 45 flare, .500 O.D. tube SAE J512, .750-16 UNF-2A | | Conti 66113 99-10P862 FIRESTONE 9618 W013589618 KENWORTH K-303-19 |
| 1R11-221 Flexmember 566-22-3-021 Piston 566-20-7-287 Steel | | ASA-92-8-373 JIC 37 flare, 1.0 O.D. tube SAE J514, 1.312-12 UNF-2A | | Conti 65367 65394 99-10P576 99-9P537 FIRESTONE 9622 9675 W013589622 W013589675 KENWORTH K-303-22 K-303-28 TRIANGLE 8537 TRP AS96750 |
| 1R11-222 Flexmember 566-22-3-021 Piston 566-20-7-286 Steel | | ASA-92-8-373 JIC 37 flare, 1.0 O.D. tube SAE J514, 1.312-12 UNF-2A | | Conti 65389 99-10P538 FIRESTONE 9625 W013589625 KENWORTH K-303-25 TRIANGLE 8538 TRP AS96250 |
| 1R11-223 Flexmember 566-22-3-143 Piston 566-20-7-156 Composite | | ASA-92-8-005 | | FIRESTONE 9469 W013589469 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|----------------------|--|
| 1R11-224 Flexmember 566-22-3-073 Piston 566-20-7-308 Composite | <p>19.5 7.2</p> | ASA-92-8-151 <p>4.76 9.00</p> | <p>7.87 9.5</p> | |
| 1R11-225 Flexmember 566-22-3-057 Piston 566-20-7-253 Composite | <p>12.0 4.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>4.12 9.30</p> | FIRESTONE 9650 W013589650 NEWAY 905-57-097 |
| 1R11-232 Flexmember 566-22-3-049 Piston 566-20-7-124 Steel | <p>18.8 5.6</p> | ASA-92-8-257 <p>4.75 9.00 1.50</p> | <p>7.87 9.50</p> | NOVABUS N35162 |
| 1R11-241 Flexmember 566-22-3-143 Piston 566-20-7-253 Composite | <p>16.1 4.2</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>4.12 9.20</p> | |
| 1R11-242 Flexmember 566-22-3-021 Piston 566-20-7-252 Composite | <p>13.6 4.0 6.5 4.75 2.25</p> | ASA-92-8-437 <p>5.69 9.00</p> | <p>4.12 9.25</p> | Conti 64256 99-12P515 FIRESTONE 9616 W013589616 KENWORTH K-303-16 TRIANGLE 8515 TRP AS96160 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|---------------------|---|
| 1R11-243 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-120 Composite | | ASA-92-8-438 | | <u>PREVOST</u> 63-0093 63-0099 63-0105 63-0260 |
| 1R11-244 <u>Flexmember</u> 566-22-3-079 <u>Piston</u> 566-20-7-079 Steel | | ASA-92-8-438 | | <u>PREVOST</u> 63-0102 63-0126 63-0259 |
| 1R11-249 <u>Flexmember</u> 566-22-3-084 <u>Piston</u> 566-20-7-156 Composite | | ASA-92-8-367 | | <u>FIRESTONE</u> W013588616 <u>NABI-HF</u> 633-9668 |
| 1R11-252 <u>Flexmember</u> 566-22-3-042 <u>Piston</u> 566-20-7-235 Composite | | ASA-92-8-164 | | <u>Conti</u> 64423 910-17-5P536 <u>FIRESTONE</u> W013588903 |
| 1R11-268 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-287 Steel | | ASA-92-8-480 JIC 37 flare, 1.0 O.D. tube SAE J514, 1.312-12 UNF-2A | | <u>Conti</u> 66109 99-9P859 <u>FIRESTONE</u> 9541 9542 9547 W013589542 W013589547 W015449542 |






- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊗ (with cross) - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ (with circle) - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ (with cross and circle) - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|--|---------------------|---------------------|---|
| <p>Flexmember 566-24-3-024</p> <p>Piston 566-20-7-079 Steel</p> | <p style="text-align: center;">1R12-028</p> | <p>ASC-20-8-003</p> | | <p><u>PREVOST</u> 63-0045</p> |
| <p>1R12-066</p> <p>Flexmember 566-24-3-038</p> <p>Piston 566-20-7-080 Composite</p> | <p style="text-align: center;">1R12-066</p> | <p>ASA-92-8-164</p> | | <p><u>Conti</u> 64294 910-16P333 <u>DAYTON</u> 352-9083 <u>FIRESTONE</u> 9083 W013589083 <u>GRANNING</u> 1359 1528 B59 <u>INT'L/</u></p> <p><u>NAVISTAR</u> 554763C1 <u>LOAD GUARD</u> SC2036 <u>RIDEWELL</u> 1003589083C <u>TAURUS</u> AS506-9080 <u>TRIANGLE</u> 8333 <u>WATSON & CHALIN</u> AS-0018 AS-0028</p> |
| <p>1R12-069</p> <p>Flexmember 566-24-3-163</p> <p>Piston 566-20-7-235 Composite</p> | <p style="text-align: center;">1R12-069</p> | <p>ASA-92-8-041</p> | | <p><u>Conti</u> 64274 910-14P312 <u>DAYTON</u> 352-9069 <u>FIRESTONE</u> 9069 W013589069 <u>FLEETRITE</u> 1R12-1052 <u>INT'L/</u> <u>NAVISTAR</u> 554764C1 <u>LOAD GUARD</u> SC2034</p> <p><u>PETERBILT</u> 03-01649 03-02038 03-02456 03-04759 03-07112 23-10042 <u>TAURUS</u> AS504-9069 AS506-9069 <u>TRIANGLE</u> 8312 <u>WATSON & CHALIN</u> AS-0077</p> |
| <p>1R12-076</p> <p>Flexmember 566-24-3-076</p> <p>Piston 566-20-7-036 Aluminum</p> <p>OBSOLETE</p> | <p style="text-align: center;">1R12-076</p> | <p>ASA-92-8-151</p> | | <p><u>AM GENERAL</u> 5973924 <u>FIRESTONE</u> 9100 W013589100</p> |
| <p>1R12-090</p> <p>Flexmember 566-24-3-038</p> <p>Piston 566-20-7-079 Steel</p> | <p style="text-align: center;">1R12-090</p> | <p>ASA-92-8-052</p> | | <p><u>Conti</u> 64262 910-16P407 <u>DAYTON</u> 352-9213 <u>FIRESTONE</u> 9213 W013589213 <u>FLEETRITE</u> 1R12-1060 <u>INT'L/</u> <u>NAVISTAR</u> 1660581C1 501559C1</p> <p>501559C2 <u>LOAD GUARD</u> SC2048 <u>TRIANGLE</u> 8407</p> |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers | | |
|---|---|---|--|--|---|---|
| <p>1R12-092</p> <p><u>Flexmember</u> 566-24-3-163</p> <p><u>Piston</u> 566-20-7-080 Composite</p> |  <p>1R12-092</p> | <p>ASA-92-8-164</p>  |  | <table border="0"> <tr> <td><u>Conti</u> 64269 910-16P310 910-16P350 <u>DAYTON</u> 352-9082 <u>FAB TEK</u> 101828 <u>FIRESTONE</u> 9082 W013589082 <u>FLEETRITR</u> 1R12-1053 <u>GRANNING</u> 2727 <u>HDA</u> PMABG-9082B <u>HENDRICKSON</u> 36514-7 B-2066 <u>HUTCHENS</u> <u>IND.</u> 9630-01 <u>INT'L /</u> <u>NAVISTAR</u> 517559C9 <u>KWIK-LOK /</u> <u>TODCO</u> CP-3281 CP-5125 CP-5152 <u>LOAD GUARD</u> SC2035</td> <td><u>NEWAY</u> 905-57-006 905-57-027 905-57-037 905-57-054 905-57-075 AR-1315-1-F AR-1315-1-G <u>NOVABUS</u> N39112 <u>R & S TRUCK & BODY</u> 1090217 <u>REYCO</u> 12882-01 <u>RIDEWELL</u> 1003589082C S-542-C <u>SUSPENSIONS INC.</u> 201869 <u>TAURUS</u> AS506-9082 <u>TOYO</u> TRL-240/393 <u>TRIANGLE</u> 8310 <u>WATSON & CHALIN</u> AS-0011</td> </tr> </table> | <u>Conti</u> 64269 910-16P310 910-16P350 <u>DAYTON</u> 352-9082 <u>FAB TEK</u> 101828 <u>FIRESTONE</u> 9082 W013589082 <u>FLEETRITR</u> 1R12-1053 <u>GRANNING</u> 2727 <u>HDA</u> PMABG-9082B <u>HENDRICKSON</u> 36514-7 B-2066 <u>HUTCHENS</u> <u>IND.</u> 9630-01 <u>INT'L /</u> <u>NAVISTAR</u> 517559C9 <u>KWIK-LOK /</u> <u>TODCO</u> CP-3281 CP-5125 CP-5152 <u>LOAD GUARD</u> SC2035 | <u>NEWAY</u> 905-57-006 905-57-027 905-57-037 905-57-054 905-57-075 AR-1315-1-F AR-1315-1-G <u>NOVABUS</u> N39112 <u>R & S TRUCK & BODY</u> 1090217 <u>REYCO</u> 12882-01 <u>RIDEWELL</u> 1003589082C S-542-C <u>SUSPENSIONS INC.</u> 201869 <u>TAURUS</u> AS506-9082 <u>TOYO</u> TRL-240/393 <u>TRIANGLE</u> 8310 <u>WATSON & CHALIN</u> AS-0011 |
| <u>Conti</u> 64269 910-16P310 910-16P350 <u>DAYTON</u> 352-9082 <u>FAB TEK</u> 101828 <u>FIRESTONE</u> 9082 W013589082 <u>FLEETRITR</u> 1R12-1053 <u>GRANNING</u> 2727 <u>HDA</u> PMABG-9082B <u>HENDRICKSON</u> 36514-7 B-2066 <u>HUTCHENS</u> <u>IND.</u> 9630-01 <u>INT'L /</u> <u>NAVISTAR</u> 517559C9 <u>KWIK-LOK /</u> <u>TODCO</u> CP-3281 CP-5125 CP-5152 <u>LOAD GUARD</u> SC2035 | <u>NEWAY</u> 905-57-006 905-57-027 905-57-037 905-57-054 905-57-075 AR-1315-1-F AR-1315-1-G <u>NOVABUS</u> N39112 <u>R & S TRUCK & BODY</u> 1090217 <u>REYCO</u> 12882-01 <u>RIDEWELL</u> 1003589082C S-542-C <u>SUSPENSIONS INC.</u> 201869 <u>TAURUS</u> AS506-9082 <u>TOYO</u> TRL-240/393 <u>TRIANGLE</u> 8310 <u>WATSON & CHALIN</u> AS-0011 | | | | | |
| <p>1R12-093</p> <p><u>Flexmember</u> 566-24-3-038</p> <p><u>Piston</u> Not Included</p> |  <p>1R12-093</p> | <p>ASA-92-8-164</p>  | <p>USE EXISTING SUPER CUSHION PISTON</p> | <table border="0"> <tr> <td><u>HUTCHENS</u> <u>IND.</u> 9630-03 <u>INT'L /</u> <u>NAVISTAR</u> 554765C1 <u>LOAD GUARD</u> SC2054 <u>NEWAY</u> 900-44-200 900-44-216 900-44-647 <u>RIDEWELL</u> 1013580712C</td> <td><u>TAURUS</u> AS506-0712</td> </tr> </table> | <u>HUTCHENS</u> <u>IND.</u> 9630-03 <u>INT'L /</u> <u>NAVISTAR</u> 554765C1 <u>LOAD GUARD</u> SC2054 <u>NEWAY</u> 900-44-200 900-44-216 900-44-647 <u>RIDEWELL</u> 1013580712C | <u>TAURUS</u> AS506-0712 |
| <u>HUTCHENS</u> <u>IND.</u> 9630-03 <u>INT'L /</u> <u>NAVISTAR</u> 554765C1 <u>LOAD GUARD</u> SC2054 <u>NEWAY</u> 900-44-200 900-44-216 900-44-647 <u>RIDEWELL</u> 1013580712C | <u>TAURUS</u> AS506-0712 | | | | | |
| | | | | | | |












- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊗ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|----------------------|---|--|
| 1R12-095 Flexmember 566-24-3-067 Piston 566-20-7-014 Steel | | ASA-92-8-162 | | BLUEBIRD 12TA-1-2 300-961250 Conti 64260 910-10P311 DAYTON 352-9039 FAB TEK 101827 FIRESTONE 9039 W013589039 FLEETRITE 1R12-1061 FLXIBLE 6-336-202 HDA PMABG-9039B HENDRICKSON B-11650 B-2064 HUTCHENS IND. 9424-01 9424-03 INT'L / NAVISTAR 554766C1 LOAD GUARD SC2033 NEWAY 905-57-011 905-57-023 905-57-085 R & S TRUCK & BODY 1090218 RIDEWELL 1003589039C 1013589039C S-2061-C S-5356-C SAUR AXLES (SAS) P50-734 SUSPENSIONS INC. 200457 TAURUS AS500-9039 TRIANGLE 8311 WATSON & CHALIN AS-0012 |
| 1R12-097 Flexmember 566-24-3-067 Piston Not Included | | ASA-92-8-162 | <p style="text-align: center;">USE EXISTING SUPER CUSHION PISTON</p> | HUTCHENS IND. 9424-1 INT'L / NAVISTAR 554767C1 LOAD GUARD SC2058 NEWAY 900-44-199 900-44-708 900-54-234 RIDEWELL 1013580702C TAURUS AS500-0702 |
| 1R12-103 Flexmember 566-24-3-066 Piston 566-20-7-006 Aluminum | | ASA-92-8-164 | | Conti 64279 910-19P315 DAYTON 352-9101 FIRESTONE 9101 W013589101 HENDRICKSON B-3842 INT'L / NAVISTAR 554768C1 LOAD GUARD SC2038 NEWAY 900-44-701 905-57-008 905-57-009 905-57-082 REYCO 12883-01 RIDEWELL 1003589101C S-5828-C S-740-C TAURUS AS506-9093 AS509-9101 TOYO TRL-250 TRIANGLE 8315 TRUCKSTELL 63647 WATSON & CHALIN AS-0040 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|--|
| 1R12-113 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> Not Included |  | ASA-92-8-164  | USE EXISTING SUPER CUSHION PISTON | <u>FIRESTONE</u> W013589102 <u>INT'L / NAVISTAR</u> 554769C1 <u>LOAD GUARD</u> SC2053 <u>NEWAY</u> 900-44-201 900-44-653 900-54-218 <u>RIDEWELL</u> 1013589102C <u>TAURUS</u> AS509-9102 |
| 1R12-127 <u>Flexmember</u> 566-24-3-024 <u>Piston</u> 566-20-7-240 Composite |  | ASC-20-8-003  |  | <u>PREVOST</u> 63-0040 63-0064 |
| 1R12-130 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite |  | ASA-92-8-005  |  | <u>Conti</u> 64298 910-16P353 <u>FIRESTONE</u> 9227 W013589227 <u>HENDRICKSON</u> B-2924 <u>TRIANGLE</u> 8353 |
| 1R12-132 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036 Aluminum |  | ASA-92-8-164  |  | <u>Conti</u> 64445 910-12A319 910-12A341 910-12A343 910-12A504 910-12P319 <u>DAYTON</u> 352-9105 <u>FIRESTONE</u> 9105 9113 9302 9303 W013589105 W013589302 <u>GRANNING</u> 5065 <u>HDA</u> PMABG-9105B <u>HENDRICKSON</u> 36514-3 B-1245 <u>INT'L /</u> <u>NAVISTAR</u> 554770C1 <u>LOAD GUARD</u> SC2039 <u>R & S TRUCK & BODY</u> 1090276 <u>RIDEWELL</u> 1003580725C 1003589105C S-570-C <u>SAUR AXLES (SAS)</u> P50-705 <u>TAURUS</u> AS302-9302 AS502-0725 AS502-9105 AS502-9113 <u>TRIANGLE</u> 8319 <u>WATSON & CHALIN</u> AS-0015 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|-----------------------|---|
| 1R12-139 Flexmember 566-24-3-076 Piston 566-20-7-006 Aluminum | <p>18.7 12.5</p> <p>1R12-139</p> | ASA-92-8-098 <p>6.20 9.00</p> | <p>7.87 10.13</p> | MCI 12J-1-23 |
| 1R12-142 Flexmember 566-24-3-066 Piston 566-20-7-006 Aluminum | <p>27.0 9.4</p> <p>1R12-142</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>7.87 10.13</p> | Conti 67479 910-19P946 FIRESTONE W013589241 INT'L/ NAVISTAR 1681579C1 LOAD GUARD SC2108 SUSPENSIONS INC. 200041 |
| 1R12-143 Flexmember 566-24-3-048 Piston 566-20-7-006 Aluminum | <p>22.9 9.5</p> <p>1R12-143</p> | ASC-20-8-045 <p>5.50 7.70</p> | <p>7.87 10.13</p> | Conti 64302 910-16P376 FIRESTONE 9392 W013589392 HENDRICKSON B-4773 TRIANGLE 8376 TRP AS93920 |
| 1R12-145 Flexmember 566-24-3-066 Piston 566-20-7-006 Aluminum | <p>27.0 9.4</p> <p>1R12-145</p> | ASA-92-8-017 <p>5.50 9.00</p> | <p>7.87 10.13</p> | Conti 64325 910-19P356 DAYTON 352-9238 FIRESTONE 9238 W013589238 HENDRICKSON B-5060 INT'L/ NAVISTAR 1681737C1 LOAD GUARD SC2109 PREVOST 63-0178 TAURUS AS509-9238 TRIANGLE 8356 |
| 1R12-154 Flexmember 566-24-3-048 Piston 566-20-7-120 Composite | <p>17.1 8.0</p> <p>1R12-154</p> | ASC-20-8-053 <p>5.50 7.70</p> | <p>4.12 10.0</p> | MCI 12J-1-88 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---|-----------------------|--|
| 1R12-155 Flexmember 566-24-3-038 Piston 566-20-7-080 Composite REPLACED BY 1R12-358 | <p>21.1 7.7</p> | ASA-92-8-002 <p>2.88 6.20 9.00</p> | <p>7.87 10.10</p> | Conti 64292 910-16P325 FIRESTONE 9096 W013589096 FRUEHAUF UCE-1304-1 TRIANGLE 8325 |
| 1R12-156 Flexmember 566-24-3-067 Piston 566-20-7-055 Aluminum | <p>12.0 4.0</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>8.60</p> | MCI 12K-3-11 PREVOST 63-0179 |
| 1R12-167 Flexmember 566-24-3-066 Piston 566-20-7-080 Composite | <p>25.2 7.7</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 10.10</p> | Conti 64323 910-19P326 INT'L / NAVISTAR 1681738C1 1681740C1 |
| 1R12-169 Flexmember 566-24-3-076 Piston 566-20-7-036-03 Aluminum | <p>16.7 7.3</p> | ASA-92-8-119 <p>2.88 6.20 9.00</p> | <p>7.87 10.10</p> | FLXIBLE 97-2410-00006 97-2410-1 97-2410-2 97-2410-3 97-2410-4 97-2410-5 97-6693-1 |
| 1R12-178 Flexmember 566-24-3-067 Piston 566-20-7-055 Aluminum | <p>13.5 5.1</p> | ASA-92-8-125 <p>5.50 9.00</p> | <p>4.12 8.60</p> | Conti 64361 99-12P379 FIRESTONE 9379 W013589379 INT'L / NAVISTAR 1660694C1 LOAD GUARD SC2110 TRIANGLE 8379 TRP AS93790 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|--|
| 1R12-182 Flexmember 566-24-3-038 Piston 566-20-7-079 Steel | <p>20.5 6.2</p> | ASA-92-8-004 <p>5.50 9.00</p> | <p>4.12 10.12</p> | Conti 64259 910-16P408 <u>FIRESTONE</u> 9219 W013589219 <u>INT'L / NAVISTAR</u> 1681739C1 <u>LOAD GUARD</u> SC2070 <u>TRIANGLE</u> 8408 TRP AS92190 <u>VOLVO</u> 35003-3201 35003-3203 35003-3204 35003-3209 |
| 1R12-185 Flexmember 566-24-3-066 Piston 566-20-7-080 Composite | <p>25.2 7.6</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 10.13</p> | <u>FIRESTONE</u> 9192 W013589192 <u>HENDRICKSON</u> S6195 |
| 1R12-188 Flexmember 566-24-3-038 Piston 566-20-7-079 Steel | <p>20.5 7.1</p> | ASA-92-8-162 <p>5.50 9.00</p> | <p>4.12 10.12</p> | Conti 64275 910-16P409 <u>FIRESTONE</u> 9223 W013589223 <u>HENDRICKSON</u> 48195 <u>REYCO</u> 12884-01 12884-01A <u>TRIANGLE</u> 8409 |
| 1R12-195 Flexmember 566-24-3-066 Piston 566-20-7-006 Aluminum | <p>28.5 9.4</p> | ASA-92-8-257 <p>4.75 9.00 1.50</p> | <p>7.87 10.13</p> | Conti 64335 910-19P438 <u>FIRESTONE</u> 9349 W013589349 <u>HENDRICKSON</u> B-8988 <u>REYCO</u> 17636-01 <u>TRIANGLE</u> 8438 TRP AS93490 |
| 1R12-204 Flexmember 566-24-3-067 Piston 566-20-7-055 Aluminum | <p>13.5 3.7</p> | ASA-92-8-138 <p>5.50 9.00</p> | <p>4.12 8.60</p> | <u>FIRESTONE</u> 9566 W013589566 <u>INT'L / NAVISTAR</u> 1672401C1 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|---|
| 1R12-205 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-055 Aluminum | <p>16.0 5.1</p> | ASA-92-8-125 <p>5.50 9.00</p> | <p>4.12 8.60</p> | <u>Conti</u> 64472 910-14P450 <u>FIRESTONE</u> 9568 W013589568 <u>INT'L / NAVISTAR</u> 1675495C1 <u>TRIANGLE</u> 8450 TRP AS95680 |
| 1R12-208 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum | <p>27.0 9.5</p> | ASA-92-8-141 3/4 - 14 NPTF <p>2.87 6.20 9.00</p> | <p>7.87 10.13</p> | <u>Conti</u> 67703 910-19P973 <u>HENDRICKSON</u> C-10443 |
| 1R12-212 <u>Flexmember</u> 566-24-3-072 <u>Piston</u> 566-20-7-079 Steel | <p>17.0 6.2</p> | UPPER BEAD PLATE NOT INCLUDED | <p>4.12 10.10</p> | <u>MCI</u> G1004846 |
| 1R12-217 <u>Flexmember</u> 566-24-3-048 <u>Piston</u> 566-20-7-120 Composite | <p>17.1 7.3</p> | UPPER BEAD PLATE NOT INCLUDED. SHOWN FOR REFERENCE ONLY. | <p>4.12 10.0</p> | <u>MCI</u> 12L-1-104 12L-1-136 <u>PREVOST</u> 63-0181 |
| 1R12-220 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite | <p>21.1 7.7</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 10.10</p> | <u>Conti</u> 64301 910-16P372 <u>FIRESTONE</u> 9092 W013589092 <u>HENDRICKSON</u> B-12353 <u>INT'L / NAVISTAR</u> 517096C91 <u>NEWAY</u> 905-57-031 <u>TRIANGLE</u> 8372 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊗ (with dot) - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ (with cross) - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ (with circle) - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|--------------------------------------|-----------------------|---|
| 1R12-256 Flexmember 566-24-3-090 Piston 566-20-7-159 Composite | <p>29.1 9.5</p> | ASA-92-8-142 <p>6.20 9.00</p> | <p>7.87 9.80</p> | Conti 64384 64716 910-21A505 910-21P505 FIRESTONE 9367 W013589321 W013589367 HENDRICKSON B-14249 B-4375 LOAD GUARD SC2120 SUSPENSIONS INC. 201335 TRIANGLE 8505 TRP AS93670 AS9367A WATSON & CHALIN AS-0104 |
| 1R12-261 Flexmember 566-24-3-066 Piston 566-20-7-006 Aluminum | <p>27.0 9.4</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>7.87 10.10</p> | Conti 64327 910-19A358 910-19Pxxx DAYTON 352-9321 FIRESTONE 9241 W013589241 R & S TRUCK & BODY 10907 TAURUS AS509-9241 TRIANGLE 8358 8361 |
| 1R12-265 Flexmember 566-24-3-066 Piston 566-20-7-080 Composite REPLACED BY 1R12-167 | <p>25.2 7.7</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 10.10</p> | Conti 64331 910-19P390 |
| 1R12-274 Flexmember 566-24-3-097 Piston 566-20-7-079 Steel | <p>22.8 8.1</p> | ASA-92-8-121 <p>6.20 9.00</p> | <p>4.12 10.12</p> | |
| 1R12-281 Flexmember 566-24-3-066 Piston 566-20-7-080 Composite | <p>25.2 9.0</p> | ASA-92-8-121 <p>6.20 9.00</p> | <p>7.87 10.10</p> | Conti 64327 64615 910-19A358 910-19P321 910-19P358 DAYTON 352-9130 FIRESTONE 9130 9394 W013589130 W013589394 FRUEHAUF UCE-9393-1 UCE-9393-3 UCE-9393-4 TRIANGLE 8321 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|---|
| 1R12-284 Flexmember 566-24-3-048 Piston 566-20-7-240 Composite | <p>17.1 6.2</p> | UPPER BEAD PLATE NOT INCLUDED. SHOWN FOR REFERENCE ONLY. | <p>4.12 9.30</p> | |
| 1R12-285 Flexmember 566-24-3-038 Piston 566-20-7-080 Composite | <p>21.1 7.1</p> | ASC-92-8-088 <p>3.10 9.00</p> | <p>7.87 10.10</p> | Conti 64632 910-14P709 FIRESTONE W359060 NEW FLYER 14635 65 |
| 1R12-288 Flexmember 566-24-3-048 Piston 566-20-7-120 Composite | <p>17.1 7.0</p> | ASC-20-8-110 <p>5.50 7.75</p> | <p>4.12 10.0</p> | MCI 12C-1-126 12K-1-45 12L-1-126 PREVOST 63-0180 |
| 1R12-303 Flexmember 566-24-3-108 Piston 566-20-7-116 Composite | <p>19.0 8.6</p> | ASA-92-8-440 <p>6.20 9.00</p> | <p>11.1</p> | Conti 67473 910S-16A382 910S-16P382 FIRESTONE 5779 9780 W013589780 FLEETRITE 1R12-1054 FREIGHTLINER 16-13810-000 16-13810-001 16-13810-002 16-14377-000 16-15595-000 16-15595-001 16-15595-002 16-16825-000 16-19468-000 18-18335-000 18-18335-001 TRIANGLE 8382 TRP AS9870A |
| 1R12-304 Flexmember 566-24-3-048 Piston 566-20-7-240 Composite | <p>17.1 7.1</p> | ASC-20-8-110 <p>5.50 7.75</p> | <p>4.12 9.30</p> | FIRESTONE 9018 W013589018 MCI 12G-1-60 12L-1-133 12L-1-135 12L-1-142 PREVOST 63-0182 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---|----------------------------|--|
| 1R12-309 Flexmember 566-24-3-067 Piston 566-20-7-164 Steel | <p>14.9 6.0</p> | ASA-92-8-002 <p>2.88 6.20 9.00</p> | <p>5.66 9.50</p> | Conti 64446 910-12A327 DAYTON 352-9053 E-Z RIDE 8030192 FAB TEK 10828 FIRESTONE 9053 W013589053 FRUEHAUF UCE-1304-2 RIDEWELL 1003589053C TAURUS AS502-9053 TRIANGLE 8327 WATSON & CHALIN AS-0095 |
| 1R12-324 Flexmember 566-24-3-067 Piston 566-20-7-055 Aluminum | <p>13.5 3.7</p> | ASA-92-8-138 <p>5.50 9.00</p> | M12x1.75-6g <p>8.60</p> | FIRESTONE 9565 W013589565 INT'L/ NAVISTAR 2027912C1 |
| 1R12-325 Flexmember 566-24-3-076 Piston 566-20-7-055 Aluminum | <p>15.3 5.1</p> | ASA-92-8-125 <p>5.50 9.00</p> | M12x1.75-6g <p>8.60</p> | Conti 64473 910-14P461 FIRESTONE 9567 W013589567 INT'L/ NAVISTAR 2027913C1 TRIANGLE 8461 TRP AS95670 |
| 1R12-335 Flexmember 566-24-3-090 Piston 566-20-7-006 Aluminum | <p>29.1 9.4</p> | ASA-92-8-142 <p>6.20 9.00</p> | <p>7.87 10.13</p> | Conti 64291 64715 910-21A361 910-21P361 FIRESTONE 9321 W013589321 TRP AS93210 WATSON & CHALIN AS-0036 |
| 1R12-350 Flexmember 566-24-3-061 Piston 566-20-7-197 Aluminum | <p>13.1 5.3</p> | ASA-92-8-002 <p>2.88 6.20 9.00</p> | <p>9.25</p> | Conti 64433 910-10P339 FIRESTONE 9031 W013589031 PEERLESS 0550-00051 TAURUS AS500-9031 TRIANGLE 8339 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|-----------------------|---|
| 1R12-351 <u>Flexmember</u> 566-24-3-061 <u>Piston</u> 566-20-7-197 Aluminum | <p>13.1 5.3</p> | ASA-92-8-003 <p>2.88 6.20 9.00</p> | <p>9.25</p> | <u>Conti</u> 64430 910-10P328 <u>FIRESTONE</u> 9033 W013589033 <u>NEWAY</u> 905-57-012 AR-1515-1 <u>TAURUS</u> AS500-9033 <u>TRIANGLE</u> 8328 |
| 1R12-352 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-080 Composite | <p>18.0 7.2</p> | ASA-92-8-004 <p>5.50 9.00</p> | <p>7.87 10.10</p> | <u>Conti</u> 64258 910-14P345 <u>FIRESTONE</u> W013589010 <u>HENDRICKSON</u> B-2827 |
| 1R12-355 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036 Aluminum | <p>16.9 5.6</p> | ASA-92-8-088 <p>2.88 9.00</p> | <p>7.87 10.10</p> | <u>Conti</u> 64447 910-12A329 910-12P329 <u>FIRESTONE</u> 9078 W013589078 <u>FRUEHAUF</u> MFR-022355 UCB-9668-1 <u>TRIANGLE</u> 8329 |
| 1R12-356 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite | <p>21.0 6.5</p> | ASA-92-8-258 1.25-12 UNF outside .500-14 NPTF inside <p>6.13 9.00</p> | <p>7.87 10.10</p> | <u>Conti</u> 64297 910-16P352 <u>DAYTON</u> 352-9194 <u>FIRESTONE</u> 9194 W013589194 <u>PETERBILT</u> 03-05107 <u>TAURUS</u> AS506-9194 <u>TRIANGLE</u> 8352 <u>WATSON & CHALIN</u> AS-0101 |
| 1R12-357 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum OBSOLETE | <p>27.0 10.7</p> | ASA-92-8-257 <p>1.50 4.75 9.00</p> | <p>7.87 10.13</p> | <u>Conti</u> 65356 910-19P439 <u>FIRESTONE</u> 9348 W013589348 <u>TAURUS</u> AS509-9348 <u>TRP</u> AS93480 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|--|
| 1R12-358 Flexmember 566-24-3-038 Piston 566-20-7-080 Composite | <p>21.1 7.7</p> | ASA-92-8-003 <p>2.88 6.20 9.00</p> | <p>7.87 10.10</p> | Conti 64292 910-16P325 DAYTON 352-9096 FIRESTONE 9096 W013589096 FRUEHAUF UCE-1304-1 TAURUS AS504-9096 TRIANGLE 8325 |
| 1R12-359 Flexmember 566-24-3-061 Piston 566-20-7-197 Aluminum | <p>13.1 5.3</p> | ASA-92-8-088 <p>2.88 9.00</p> | <p>9.25</p> | Conti 64431 910-10P331 FIRESTONE 9077 W013589077 FRUEHAUF MFR-022354 UCB-4453-1 TAURUS AS500-9077 TRIANGLE 8331 |
| 1R12-363 Flexmember 566-24-3-090 Piston 566-20-7-159 Composite | <p>29.1 9.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 9.80</p> | Conti 64382 910-21P360 FIRESTONE 9320 W013589320 NEWAY 905-57-099 TRIANGLE 8360 TRP AS93200 |
| 1R12-365 Flexmember 566-24-3-038 Piston 566-20-7-079 Steel | <p>20.6 8.1</p> | ASA-92-8-121 <p>6.20 9.00</p> | <p>4.50 10.13</p> | Conti 64276 910-16P410 FIRESTONE 9466 W013589466 HENDRICKSON 49048 49674 MACK TRUCK 364SQ28 57QL411M TRIANGLE 8410 TRP AS94660 |
| 1R12-366 Flexmember 566-24-3-038 Piston 566-20-7-163 Steel | <p>21.2 7.3</p> | AS1-92-8-192 <p>3.05 9.00</p> | <p>5.66 9.50</p> | Conti 64401 910-16P710 910-17-5P436 910-175P436 FIRESTONE 8944 9015 9299 W013588944 W013589015 W013589299 HENDRICKSON C-20217 TRIANGLE 8436 TRP AS92990 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|--|---|-----------------------|---|
| 1R12-367 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-164 Steel | <p>16.6 5.5</p> | ASC-92-8-192 <p>3.05 9.00</p> | <p>5.66 9.50</p> | <u>Conti</u> 64395 910-12A427 <u>FIRESTONE</u> 9640 W013589640 <u>HENDRICKSON</u> C-20223 <u>TRIANGLE</u> 8427 <u>TRP</u> AS96400 |
| 1R12-369 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-079 Steel | <p>6.53 5.00 3.64 2.874 20.0 6.7</p> | ASA-92-8-165 <p>5.70 9.00</p> | <p>10.12</p> | <u>DINA</u> 2027911C1 |
| 1R12-370 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036 Aluminum | <p>16.9 6.1</p> | ASA-92-8-162 <p>5.50 9.00</p> | <p>7.87 10.10</p> | <u>Conti</u> 64464 910-14A330 <u>FIRESTONE</u> 9070 W013589070 <u>NEWAY</u> 905-57-038-1 905-57-090 AR-90112 <u>TAURUS</u> AS504-9070 <u>TRIANGLE</u> 8330 8490 <u>WATSON & CHALIN</u> AS-0050 AS-0053 |
| 1R12-375 <u>Flexmember</u> 566-24-3-165 <u>Piston</u> 566-20-7-163 Steel | <p>24.9 7.8</p> | ASA-92-8-192 <p>3.05 9.00</p> | <p>5.66 9.50</p> | <u>Conti</u> 64288 910-19P435 <u>FIRESTONE</u> 9265 W013589265 <u>FLEETRITR</u> 1R12-1055 <u>HENDRICKSON</u> 20413 C-20124 <u>TRIANGLE</u> 8435 <u>TRP</u> AS92650 |
| 1R12-377 <u>Flexmember</u> 566-24-3-120 <u>Piston</u> 566-20-7-192 Steel | <p>19.6 9.7</p> | ASA-92-8-268 1 1/4 x 12 .500 X 14 NPTF <p>5.75 9.00</p> | <p>4.12 10.10</p> | <u>PREVOST</u> 63-0151 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|---|--|
| 1R12-383 Flexmember 566-24-3-061 Piston 566-20-7-014 Steel | <p>12.7 4.4</p> | ASA-92-8-162 <p>5.50 9.00</p> | <p>9.25</p> | FLXIBLE 97-9999-02185 ORION 010132404-4 |
| 1R12-394 Flexmember 566-24-3-038 Piston Not Included | <p>17.1 7.3</p> | ASA-92-8-283 <p>2.50 1.50 4.50 9.00</p> | USE EXISTING SUPER CUSHION PISTON | MCI 12L-1-169 PREVOST 63-0224 |
| 1R12-395 Flexmember 566-24-3-066 Piston 566-20-7-080 Composite | <p>25.2 7.7</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>7.87 10.10</p> | Conti 64324 910-19P355 DAYTON 352-9203 FIRESTONE 9203 W013589203 HENDRICKSON B-2694 TAURUS AS509-9203 TRIANGLE 8355 |
| 1R12-396 Flexmember 566-24-3-038 Piston 566-20-7-240 Composite | <p>17.1 7.3</p> | ASA-92-8-283 <p>2.50 1.50 4.50 9.00</p> | <p>4.12 9.27</p> | MCI 12L-1-140 PREVOST 63-0183 |
| 1R12-400 Flexmember 566-24-3-038 Piston 566-20-7-246 Steel | <p>4.66 3.00 3.14 2.25 22.0 6.2</p> | ASA-92-8-306 <p>5.50 9.00</p> | <p>4.12 10.12</p> | Conti 64310 910-16P416 FIRESTONE 9296 W013589296 TRIANGLE 8416 TRP AS92960 VOLVO 8061151 8169868 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers | |
|--|---|---------------------|---------------------|---|--|
| 1R12-401 <u>Flexmember</u> 566-24-3-163 <u>Piston</u> 566-20-7-221 Composite | | ASA-92-8-165 | | <u>Conti</u> 64290 910-175P521 910-18-5P521 910-185P521 <u>FIRESTONE</u> 9371 W013589371 <u>FLEETRITR</u> 1R12-1062 <u>INT'L /</u> <u>NAVISTAR</u> 1670043C1 1686386C1 | <u>TRIANGLE</u> 8521 <u>TRP</u> AS93710 |
| 1R12-402 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-246 Steel | | ASA-92-8-199 | | <u>Conti</u> 64410 910-175P520 910-18-5P520 910-185P520 <u>FIRESTONE</u> 9297 W013589297 <u>HENDRICKSON</u> 50898-1 50898-2 <u>TRIANGLE</u> 8520 | <u>TRP</u> AS92970 |
| 1R12-403 <u>Flexmember</u> 566-24-3-140 <u>Piston</u> 566-20-7-377 Steel | | ASA-92-8-430 | | <u>Conti</u> 64265 64336 910-175P440 910-175P519 910-18-5P440 910-185P440 910-18-5P519 910-185P519 <u>FIRESTONE</u> 9373 W013589373 <u>FLEETRITR</u> 1R12-1056 | <u>HENDRICKSON</u> 57122-1 <u>MCI</u> 2992101C1 <u>TRIANGLE</u> 8519 <u>TRP</u> AS93730 |
| 1R12-404 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-246 Steel | | ASA-92-8-430 | | <u>Conti</u> 64264 910-175P451 910-18-5P451 910-185P451 <u>FIRESTONE</u> 9375 W013589375 <u>FLEETRITR</u> 1R12-1063 <u>HENDRICKSON</u> 50899-1 50899-2 | <u>MACK TRUCK</u> 364SQ27 57QL414M <u>TRIANGLE</u> 8451 <u>TRP</u> AS93750 |
| 1R12-406 <u>Flexmember</u> 566-24-3-120 <u>Piston</u> 566-20-7-223 Steel | | ASA-92-8-268 | | <u>PREVOST</u> 63-0162 | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊗ (with dot) - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ (with cross) - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ (with dot and cross) - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|--|
| 1R12-419 Flexmember 566-24-3-038 Piston 566-20-7-233 Composite | <p>21.1 8.2</p> | ASA-92-8-311 <p>M12x1.75-6G .750-14 NPTF 5.87 9.00</p> | <p>7.87 M12 x 1.75-6G 9.80</p> | |
| 1R12-421 Flexmember 566-24-3-076 Piston 566-20-7-158 Composite | <p>18.0 7.0</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 9.80</p> | Conti 64258 910-14P345 FIRESTONE 9010 W013589010 REYCO 12928-01 RIDEWELL 1003589010C TRIANGLE 8345 WATSON & |
| 1R12-422 Flexmember 566-24-3-076 Piston 566-20-7-036 Aluminum | <p>16.9 6.1</p> | ASA-92-8-013 <p>6.20 9.00</p> | <p>7.87 10.10</p> | Conti 68638 910-12A104 NOVABUS N21361 |
| 1R12-423 Flexmember 566-24-3-038 Piston 566-20-7-246 Steel | <p>4.38 3.00 3.14 2.25 20.0 8.1</p> | ASA-92-8-199 <p>6.20 9.00</p> | M12x1.75-6g <p>10.13</p> | VOLVO 3180673 |
| 1R12-424 Flexmember 566-24-3-097 Piston 566-20-7-246 Steel | <p>7.75 5.98 3.64 2.36 20.0 8.1</p> | ASA-92-8-199 <p>6.20 9.00</p> | <p>4.50 10.13</p> | Conti 64277 910-175P406 910-18-5P406 910-185P406 FIRESTONE 9287 W013589287 GMC 15963160 HENDRICKSON 50405 50405-1 50405-2 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|--|
| 1R12-432 <u>Flexmember</u> 566-24-3-165 <u>Piston</u> 566-20-7-236 Composite | | ASA-92-8-344 | M12x1.75-6g | <u>Conti</u> 66908 910B-19-5P889 910B-195P889 <u>INT'L / NAVISTAR</u> 350243C94 <u>TRP</u> ASP8890 |
| 1R12-434 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-164 Steel | | ASA-92-8-164 | | <u>Conti</u> 64477 910-14A469 910-14P469 <u>FIRESTONE</u> 8802 W013588802 <u>NEWAY</u> 905-57-170 <u>RIDEWELL</u> 1003588802C <u>TRIANGLE</u> 8469 |
| 1R12-435 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-014 Steel | | ASA-92-8-162 | | <u>Conti</u> 910-10P471 910-10P482 <u>FIRESTONE</u> 9307 9334 <u>NEWAY</u> 905-57-129 <u>RIDEWELL</u> 1003589334C <u>TRIANGLE</u> 8471 8482 |
| 1R12-436 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-158 Composite | | ASA-92-8-017 | | <u>Conti</u> 64314 910-16P497 <u>FIRESTONE</u> 8924 W013588924 <u>RIDEWELL</u> 1003588924C <u>TRIANGLE</u> 8497 |
| 1R12-437 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-156 Composite | | ASA-92-8-017 | | <u>Conti</u> 64484 910-14A496 <u>FIRESTONE</u> 9797 W013589797 <u>RIDEWELL</u> 1003589797C <u>TRIANGLE</u> 8496 <u>TRP</u> AS97970 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--------------------------------------|----------------------|---|
| 1R12-438 Flexmember 566-24-3-038 Piston 566-20-7-158 Composite | <p>20.8 7.0</p> | ASA-92-8-017 <p>5.50 9.00</p> | <p>7.87 9.80</p> | Conti 64474 910-14P462 FIRESTONE 8805 W013588805 RIDEWELL 1003588805C TRIANGLE 8462 |
| 1R12-439 Flexmember 566-24-3-066 Piston 566-20-7-237 Composite | <p>26.2 9.8</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>9.80</p> | Conti 64338 910-19P470 FIRESTONE 9346 W013589346 NEWAY 905-57-126 TRIANGLE 8470 TRP AS93460 WATSON & |
| 1R12-441 Flexmember 566-24-3-038 Piston 566-20-7-235 Composite | <p>21.0 7.8</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>9.80</p> | Conti 64304 910-16P391 FIRESTONE 9362 W013589362 NEWAY 905-57-113 TRIANGLE 8391 TRP AS93620 WATSON & |
| 1R12-444 Flexmember 566-24-3-066 Piston 566-20-7-159 Composite | <p>4.38 3.95 3.0 27.0 9.0</p> | ASA-92-8-004 <p>5.50 9.00</p> | <p>7.87 9.80</p> | |
| 1R12-445 Flexmember 566-24-3-076 Piston 566-20-7-156 Composite | <p>17.0 5.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 9.80</p> | Conti 64486 910-14A545 FIRESTONE 8806 W013588806 RIDEWELL 1003588802X |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|-----------------------------|--|
| 1R12-446 Flexmember 566-24-3-097 Piston 566-20-7-158 Composite | <p>23.2 7.9</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 9.80</p> | Conti 64331 910-19P390 FIRESTONE 9245 W013589245 RIDEWELL 1003589245C TRIANGLE 8390 TRP AS92450 |
| 1R12-450 Flexmember 566-24-3-097 Piston 566-20-7-158 Composite | <p>23.2 6.6</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 9.80</p> | Conti 64334 910-17-5P418 FIRESTONE W013589342 |
| 1R12-454 Flexmember 566-24-3-038 Piston 566-20-7-079 Steel | <p>17.1 7.3</p> | ASA-92-8-283 <p>2.50 4.50 1.50 9.00</p> | <p>4.12 10.12</p> | Conti 69075 910-16P130 MCI 12L-1-215 |
| 1R12-462 Flexmember 566-24-3-038 Piston 566-20-7-246 Steel | <p>4.38 1.97 2.36 3.14 20.0 8.1</p> | ASA-92-8-199 <p>6.20 9.00</p> | M12x1.75-6g <p>10.13</p> | VOLVO 3180984P2 |
| 1R12-465 Flexmember 566-24-3-067 Piston 566-20-7-014 Steel | <p>13.5 4.4</p> | ASA-92-8-013 <p>6.20 9.00</p> | <p>9.25</p> | Conti 64440 910-10P473 FIRESTONE W013588963 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|---|
| 1R12-467 Flexmember 566-24-3-066 Piston 566-20-7-005 Aluminum | | ASA-92-8-331 | | Conti 65387 65807 910-195P801 910-19A801 910-19A830 910-19P801 RIDEWELL 1000001 TRP AS2467G ASA8010 |
| 1R12-480 Flexmember 566-24-3-066 Piston 566-20-7-235 Composite | | ASA-92-8-164 | | Conti 64329 910-19P384 FIRESTONE 9243 W013589243 NEWAY 905-57-112 WATSON & CHALIN AS-0061 |
| 1R12-481 Flexmember 566-24-3-097 Piston 566-20-7-235 Composite | | ASA-92-8-164 | | Conti 64278 910-17-5P429 910-175P429 FIRESTONE 9923 W013589923 NEWAY 905-57-118 TRIANGLE 8429 TRP AS99230 |
| 1R12-484 Flexmember 566-24-3-038 Piston 566-20-7-215 Composite | | ASA-92-8-269 | | Conti 64418 910-17-5P574 910-175P574 NEWAY 905-57-215 |
| 1R12-485 Flexmember 566-24-3-038 Piston 566-20-7-215 Composite | | ASA-92-8-269 | | Conti 910-175P715 NEWAY 905-57-214 TRP AS95010 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--------------------------------------|-----------------------|--|
| 1R12-486 Flexmember 566-24-3-038 Piston 566-20-7-215 Composite | <p>20.7 10.5</p> | ASA-92-8-269 <p>5.87 9.00</p> | <p>7.87 9.80</p> | Conti 64418 910-17-5P574 910-175P574 910-175P714 NEWAY 905-57-216 |
| 1R12-487 Flexmember 566-24-3-067 Piston 566-20-7-239 Composite | <p>15.0 5.5</p> | ASA-92-8-164 <p>5.87 9.00</p> | <p>9.80</p> | Conti 64459 910-12A488 910-12P488 FIRESTONE 9366 W013589366 NABI-HF 633-7773 NEWAY 905-57-160 905-57-210 905-57-225 TRIANGLE 8488 TRP AS93660 WATSON & CHALIN AS-0054 |
| 1R12-492 Flexmember 566-24-3-076 Piston 566-20-7-036 Aluminum | <p>16.9 5.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 10.10</p> | Conti 64486 910-14A545 FIRESTONE W013588806 |
| 1R12-494 Flexmember 566-24-3-038 Piston 566-20-7-036 Aluminum | <p>19.2 5.5 0.16</p> | ASA-92-8-331 <p>5.5 9.00</p> | <p>7.87 10.1</p> | Conti 64762 910-17-5A802 910-175A802 |
| 1R12-498 Flexmember 566-24-3-097 Piston 566-20-7-237 Composite | <p>25.0 9.2</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>9.80</p> | Conti 64399 910-17-5P428 910-175P428 FIRESTONE 9922 W013589922 NEWAY 905-57-119 TRIANGLE 8428 TRP AS99220 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|---|
| 1R12-499 Flexmember 566-24-3-038 Piston 566-20-7-238 Composite | | ASA-92-8-331 | | Conti 64405 910-17-5P454 910-175P454 <u>FIRESTONE</u> 9936 W013589936 <u>NEWAY</u> 905-57-156 <u>TRIANGLE</u> 8454 <u>TRP</u> AS99360 |
| 1R12-502 Flexmember 566-24-3-038 Piston 566-20-7-235 Composite | | ASA-92-8-164 | | Conti 64402 910-17-5P443 910-175P443 <u>FIRESTONE</u> 9921 W013589921 <u>NEWAY</u> 905-57-117 <u>TRIANGLE</u> 8443 <u>TRP</u> AS99210 <u>WATSON & CHALIN</u> AS-0090 |
| 1R12-504 Flexmember 566-24-3-066 Piston 566-20-7-237 Composite | | ASA-92-8-269 | | Conti 64409 910-17-5P502 910-175P502 <u>FIRESTONE</u> 9471 W013589471 |
| 1R12-505 Flexmember 566-24-3-076 Piston 566-20-7-235 Composite | | ASA-92-8-164 | | Conti 64451 910-12P395 <u>FIRESTONE</u> 9325 W013589325 <u>GILLIG</u> 87-17289 <u>NABI-HF</u> 630-5056 <u>NEWAY</u> 905-57-149 <u>TRIANGLE</u> 8395 <u>TRP</u> AS93250 |
| 1R12-507 Flexmember 566-24-3-090 Piston 566-20-7-236 Composite | | ASA-92-8-355 | M12 X 1.75-6g | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|---------------------|--|
| 1R12-508 Flexmember 566-24-3-067 Piston 566-20-7-251 Composite | | ASA-92-8-164 | | Conti 64439 64443 64456 910-10P471 910-10P482 910-12P484 FIRESTONE 8204 W013588204 W013589307 W013589334 NEWAY 905-57-173 905-57-223 TRIANGLE 8484 |
| 1R12-509 Flexmember 566-24-3-038 Piston 566-20-7-005 Aluminum | | ASA-92-8-164 | | Conti 64269 910-16P310 DAYTON 352-9082 FAB TEK 101828 FIRESTONE 9082 W013589082 GRANNING 2727 HDA PMABG-9082B HENDRICKSON 36514-7 B-2066 HUTCHENS IND. 9630-01 INT'L / NAVISTAR 517559C9 KWIK-LOK / TODCO CP-3281 CP-5125 CP-5152 LOAD GUARD SC2035 NEWAY 905-57-006 905-57-027 905-57-037 905-57-054 905-57-075 R & S TRUCK & BODY 1090217 REYCO 12882-01 RIDEWELL 1003589082C S-542-C SUSPENSIONS INC. 201869 TAURUS AS506-9082 TOYO TRL-240/393 TRIANGLE 8310 |
| 1R12-511 Flexmember 566-24-3-048 Piston 566-20-7-240 Composite | | UPPER BEAD PLATE NOT INCLUDED. SHOWN FOR REFERENCE ONLY. | | GMC 15504181 G1015009 G1020956 NOVABUS G1015009 G1202944 |
| 1R12-512 Flexmember 566-24-3-076 Piston 566-20-7-156 Composite | | ASA-92-8-005 | | Conti 64633 910-14A707 FIRESTONE 9127 W013589127 NEW FLYER 9594 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊗ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|---|
| 1R12-523 Flexmember 566-24-3-165 Piston 566-20-7-236 Composite | | ASA-92-8-355 | M12x1.75-6g | INT'L/ NAVISTAR 3541732C1 |
| 1R12-527 Flexmember 566-24-3-066 Piston 566-20-7-006 Aluminum | | ASA-92-8-002 | | |
| 1R12-530 Flexmember 566-24-3-061 Piston 566-20-7-251 Composite | | ASA-92-8-164 | | FIRESTONE 9306 W013589306 |
| 1R12-531 Flexmember 566-24-3-061 Piston 566-20-7-251 Composite | | ASA-92-8-164 | | |
| 1R12-532 Flexmember 566-24-3-097 Piston 566-20-7-235 Composite | | ASA-92-8-331 | | Conti 64412 910-17-5P548 910-175P548 FIRESTONE 9935 W013589935 NEWAY 905-57-157 TRIANGLE 8548 TRP AS99350 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|--|
| 1R12-534 Flexmember 566-24-3-116 Piston 566-20-7-158 Composite | | ASA-92-8-360 | | Conti 64708 910-19P762 |
| 1R12-535 Flexmember 566-24-3-038 Piston 566-20-7-236 Composite | | ASA-92-8-344 | M12 X 1.75-6g | |
| 1R12-538 Flexmember 566-24-3-163 Piston 566-20-7-236 Composite | | ASA-92-8-165 | M12 x 1.75-6G | Conti 64263 910-175P456 910-18-5P456 910-185P456 FIRESTONE 9648 W013589648 FLEETRITE 1R12-1057 INT'L/ NAVISTAR 2027911C1 2027911C2 2027911C3 TRIANGLE 8456 TRP AS96480 |
| 1R12-539 Flexmember 566-24-3-061 Piston 566-20-7-251 Composite | | ASA-92-8-164 | | |
| 1R12-540 Flexmember 566-24-3-116 Piston 566-20-7-209 Composite | | ASA-92-8-360 | | WATSON & CHALIN AS-0114G |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊗ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|----------------------|---------------------|---|
| 1R12-541 Flexmember 566-24-3-038 Piston 566-20-7-209 Composite | | ASA-92-8-360 | | Conti 64650 910-16P769 WATSON & CHALIN AS-0113G |
| 1R12-543 Flexmember 566-24-3-076 Piston 566-20-7-212 Composite | | ASA-92-8-269 | | Conti 65361 910-14AT75 910-14P575 NEWAY 905-57-275 |
| 1R12-545 Flexmember 566-24-3-038 Piston 566-20-7-240 Composite | | ASA-92-8-309 | | MCI 12-04-6007 |
| 1R12-552 Flexmember 566-24-3-038 Piston 566-20-7-215 Composite | | ASA-92-8-269 | | Conti 64416 910-17-5P572 910-175P572 FIRESTONE 9471 9501 W013589471 NEWAY 905-57-212 TRP AS95010 |
| 1R12-553 Flexmember 566-24-3-038 Piston 566-20-7-213 Composite | | ASA-92-8-269 | | Conti 64417 910-17-5P573 910-175P573 FIRESTONE 9472 9491 W013589472 W013589491 NEWAY 905-57-213 TRIANGLE 8467 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|---|
| 1R12-554 Flexmember 566-24-3-038 Piston 566-20-7-214 Composite | | ASA-92-8-269 | | Conti 64415 910-17-5P571 910-175P571 FIRESTONE W013589470 NEWAY 905-57-211 TRIANGLE 8501 |
| 1R12-555 Flexmember 566-24-3-067 Piston 566-20-7-253 Composite | | ASA-92-8-017 | | Conti 64658 910-10P542 FIRESTONE 8961 W013588961 REYCO 23377-01 TRIANGLE 8542 |
| 1R12-556 Flexmember 566-24-3-067 Piston 566-20-7-252 Composite | | ASA-92-8-017 | | Conti 64441 910-10P480 FIRESTONE 8964 W013588964 REYCO 21598-01 TRIANGLE 8480 |
| 1R12-557 Flexmember 566-24-3-067 Piston 566-20-7-252 Composite | | ASA-92-8-017 | | Conti 64444 910-10P503 FIRESTONE 8976 W013588976 REYCO 21055-01 TRIANGLE 8503 |
| 1R12-558 Flexmember 566-24-3-067 Piston 566-20-7-252 Composite | | ASA-92-8-164 | | Conti 64438 910-10P400 FIRESTONE 8986 W013588986 RIDEWELL 1003588986C TRIANGLE 8400 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--------------------------------------|----------------------|---|
| 1R12-559 Flexmember 566-24-3-067 Piston 566-20-7-252 Composite | <p>14.1 4.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>4.12 9.30</p> | Conti 64437 910-10P399 FIRESTONE 9029 W013589029 RIDEWELL 1003589029C TRIANGLE 8399 |
| 1R12-560 Flexmember 566-24-3-067 Piston 566-20-7-253 Composite | <p>14.1 4.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>4.12 9.30</p> | Conti 64436 910-10P398 FIRESTONE 9308 W013589308 NEWAY 905-57-089 REYCO 17360-01 TRIANGLE 8398 TRP AS93080 |
| 1R12-561 Flexmember 566-24-3-067 Piston 566-20-7-253 Composite | <p>14.1 4.0</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>4.12 9.30</p> | Conti 64435 910-10P397 FIRESTONE 9332 W013589332 REYCO 20074-01 TRIANGLE 8397 TRP AS93320 |
| 1R12-562 Flexmember 566-24-3-067 Piston 566-20-7-251 Composite | <p>14.1 4.5</p> | ASA-92-8-331 <p>5.50 9.00</p> | <p>9.30</p> | Conti 68009 910-12P024 FIRESTONE 8197 W013588197 NEWAY 905-57-230 |
| 1R12-563 Flexmember 566-24-3-067 Piston 566-20-7-252 Composite | <p>14.1 4.5</p> | ASA-92-8-192 <p>3.05 9.00</p> | <p>4.12 9.30</p> | Conti 64463 910-12P544 FIRESTONE 8934 W013588934 HENDRICKSON S-20228 TRIANGLE 8544 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|----------------------|--|
| 1R12-567 Flexmember 566-24-3-038 Piston 566-20-7-235 Composite | <p>21.0 6.7</p> | ASA-92-8-041 <p>2.88 6.20 9.00</p> | <p>9.80</p> | Conti 64306 910-16P393 FIRESTONE 9026 W013589026 PETERBILT 03-06213 03-07111 TRIANGLE 8393 |
| 1R12-568 Flexmember 566-24-3-066 Piston 566-20-7-235 Composite | <p>24.7 6.7</p> | ASA-92-8-041 <p>2.88 6.20 9.00</p> | <p>9.80</p> | Conti 64339 910-19P472 FIRESTONE 8852 W013588852 FLEETRITE 1R12-1058 PETERBILT 03-07887 TRIANGLE 8472 |
| 1R12-571 Flexmember 566-24-3-067 Piston 566-20-7-238 Composite | <p>16.0 6.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>9.80</p> | Conti 64460 910-12P495 FIRESTONE 9365 W013589365 NEWAY 905-57-159 TRIANGLE 8495 TRP AS93650 |
| 1R12-576 Flexmember 566-24-3-038 Piston 566-20-7-159 Composite | <p>22.8 9.5</p> | ASA-92-8-005 <p>6.20 9.00</p> | <p>7.87 9.80</p> | Conti 64651 910-16P770 |
| 1R12-580 Flexmember 566-24-3-117 Piston 566-20-7-299 Composite | <p>28.2 9.5</p> | ASA-92-8-367 <p>6.20 10.30</p> | <p>10.6</p> | Conti 64383 910-21P448 FIRESTONE 9370 W013589370 TRP AS93700 WATSON & CHALIN AS-0057 |
















- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|--|--|-----------------------|---|
| 1R12-584 Flexmember 566-24-3-038 Piston 566-20-7-158 Composite | <p>20.8 7.0</p> | ASA-92-8-331 <p>5.50 9.00</p> | <p>7.87 9.80</p> | <u>RIDEWELL</u> 1001R12584G |
| 1R12-586 Flexmember 566-24-3-038 Piston 566-20-7-237 Composite | <p>5.52 3.00 3.64 2.21 22.7 10.6</p> | ASA-92-8-269 <p>5.87 8.00</p> | <p>9.80</p> | <u>Conti</u> 64403 910-17-5P445 910-175P445 <u>FIRESTONE</u> 9473 W013589473 <u>NEWAY</u> 905-57-152 905-57-179 <u>TRP</u> AS94730 |
| 1R12-592 Flexmember 566-24-3-097 Piston 566-20-7-158 Composite | <p>23.2 7.9</p> | ASA-92-8-355 <p>5.87 9.00</p> | <p>7.87 8.0</p> | |
| 1R12-593 Flexmember 566-24-3-100 Piston 566-20-7-036 Aluminum | <p>17.8 5.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 10.10</p> | |
| 1R12-599 Flexmember 566-24-3-090 Piston 566-20-7-159 Composite | <p>29.1 9.0</p> | ASA-92-8-331 <p>5.50 9.00</p> | <p>7.87 9.80</p> | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|---|
| 1R12-600 Flexmember 566-24-3-076 Piston 566-20-7-156 Composite |  | ASA-92-8-331  |  | |
| 1R12-603 Flexmember 566-24-3-108 Piston 566-20-7-322 Aluminum |  | ASA-92-8-440  |  | Conti 64266 68207 910-16A382 910-16A999 910S-16A382 FIRESTONE 9781 W013589781 FLEETRITE 1R12-1064 FREIGHTLINER 16-19465-000 6813200017 A16-14004-000 A16-14004-001 TRIANGLE 8382 |
| 1R12-607 Flexmember 566-24-3-066 Piston 566-20-7-158 Composite |  | ASA-92-8-331  |  | |
| 1R12-609 Flexmember 566-24-3-090 Piston 566-20-7-159 Composite |  | ASA-92-8-192  |  | Conti 65649 910-21P817 |
| 1R12-613 Flexmember 566-24-3-066 Piston 566-20-7-158 Composite |  | ASA-92-8-192  |  | Conti 64761 910-19A552 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊗ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|---|
| 1R12-614 Flexmember 566-24-3-076 Piston 566-20-7-156 Composite | | ASA-92-8-164 | | |
| 1R12-615 Flexmember 566-24-3-164 Piston 566-20-7-303 Composite | | ASA-92-8-306 | M12x1.75-6g | Conti 20413888 64312 20505399 910-16P449 3934699 FIRESTONE 8079902 8829 8084296 W013588829 8097092 FLEETRITE 1R12-1059 MACK TRUCK 57QL54M TRIANGLE 8449 VOLVO 20396293 |
| 1R12-616 Flexmember 566-24-3-076 Piston 566-20-7-251 Composite | | ASA-92-8-164 | | |
| 1R12-617 Flexmember 566-24-3-038 Piston 566-20-7-036 Aluminum | | ASA-92-8-164 | | |
| 1R12-620 Flexmember 566-24-3-076 Piston 566-20-7-239 Composite | | ASA-92-8-430 | | Conti 64475 910-14P465 FIRESTONE 9335 W013589335 HENDRICKSON 56917-1 56917-2 65086-2 TRIANGLE 8465 TRP AS93350 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-------------------------------|--|
| 1R12-621 Flexmember 566-24-3-097 Piston 566-20-7-159 Composite | <p>24.5 9.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 9.80</p> | Conti 64293 910-16P332 FIRESTONE 9093 W013589093 NEWAY 905-57-007 905-57-032 905-57-035 TRIANGLE 8332 |
| 1R12-622 Flexmember 566-24-3-097 Piston 566-20-7-236 Composite | <p>4.38 2.99 21.5 6.7</p> | ASA-92-8-355 <p>5.87 9.00</p> | M12 X 1.75-6g <p>10.00</p> | INT'L/ NAVISTAR 3596112C1 |
| 1R12-631 Flexmember 566-24-3-120 Piston 566-20-7-079 Steel | <p>22.8 8.1</p> | ASA-92-8-439 1.250-12 UNF outside .500-14 NPTF inside <p>5.75 9.00</p> | <p>4.12 10.2</p> | PREVOST 360258 63-0125 |
| 1R12-636 Flexmember 566-24-3-076 Piston 566-20-7-156 Composite | <p>17.1 5.3 2.00</p> | ASA-92-8-440 <p>6.20 9.00</p> | <p>9.80</p> | Conti 65361 910-14A575 FIRESTONE 9634 W013589634 TRP AS96340 |
| 1R12-637 Flexmember 566-24-3-090 Piston 566-20-7-159 Composite | <p>29.1 8.3</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 9.80</p> | Conti 64385 910-21P511 FIRESTONE W013589338 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|---|---|
| 1R12-639 Flexmember 566-24-3-066 Piston 566-20-7-159 Composite | <p>26.2 9.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 9.80</p> | Conti 64326 910-19P357 FIRESTONE W013589240 |
| 1R12-640 Flexmember 566-24-3-038 Piston 566-20-7-238 Composite | <p>18.8 6.7</p> | ASA-92-8-257 <p>1.50 4.75 9.00</p> | <p>9.80</p> | Conti 64398 910-17-5P426 FIRESTONE W013589902 |
| 1R12-644 Flexmember 566-24-3-097 Piston 566-20-7-158 Composite | <p>23.2 7.0</p> | AS1-92-8-192 <p>3.05 9.00</p> | <p>7.87 9.80</p> | Conti 64340 910-19P552 FIRESTONE W013588855 |
| 1R12-645 Flexmember 566-24-3-038 Piston 566-20-7-080 Composite | <p>21.3 6.8</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>5/8-11 UNC 1/2-13 UNC 5.25 5.58 10.1</p> | FIRESTONE W013589210 |
| 1R12-647 Flexmember 566-24-3-097 Piston 566-20-7-303 Composite | <p>2.36 3.11 4.38 22.0 6.7</p> | ASA-92-8-306 <p>5.50 9.00</p> | M12x1.75-6g <p>10.00</p> | MACK TRUCK 20910892 57QL519M VOLVO 20733034 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|---|
| 1R12-648 Flexmember 566-24-3-076 Piston 566-20-7-239 Composite | <p>16.9 6.0</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>9.80</p> | Conti 64479 910-14P490 FIRESTONE 9336 W013589336 |
| 1R12-653 Flexmember 566-24-3-066 Piston 566-20-7-159 Composite | <p>26.3 9.0</p> | ASA-92-8-004 <p>5.50 9.00</p> | <p>7.87 9.80</p> | |
| 1R12-655 Flexmember 566-24-3-076 Piston 566-20-7-158 Composite | <p>18.0 7.5</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 9.80</p> | |
| 1R12-663 Flexmember 566-24-3-090 Piston 566-20-7-006 Aluminum | <p>29.1 9.6</p> | ASA-92-8-164 <p>5.50 9.00</p> | <p>7.87 10.10</p> | Conti 64382 910-21P360 FIRESTONE W013589320 |
| 1R12-669 Flexmember 566-24-3-038 Piston 566-20-7-053 Aluminum | <p>21.1 7.5</p> | ASA-92-8-021 <p>2.88 6.20 9.00</p> | <p>9.3</p> | Conti 64274 910-14P312 FIRESTONE 9069 W013589069 INT'L/ NAVISTAR 554764C1 LOAD GUARD SC2034 PETERBILT 03-01649 03-02038 03-02456 03-04759 03-07112 23-10042 TAURUS AS504-9069 AS506-9069 TRIANGLE 8312 WATSON & CHALIN AS-0077 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---|--------------------------------------|---|
| 1R12-676 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-235 Composite | <p>18.0 7.5</p> | ASA-92-8-041 <p>2.88 6.20 9.00</p> | <p>9.80</p> | <u>Conti</u> 64274 910-14P312 <u>FIRESTONE</u> 9069 W013589069 |
| 1R12-689 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-236 Composite | <p>4.38 4.0 3.0 23.0 6.7</p> | ASA-92-8-344 <p>5.87 9.00</p> | M12 X 1.75-6g <p>10.00</p> | |
| 1R12-1047 <u>Flexmember</u> 566-24-3-142 <u>Piston</u> 566-20-7-413 Composite | <p>14.2 4.5</p> | ASA-92-8-547 <p>5.50 9.00</p> | <p>9.50</p> | <u>Conti</u> 68151 910-13-5P874 <u>FIRESTONE</u> 9807 W013589807 <u>NEW HOLLAND</u> 48100494 |
| 1R12-1048 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-158 Composite | <p>23.2 7.3</p> | ASA-92-8-238 <p>1.38 5.50 9.00</p> | <p>9.80</p> | <u>Conti</u> 67586 910-17-5A930 <u>FIRESTONE</u> 9974 W013589974 |
| 1R12-1049 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-236 Composite | <p>22.0 6.7</p> | ASC-92-8-471 <p>2.75 M12 X 1.75-6g 9.00</p> | M12 X 1.75-6g <p>10.00</p> | <u>MACK TRUCK</u> 21244322 21669088 <u>VOLVO</u> 21132005 21669088 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------------------------|-----------------------------------|---|
| 1R13-038 <u>Flexmember</u> 566-26-3-072 <u>Piston</u> 566-20-7-097 Composite | <p>24.9 8.9</p> | ASA-92-8-245 <p>5.50 10.30</p> | <p>7.87 10.20</p> | <u>Conti</u> 1110-5-21A313 11105-21A313 64273 <u>DAYTON</u> 352-9122 <u>FLEETRITE</u> 1R13-246 <u>HENDRICKSON</u> B-12514-008 B-3830 C-22173 S-3467 S-3830 <u>INT'L / NAVISTAR</u> 554772C1 <u>LOAD GUARD</u> SC2041 <u>NEWAY</u> 905-57-020 905-57-071 905-57-076 905-57-077 905-57-185 AR-1215-1-G <u>REYCO</u> 12883-02 <u>RIDEWELL</u> 1003589122C S-3053-C <u>TAURUS</u> AS622-9122 <u>TOYO</u> TRL-270/476 <u>WATSON & CHALIN</u> AS-0023 |
| 1R13-039 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> 566-20-7-327 Composite | <p>19.5 7.7</p> | ASA-92-8-245 <p>5.50 10.30</p> | <p>7.87 10.20</p> | <u>Conti</u> 1010-16-5S783 1010-165S783 64746 <u>DAYTON</u> 352-9121 <u>FIRESTONE</u> 9121 W013589121 HDA PMABG-9123B <u>HENDRICKSON</u> B-3411 <u>INT'L / NAVISTAR</u> 554773C1 <u>LOAD GUARD</u> SC2040 <u>NEWAY</u> 905-57-019 905-57-052 905-57-078 905-57-083 AR-1115-1-G <u>R & S TRUCK & BODY</u> 1090023 <u>REYCO</u> 12882-02 <u>RIDEWELL</u> 1003589121C S-3052-C <u>SAUR AXLES (SAS)</u> P50-733B <u>TAURUS</u> AS621-9121 <u>TRIANGLE</u> 8317 <u>WATSON & CHALIN</u> AS-0013 AS-0083 |
| 1R13-047 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> 566-20-7-096 Steel | <p>19.5 7.7</p> | ASA-92-8-245 <p>5.50 10.30</p> | <p>7.87 10.20</p> | <u>Conti</u> 1110-5-17A377 64347 <u>FIRESTONE</u> W013589144 <u>NEWAY</u> 905-57-110 <u>TRIANGLE</u> 8377 |
| 1R13-048 <u>Flexmember</u> 566-26-3-072 <u>Piston</u> Not Included | <p>1R13-048 Service Assembly for 1R13-038</p> | ASA-92-8-245 <p>5.50 10.30</p> | USE EXISTING SUPER CUSHION PISTON | <u>INT'L / NAVISTAR</u> 554774C1 <u>LOAD GUARD</u> SC2056 <u>NEWAY</u> 900-44-658 900-44-668 <u>RIDEWELL</u> 1013589124C <u>TAURUS</u> AS622-9124 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|--|----------------------|---|--|
| 1R13-049 Flexmember 566-26-3-051 Piston Not Included | <p style="text-align: center;">1R13-049 Service Assembly for 1R13-039</p> | ASA-92-8-245 | USE EXISTING SUPER CUSHION PISTON | INT'L/ NAVISTAR 554775C1 LOAD GUARD SC2055 NEWAY 900-44-670 900-44-702 905-54-060 RIDEWELL 1013589123C TAURUS AS621-9123 |
| 1R13-053 Flexmember 566-26-3-051 Piston 566-20-7-036 Aluminum | <p style="text-align: center;">1R13-053</p> | ASA-20-8-245 | | FIRESTONE 8754 W013588754 NEW FLYER 13 |
| 1R13-070 Flexmember 566-26-3-015 Piston 566-20-7-084 Aluminum OBSOLETE | <p style="text-align: center;">1R13-070</p> | ASD-20-8-053 | | Conti 910-19P444 LOAD GUARD SC2776 MACK TRUCK 57QL332 57QL39306 NEWAY 905-44-608 905-57-070 905-57-087 TRIANGLE 8444 |
| 1R13-075 Flexmember 566-26-3-051 Piston 566-20-7-036-03 Aluminum | <p style="text-align: center;">1R13-075</p> | ASA-92-8-245 | | |
| 1R13-097 Flexmember 566-26-3-081 Piston 566-20-7-296 Composite | <p style="text-align: center;">1R13-097</p> | ASA-92-8-245 | | Conti 1010-15S518 1010-15S962 67600 RIDEWELL 1001R13-087 1001R13-097 1003588752C TRIANGLE 8518 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|-----------------------|---|
| 1R13-109 <u>Flexmember</u> 566-26-3-081 <u>Piston</u> 566-20-7-296 Composite | <p>17.8 5.6</p> | ASA-92-8-243 <p>6.20 10.30 2.13</p> | <p>7.87 10.20</p> | <u>Conti</u> 1010-15S871 66340 <u>FIRESTONE</u> 8782 W013588782 <u>RIDEWELL</u> 1001R13-109 |
| 1R13-115 <u>Flexmember</u> 566-26-3-044 <u>Piston</u> 566-20-7-006 Aluminum | <p>27.0 9.4</p> | ASA-92-8-004 <p>5.50 9.00</p> | <p>7.87 10.13</p> | <u>Conti</u> 64375 910D-21A324 <u>FIRESTONE</u> 9250 W013589250 <u>RIDEWELL</u> 1003589250C <u>TRIANGLE</u> 8324 <u>TRP</u> AS92500 <u>WATSON &</u> |
| 1R13-116 <u>Flexmember</u> 566-26-3-044 <u>Piston</u> 566-20-7-006 Aluminum | <p>27.0 8.9</p> | ASA-92-8-004 <p>5.50 9.00</p> | <p>7.87 10.13</p> | <u>Conti</u> 64376 910D-21A363 <u>FIRESTONE</u> 9252 W013589252 <u>RIDEWELL</u> 1003589252C <u>TRIANGLE</u> 8363 <u>TRP</u> AS92520 |
| 1R13-117 <u>Flexmember</u> 566-26-3-043 <u>Piston</u> 566-20-7-080 Composite | <p>23.2 7.7</p> | ASA-92-8-004 <p>5.50 9.00</p> | <p>7.87 10.10</p> | <u>Conti</u> 64371 910B-17-5A323 910B-175A323 <u>FIRESTONE</u> 9275 W013589275 <u>RIDEWELL</u> 1003589275C <u>TRIANGLE</u> 8323 <u>TRP</u> AS92750 |
| 1R13-118 <u>Flexmember</u> 566-26-3-068 <u>Piston</u> 566-20-7-325 Composite | <p>23.5 7.2</p> | ASA-92-8-240 <p>3.05 10.30</p> | <p>5.66 10.20</p> | <u>Conti</u> 1010-21P434 64394 <u>FIRESTONE</u> 9262 9580 W013589580 <u>FLEETRITE</u> 1R13-247 <u>HENDRICKSON</u> 29892 C-20127 C-20414 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊗ (with dot) - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ (with cross) - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ (with circle) - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|--|
| 1R13-119 Flexmember 566-26-3-098 Piston 566-20-7-106 Steel | <p>16.4 5.6</p> | ASA-92-8-235 <p>1.84 4.89 3.05 9.00</p> | <p>5.66 9.50</p> | Conti 64287 910-13-5S433 FIRESTONE W013589270 FLEETRITE 1R13-248 HENDRICKSON C-20010 S-20010 TRP AS92700 |
| 1R13-120 Flexmember 566-26-3-054 Piston 566-20-7-334 Aluminum | <p>18.0 5.7</p> | ASA-92-8-049 <p>5.50 11.30</p> | <p>7.87 11.70</p> | Conti 1110-5-15A422 11105-15A422 64428 FIRESTONE 9218 W013589218 NEWAY 905-57-209 RIDEWELL 1003589218C TRIANGLE 8422 WATSON & CHALIN AS-0073 |
| 1R13-124 Flexmember 566-26-3-050 Piston 566-20-7-127 Steel | <p>18.5 7.3</p> | ASA-92-8-230 <p>1.38 5.50 10.30</p> | <p>5.66 10.20</p> | Conti 1010-15S522 1010-15S711 64397 FIRESTONE 8710 8755 W013588710 W013588755 HENDRICKSON B-22046 C-21623 C-22045 C-22046 TRIANGLE 8522 TRP AS87550 |
| 1R13-130 Flexmember 566-26-3-055 Piston 566-20-7-230 Composite | <p>13.0 4.6</p> | ASA-92-8-245 <p>5.50 10.30</p> | <p>6.50 10.00</p> | Conti 1010-5AV-12P51 1010B-13S513 64420 FIRESTONE 8729 W013588729 MERITOR 202796 SUSPENSIONS INC. 202796 TRIANGLE 8513 |
| 1R13-133 Flexmember 566-26-3-056 Piston 566-20-7-231 Steel | <p>14.6 4.6</p> | ASA-92-8-307 M12x1.75-6G <p>.750-14 NPTF 6.75 10.30</p> | <p>M12 x 1.75-6g 5.00 8.10</p> | DINA 224-B020018 MCI 1510979 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|-----------------------|--|
| 1R13-138 Flexmember 566-26-3-050 Piston 566-20-7-106 Steel | <p>16.9 5.6</p> | ASA-92-8-245 <p>5.50 10.30</p> | <p>5.66 9.50</p> | Conti 1010-15S518 64396 FIRESTONE 8752 W013588752 |
| 1R13-149 Flexmember 566-26-3-068 Piston 566-20-7-127 Steel | <p>25.0 7.3</p> | ASA-92-8-240 <p>3.05 10.30</p> | <p>5.66 10.20</p> | |
| 1R13-151 Flexmember 566-26-3-069 Piston 566-20-7-334 Aluminum | <p>13.9 5.1</p> | ASA-92-8-326 <p>3.12 6.25 11.30</p> | <p>7.87 11.70</p> | |
| 1R13-152 Flexmember 566-26-3-071 Piston 566-20-7-235 Composite | <p>21.4 7.5</p> | ASA-92-8-245 <p>5.50 10.30</p> | <p>9.80</p> | Conti 1010-21P570 64252 FIRESTONE 8748 W013588748 NEWAY 905-57-167 AR-250-14 AR-250-15 |
| 1R13-153 Flexmember 566-26-3-071 Piston 566-20-7-237 Composite | <p>23.5 9.0</p> | ASA-92-8-245 <p>5.50 10.30</p> | <p>9.80</p> | Conti 1010-21P486 64419 FIRESTONE 8749 W013588749 NEWAY 905-57-168 AR-250-12 AR-250-16 AR-250-17 TRIANGLE 8486 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|--|----------------------|---|
| 1R13-155 Flexmember 566-26-3-051 Piston 566-20-7-106 Steel | <p>18.7 5.6</p> | ASA-92-8-243 <p>6.20 10.30 2.13</p> | <p>5.66 9.50</p> | Conti 1010-16S724 64649 WATSON & CHALIN AS-0107G |
| 1R13-159 Flexmember 566-26-3-073 Piston 566-20-7-154 Composite | <p>18.0 6.1</p> | ASA-92-8-230 <p>5.50 10.30 1.38</p> | <p>5.9 8.8</p> | Conti 1010-15P453 1010-5-15P460 10105-15P460 64645 FIRESTONE 8709 8751 W013588709 W013588751 FLEETRITE 1R13-249 HENDRICKSON C-20900 C-21800 TRIANGLE 8460 |
| 1R13-174 Flexmember 566-26-3-078 Piston 566-20-7-152 Composite REPLACED BY 1R13-188 | <p>19.0 8.1</p> | ASA-92-8-401 <p>5.50 10.30</p> | <p>5.9 9.9</p> | DANA / SPICER SR1VA101 |
| 1R13-176 Flexmember 566-26-3-078 Piston 566-20-7-154 Composite | <p>19.0 9.1</p> | ASA-92-8-325 <p>5.50 10.30 1.38</p> | <p>5.9 8.8</p> | Conti 1010-16S533 64636 FIRESTONE 8713 W013588713 HENDRICKSON C-22948 TRIANGLE 8533 |
| 1R13-177 Flexmember 566-26-3-078 Piston 566-20-7-154 Composite | <p>19.0 9.1</p> | ASA-92-8-274 <p>5.50 10.30 1.38</p> | <p>5.9 8.8</p> | Conti 1010-16S526 64638 FIRESTONE 8708 W013588708 FLEETRITE 1R13-250 HENDRICKSON C-21966 TRIANGLE 8526 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊗ - Stud - 3/4-10
- ⊗ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---------------------|---|
| 1R13-179 Flexmember 566-26-3-078 Piston 566-20-7-152 Composite | | ASA-92-8-245 | | |
| 1R13-181 Flexmember 566-26-3-051 Piston 566-20-7-124 Steel | | ASA-92-8-245 | | |
| 1R13-182 Flexmember 566-26-3-051 Piston 566-20-7-124 Steel | | ASA-92-8-243 | | |
| 1R13-188 Flexmember 566-26-3-078 Piston 566-20-7-314 Composite | | ASA-92-8-424 | | DANA / SPICER SR1JA100 SR1VA101-1 SR1VA105 HENDRICKSON S-29892 |
| 1R13-189 Flexmember 566-26-3-078 Piston 566-20-7-152 Composite | | ASA-92-8-230 | | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|--|
| 1R13-207 Flexmember 566-26-3-081 Piston 566-20-7-106 Steel | <p>17.8 5.6</p> | ASA-92-8-243 <p>2.13 6.20 10.30</p> | <p>5.66 9.50</p> | <u>Conti</u> 1010-15S713 64639 <u>FIRESTONE</u> W013588753 <u>WATSON & CHALIN</u> AS0098 |
| 1R13-208 Flexmember 566-26-3-071 Piston 566-20-7-235 Composite | <p>23.5 7.5</p> | ASA-92-8-249 <p>1.84 4.89 3.05 10.30</p> | <p>9.80</p> | <u>Conti</u> 1010-21P774 64728 <u>FIRESTONE</u> W013588746 |
| 1R13-210 Flexmember 566-26-3-081 Piston 566-20-7-106 Steel | <p>17.8 5.6</p> | ASA-92-8-240 <p>3.05 10.30</p> | <p>5.66 9.50</p> | <u>Conti</u> 1010-15S773 64725 <u>FIRESTONE</u> W013588740 |
| 1R13-216 Flexmember 566-26-3-072 Piston 566-20-7-097 Steel | <p>24.9 8.9</p> | ASA-92-8-245 <p>5.50 10.30</p> | <p>7.87 10.20</p> | |
| 1R13-235 Flexmember 566-26-3-095 Piston 566-20-7-274 Steel | <p>30.1 9.6</p> | ASA-92-8-230 <p>1.38 5.50 10.30</p> | <p>8.78 10.30</p> | <u>HENDRICKSON</u> S-25872 |











- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---|---|
| 1R13-237 Flexmember 566-26-3-097 Piston 566-20-7-277 Steel | <p>26.7 8.2</p> | ASA-92-8-230 | | <u>HENDRICKSON</u> S-25871 |
| 1R13-239 Flexmember 566-26-3-098 Piston 566-20-7-106 Steel | <p>16.4 5.6</p> | ASA-92-8-249 | | <u>Conti</u> 64287 910-13-5S433 910-135S433 910-135S881 <u>FIRESTONE</u> 9270 W013589270 <u>HENDRICKSON</u> 1R13-102 C-21208 S-25559 <u>TRIANGLE</u> 8433 <u>WATSON & CHALIN</u> AS-0084 |
| 1R14-018 Flexmember 566-28-3-021 Piston 566-20-7-096 Steel | <p>22.5 7.7</p> | ASA-92-8-028 | | 11105-17A365 <u>Conti</u> 1110-5-21A365 64344 <u>DAYTON</u> 352-9149 <u>FIRESTONE</u> 9149 W013589149 <u>GILLIG</u> 53-13188 <u>INT'L / NAVISTAR</u> 554776C1 <u>LOAD GUARD</u> SC2043 <u>PEERLESS</u> 0550-00010 <u>TAURUS</u> AS621-9149 <u>TRIANGLE</u> 8365 |
| 1R14-019 Flexmember 566-28-3-020 Piston 566-20-7-097 Composite | <p>25.8 8.9</p> | ASA-92-8-028 | | 11105-21A369 <u>Conti</u> 1110-5-21A370 11105-21A370 64354 <u>FIRESTONE</u> 9152 W013589152 <u>HENDRICKSON</u> B-7128 <u>INT'L / NAVISTAR</u> 554777C1 <u>LOAD GUARD</u> SC2044 <u>PEERLESS</u> 0550-00080 0550-00081 <u>TAURUS</u> AS622-9156 <u>TRIANGLE</u> 8370 |
| 1R14-024 Flexmember 566-28-3-021 Piston Not Included | <p>22.5 7.7</p> | ASA-92-8-078 | USE EXISTING SUPER CUSHION PISTON | <u>INT'L / NAVISTAR</u> 1681741C1 <u>LOAD GUARD</u> SC2112 <u>PEERLESS</u> 0550-00060 <u>TAURUS</u> AS621-9181 |














- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers | |
|--|---|---|--|---|--|
| 1R14-025 Flexmember 566-28-3-020 Piston Not Included |  <p style="text-align: center;">1R14-025 Service Assembly of 1R14-019</p> | ASA-92-8-078  | USE EXISTING SUPER CUSHION PISTON | INT'L/ NAVISTAR 1681742C1 LOAD GUARD SC2111 | |
| 1R14-026 Flexmember 566-28-3-021 Piston 566-20-7-096 Steel |  <p style="text-align: center;">1R14-026</p> | ASA-92-8-028  |  | Conti 1110-5-17A364 11105-17A364 64343 DAYTON 352-9148 FIRESTONE 9148 W013589148 INT'L/ NAVISTAR 554778C1 LOAD GUARD SC2042 | PEERLESS 0550-00070 TAURUS AS621-9148 TRIANGLE 8364 |
| 1R14-027 Flexmember 566-28-3-021 Piston Not Included |  <p style="text-align: center;">1R14-027 Service Assembly of 1R14-026</p> | ASA-92-8-028  | USE EXISTING SUPER CUSHION PISTON | INT'L/ NAVISTAR 1681743C1 LOAD GUARD SC2113 TAURUS AS621-9198 | |
| 1R14-028 Flexmember 566-28-3-021 Piston 566-20-7-096 Steel |  <p style="text-align: center;">1R14-028</p> | ASA-92-8-031  |  | Conti 1110-5-17A316 11105-17A316 1110-5-17A366 11105-17A366 64342 64345 DAYTON 352-9177 FIRESTONE 9177 9179 W013589177 W013589179 HDA PMABG-9177B HENDRICKSON B-2065 INT'L/ NAVISTAR 554779C1 | LOAD GUARD SC2046 NEWAY 905-57-003 AR-1115-1-F R & S TRUCK & BODY 1090216 RIDEWELL 1003589177C S-2573-C S-4695-C S-4797-C TAURUS AS621-9177 AS621-9179 TRIANGLE 8316 8366 WATSON & CHALIN AS-0010 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|---|
| 1R14-029 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> Not Included |  <p>1R14-029 Service Assembly of 1R14-028</p> | ASA-92-8-079  | USE EXISTING SUPER CUSHION PISTON | <u>INT'L / NAVISTAR</u> 1681744C1 <u>LOAD GUARD</u> SC2114 <u>NEWAY</u> 900-57-001 <u>RIDEWELL</u> 1013589159C <u>TAURUS</u> AS621-9159 |
| 1R14-030 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> 566-20-7-097 Composite |  <p>1R14-030</p> | ASA-92-8-031  |  | <u>Conti</u> 1110-5-21A318 11105-21A318 4811NP04 64352 <u>DAYTON</u> 352-9158 <u>FIRESTONE</u> 9158 W013589158 <u>HENDRICKSON</u> 36514-1 36514-4 B-12514-004 B-2063 <u>INT'L / NAVISTAR</u> 554780C1 <u>LOAD GUARD</u> SC2045 <u>NEWAY</u> 905-57-005 905-57-069 AR-1215-1-F <u>RIDEWELL</u> 1003589158C S-2574-C <u>TAURUS</u> AS622-9158 <u>TRIANGLE</u> 8318 |
| 1R14-031 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> Not Included |  <p>1R14-031 Service Assembly of 1R14-030</p> | ASC-92-8-079  | USE EXISTING SUPER CUSHION PISTON | <u>INT'L / NAVISTAR</u> 1681745C1 <u>LOAD GUARD</u> SC2115 <u>NEWAY</u> 900-44-197 <u>RIDEWELL</u> 1013589154C <u>TAURUS</u> AS622-9154 |
| 1R14-037 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-334 Aluminum |  <p>1R14-037</p> | ASA-92-8-028  |  | <u>Conti</u> 1110-5-15A414 11105-15A414 64424 <u>DAYTON</u> 352-9215 <u>FIRESTONE</u> 9215 W013589215 <u>HENDRICKSON</u> B-3648 <u>INT'L / NAVISTAR</u> 554781C1 <u>LOAD GUARD</u> SC2047 <u>TRIANGLE</u> 8414 |
| 1R14-038 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-334 Aluminum |  <p>1R14-038</p> | ASA-92-8-031  |  | <u>Conti</u> 1110-5-15A415 11105-15A415 64253 <u>DAYTON</u> 352-9200 <u>FIRESTONE</u> 9200 W013589200 <u>HENDRICKSON</u> B-3839 <u>INT'L / NAVISTAR</u> 1681746C1 <u>LOAD GUARD</u> SC2116 <u>RIDEWELL</u> 1003589200C S-2572-C <u>SUSPENSIONS INC.</u> 200458 <u>TRIANGLE</u> 8415 <u>WATSON & CHALIN</u> AS-0082 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---------------------|---|--|
| 1R14-039 Flexmember 566-28-3-065 Piston 566-20-7-334 Aluminum | | ASA-92-8-100 | | Conti 1110-5C-16A320 11105C-16A320 11105C-16A782 64254 DAYTON 352-8050 FIRESTONE 8050 W013588050 FLEETRITE 1R14-241 HENDRICKSON 36514-13 B-4771 INT'L/ NAVISTAR 1685174C1 LOAD GUARD SC2052 REYCO 23631-01 TRIANGLE 8320 WATSON & CHALIN AS-0039 |
| 1R14-042 Flexmember 566-28-3-015 Piston 566-20-7-334-03 Aluminum | | ASA-92-8-049 | | Conti 1110-5C-16A378 11105C-16A378 64357 FIRESTONE 8052 W013588052 HENDRICKSON 36514-12 B-12514-012 INT'L/ NAVISTAR 1681747C1 LOAD GUARD SC2121 TRIANGLE 8378 WATSON & CHALIN AS-0078 |
| 1R14-045 Flexmember 566-28-3-020 Piston 566-20-7-097 Composite | | ASA-92-8-049 | | Conti 1110-5-21A313 11105-21A313 64273 FIRESTONE 8792 9122 W013588792 W013589122 HENDRICKSON 36514-2 36514-8 B-3467 INT'L/ NAVISTAR 1681748C1 LOAD GUARD SC2098 TRIANGLE 8313 TRP AS91220 |
| 1R14-052 Flexmember 566-28-3-015 Piston 566-20-7-334 Aluminum | | ASA-92-8-122 | | HENDRICKSON B-9001 |
| 1R14-060 Flexmember 566-28-3-020 Piston Not Included | | ASA-92-8-116 | <p style="text-align: center;">USE EXISTING SUPER CUSHION PISTON</p> | INT'L/ NAVISTAR 1681749C1 LOAD GUARD SC2099 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|---|---|---|-----------------------|--|
| 1R14-094 Flexmember 566-28-3-015 Piston 566-20-7-334-03 Aluminum | <p>18.0 5.7</p> <p>1R14-094</p> | ASA-92-8-223 <p>2.75 3.75 6.50 11.30</p> | <p>7.87 11.70</p> | <u>GILLIG</u> 53-20415-0001 |
| 1R14-101 Flexmember 566-28-3-021 Piston 566-20-7-080 Composite | <p>22.0 8.8</p> <p>1R14-101</p> | ASA-92-8-048 <p>3.12 6.25 11.30</p> | <p>7.87 10.10</p> | <u>FLXIBLE</u> 87-0808-00001 97-5382-001 97-6694-1 |
| 1R14-106 Flexmember 566-28-3-021 Piston 566-20-7-188 Steel | <p>19.5 5.5</p> <p>1R14-106</p> | ASA-92-8-279 <p>5.75 2.875 11.30</p> | <p>7.87 9.50</p> | <u>MCI</u> 12-03-1029 |
| 1R14-108 Flexmember 566-28-3-015 Piston 566-20-7-334 Aluminum | <p>18.0 5.7</p> <p>1R14-108</p> | ASA-92-8-031 <p>3.12 6.25 11.30</p> | <p>7.87 11.70</p> | |
| 1R14-112 Flexmember 566-28-3-024 Piston 566-20-7-050 Aluminum 3/4x10 UNC | <p>15.0 4.9</p> <p>1R14-112</p> | ASA-92-8-221 <p>4.76 11.30</p> | <p>10.00</p> | <u>FLXIBLE</u> 6-336-183 <u>GMC</u> 2052623 2054879 2090412 G1017370 G1050310 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|--|---|
| 1R14-113 Flexmember 566-28-3-030 Piston 566-20-7-181 Steel | <p>29.7 9.5</p> | ASC-92-8-049 <p>5.50 11.30</p> | <p>7.87 10.2</p> | Conti 1110-5-22S750 11105-22S750 11105-22S764 64688 FIRESTONE 5505 W013585505 NEWAY 905-57-103 |
| 1R14-115 Flexmember 566-28-3-021 Piston 566-20-7-097 Steel | <p>23.7 8.9</p> | ASA-92-8-028 <p>6.25 11.30</p> | <p>7.87 10.20</p> | Conti 1110-5-17A367 11105-17A367 64346 FIRESTONE 9961 W013589961 RIDEWELL 1003589961C TAURUS AS621-9961 TRIANGLE 8367 |
| 1R14-117 Flexmember 566-28-3-031 Piston 566-20-7-185 Steel | <p>6.55 2.65</p> | 578-92-8-267 <p>M12 x 1.25 PT.5 x 14 2.6 4.27 3.68 2.36 11.30</p> | 578-92-8-267 <p>4.09 M12 x 1.25 11.00</p> | |
| 1R14-124 Flexmember 566-28-3-021 Piston 566-20-7-217 Composite | <p>22.0 8.8</p> | ASA-92-8-048 <p>3.12 6.25 11.30</p> | <p>7.87 10.10</p> | FLXIBLE T14-1035 |
| 1R14-127 Flexmember 566-28-3-031 Piston 566-20-7-181 Steel | <p>30.8 10.1</p> | ASA-92-8-100 <p>1.38 7.75 11.30</p> | <p>7.87 10.10</p> | Conti 1110-5-22S712 11105-22S712 64637 FIRESTONE 9264 W013589264 HENDRICKSON C-13122 RIDEWELL 1000002 TRIANGLE 8539 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|---|
| 1R14-130 Flexmember 566-28-3-021 Piston 566-20-7-096 Composite | <p>22.5 7.2</p> | ASA-92-8-318 <p>5.50 11.30</p> | <p>7.87 10.20</p> | Conti 1110-5-17A507 11105-17A507 64350 FIRESTONE 8778 W013588778 |
| 1R14-137 Flexmember 566-28-3-021 Piston 566-20-7-096 Steel | <p>22.5 7.2</p> | ASA-92-8-049 <p>5.50 11.30</p> | <p>7.87 10.20</p> | Conti 1110-5-19A431 11105-19A431 64391 FIRESTONE 9134 W013589134 NEWAY 905-57-125 TRIANGLE 8431 |
| 1R14-141 Flexmember 566-28-3-021 Piston 566-20-7-189 Steel | <p>19.5 9.7</p> | ASA-92-8-272 <p>6.25 3.12 .500-14 NPTF 11.30</p> | <p>7.87 9.50</p> | MCI 12-01-1002 12-01-1048 |
| 1R14-151 Flexmember 566-28-3-020 Piston 566-20-7-096 Composite | <p>24.2 7.2</p> | ASA-92-8-100 <p>7.75 11.30 1.38</p> | <p>7.87 10.20</p> | Conti 1110-5-19A960 67547 RIDEWELL 1000006 |
| 1R14-154 Flexmember 566-28-3-020 Piston 566-20-7-097 Composite | <p>25.8 8.9</p> | ASA-92-8-361 <p>6.20 11.30</p> | <p>7.87 10.20</p> | WATSON & CHALIN AS-0023-1G |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊗ (with dot) - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ (with cross) - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ (with circle) - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|---|
| 1R14-155 Flexmember 566-26-3-015 Piston 566-20-7-334 Aluminum | <p>18.0 5.7</p> | ASA-92-8-030 <p>3.12 6.25 11.30 .750-14 NPTF</p> | <p>7.87 11.70</p> | Conti 1110-5C-16A729 64660 |
| 1R14-159 Flexmember 566-28-3-021 Piston 566-20-7-096 Steel | <p>22.5 7.7</p> | ASA-92-8-049 <p>5.50 11.30</p> | <p>7.87 10.20</p> | Conti 1110-5-17A405 11105-17A405 64349 FIRESTONE 9164 W013589164 NEWAY 905-57-111 R & S TRUCK & BODY 1090326 TRIANGLE 8405 |
| 1R14-160 Flexmember 566-28-3-021 Piston 566-20-7-097 Composite | <p>23.7 8.4</p> | ASA-92-8-049 <p>5.50 11.30</p> | <p>7.87 10.20</p> | Conti 1110-5-17A377 11105-17A377 64347 FIRESTONE 9144 W013589144 NEWAY 905-57-155 TRIANGLE 8523 |
| 1R14-164 Flexmember 566-28-3-164 Piston 566-20-7-097 Steel | <p>26.7 8.2</p> | ASA-92-8-402 <p>3.75 3.15 4.06 11.3</p> | <p>7.87 10.24</p> | |
| 1R14-167 Flexmember 566-28-3-015 Piston 566-20-7-223 Steel | <p>19.6 9.0</p> | ASA-92-8-393 <p>6.25 11.30 .500-14 NPTF</p> | <p>4.12 10.1</p> | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|-----------------------|--|
| 1R14-170 Flexmember 566-28-3-020 Piston 566-20-7-097 Composite | <p>25.8 8.9</p> | ASA-92-8-174 <p>6.20 11.30</p> | <p>7.87 10.20</p> | <u>Conti</u> 1110-5-22A752 11105-22A752 34690 <u>NEWAY</u> 905-57-102 TRP AS55031 <u>WATSON & CHALIN</u> AS-0047G |
| 1R14-171 Flexmember 566-28-3-065 Piston 566-20-7-152 Composite | <p>18.4 5.9</p> | ASA-92-8-237 <p>5.50 1.38 11.30</p> | <p>5.9 9.9</p> | <u>Conti</u> 1110-5A-16P523 11105A-16P523 64421 <u>FIRESTONE</u> 8091 W013588091 <u>FLEETRITE</u> 1R14-242 <u>HENDRICKSON</u> C-20901 S20901 |
| 1R14-172 Flexmember 566-28-3-042 Piston 566-20-7-152 Composite | <p>22.5 5.9</p> | ASA-92-8-237 <p>5.50 1.38 11.30</p> | <p>5.9 9.9</p> | <u>Conti</u> 1110-5F-17P745 11105F-17P745 65593 <u>FIRESTONE</u> W013588774 <u>HENDRICKSON</u> C-25873 |
| 1R14-174 Flexmember 566-28-3-020 Piston 566-20-7-097 Composite | <p>25.8 8.9</p> | ASA-92-8-049 <p>5.50 11.30</p> | <p>7.87 10.20</p> | <u>Conti</u> 1110-5-22A530 11105-22A530 64422 <u>FIRESTONE</u> 5503 W013585503 <u>NEWAY</u> 905-57-200 <u>TRIANGLE</u> 8530 TRP AS55030 <u>WATSON & CHALIN</u> AS-0047 |
| 1R14-175 Flexmember 566-28-3-042 Piston 566-20-7-334 Aluminum | <p>20.3 5.1</p> | ASA-92-8-174 <p>6.20 11.30</p> | <p>7.87 11.70</p> | <u>RIDEWELL</u> 1000008 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊗ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|----------------------|
| 1R14-176 Flexmember 566-28-3-020 Piston 566-20-7-181 Steel | <p>27.1 10.1</p> | ASA-92-8-100 <p>7.75 1.38 11.30</p> | <p>7.87 10.10</p> | |
| 1R14-177 Flexmember 566-28-3-021 Piston 566-20-7-276 Steel | <p>22.5 7.5</p> | ASA-92-8-049 <p>5.50 11.30</p> | <p>7.87 11.10</p> | NABI-HF 5014470 |
| 1R14-179 Flexmember 566-28-3-024 Piston 566-20-7-334 Aluminum | <p>14.1 5.2</p> | ASA-92-8-049 <p>5.50 11.30</p> | <p>7.87 11.70</p> | |
| 1R14-182 Flexmember 566-28-3-043 Piston 566-20-7-304 Steel | <p>17.0 8.5</p> | ASA-92-8-272 <p>6.25 3.12 .500-14 NPTF 11.30</p> | <p>7.87 9.50</p> | MCI 12-01-1090 |
| 1R14-183 Flexmember 566-28-3-044 Piston 566-20-7-152 Composite | <p>18.0 5.9</p> | ASA-92-8-100 <p>7.75 1.38 11.30</p> | <p>5.9 9.9</p> | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|--|
| 1R14-190 Flexmember 566-28-3-044 Piston 566-20-7-152 Composite | <p>18.0 5.9</p> | ASA-92-8-237 <p>5.50 1.38 11.40</p> | <p>5.9 9.9</p> | Conti 1110-5F-17P745 11105F-17P745 65593 WATSON & CHALIN AS-0144 |
| 1R14-198 Flexmember 566-28-3-015 Piston 566-20-7-334 Aluminum | <p>18.0 4.7</p> | ASA-92-8-100 <p>1.38 7.75 11.30</p> | <p>7.87 11.70</p> | Conti 1110-5C-16A706 64628 |
| 1R14-201 Flexmember 566-28-3-020 Piston 566-20-7-097 Steel | <p>25.8 8.9</p> | ASA-92-8-100 <p>1.38 7.75 11.30</p> | <p>7.87 10.20</p> | Conti 1110-5-21A965 67625 |
| 1R14-205 Flexmember 566-28-3-015 Piston 566-20-7-230 Composite | <p>14.6 4.6</p> | ASA-92-8-434 <p>M12x1.75 .750-14 NPTF 6.75 11.30</p> | <p>10.00</p> | MCI 12-01-1143 |
| 1R14-209 Flexmember 566-28-3-020 Piston 566-20-7-096 Steel | <p>24.2 7.2</p> | ASA-92-8-237 <p>1.38 5.50 11.30</p> | <p>7.87 10.20</p> | |










- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|-----------------------|---------------------------------------|
| 1R14-215 Flexmember 566-28-3-021 Piston 566-20-7-327 Composite | <p>22.5 7.3</p> | ASA-92-8-049 <p>5.50 11.30</p> | <p>7.87 10.20</p> | FIRESTONE W013589141 |
| 1R14-216 Flexmember 566-28-3-015 Piston 566-20-7-334 Aluminum | <p>18.0 4.7</p> | ASA-92-8-434 <p>.750-14 NPTF M12x1.75 6.75 11.30</p> | <p>7.87 11.70</p> | MCI 12-01-1249 |
| 1R14-218 Flexmember 566-28-3-021 Piston 566-20-7-276 Steel | <p>22.5 8.0</p> | ASA-92-8-049 <p>5.50 11.30</p> | <p>7.87 11.10</p> | NABI-HF 5009273 |
| 1R14-222 Flexmember 566-28-3-043 Piston 566-20-7-158 Composite | <p>19.5 8.4</p> | ASA-92-8-279 <p>2.875 5.75 11.30</p> | <p>7.87 8.82</p> | MCI 12-04-1158 |
| 1R14-232 Flexmember 566-28-3-042 Piston 566-20-7-323 Steel | <p>24.5 7.5</p> | ASA-92-8-237 <p>1.38 5.50 11.30</p> | <p>7.87 11.20</p> | WATSON & CHALIN AS-0241 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING ROLLING LOBES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|--|---|---|---|
| 1R14-236 Flexmember 566-28-3-057 Piston 566-20-7-274 Steel |  <p>29.5 9.5</p> | ASA-92-8-237  |  | HENDRICKSON S-24446 WATSON & CHALIN AS-0246 |
| 1R14-240 Flexmember 566-28-3-059 Piston 566-20-7-277 Steel |  <p>26.5 8.2</p> | ASA-92-8-237  |  | HENDRICKSON S-24445 |
| 1R15-001 Flexmember 566-30-3-001 Piston 566-20-7-152 Composite |  <p>19.0 5.8</p> | ASA-92-8-237  |  | |
| | | | | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|---|---|
| 1S3-011 Piston ASB-06-7-014 | | ASB-06-5-012 .750-16 UNF-2A outside .125-27 NPTF inside | .500-13 UNC | <u>FIRESTONE</u> 4001 W023584001 <u>LES AUTOBUS</u> G5006637 <u>LINK CAB & SEAT SPRINGS</u> 1101-0001 <u>NOVABUS</u> N12687 <u>PREVOST</u> 95-0208 |
| 1S3-013 Piston ASC-06-7-017 | | ASC-06-5-014 5/16-18 UNC | .625-11 UNC outside .125 NPTF inside | <u>FIRESTONE</u> 3000 3001 W023583000 W023583001 <u>PREVOST</u> 950208 |
| 1S4-007 Piston ASC-08-7-139 | | ASB-08-5-007 .375-16 UNC | .750-16 UNF-2A outside .125-27 NPTF inside | <u>Conti</u> 67770 SC29-0001 <u>FIRESTONE</u> 7001 7002 7031 W023587001 W023587002 W023587031 <u>FLXIBLE</u> 97-9999-01867 <u>LINK CAB &</u> <u>SEAT SPRINGS</u> 1101-0020 1102-0023 <u>MACK TRUCK</u> 227QS33 |
| 1S4-008 Piston ASC-08-7-005 | | ASB-08-5-006 .750-16 UNF outside .125-27 NPTF inside | .500-13 UNC | <u>FIRESTONE</u> 7010 W023587010 <u>LINK CAB & SEAT SPRINGS</u> 1101-0021 <u>MACK TRUCK</u> 227QS39301 |
| 1S4-016 Piston ASC-08-7-137 | | ASB-08-5-132 .500 O.D. Smooth | .750 smooth outside .125-27 NPTF inside | <u>INT'L / NAVISTAR</u> 1680378C1 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊗ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|---|---|
| 1S4-030 Piston ASC-08-7-093 | | ASB-08-5-006 .750-16 UNF outside .125-27 NPTF inside | .500-13 UNC | FREIGHTLINER 20-12461 |
| 1S4-035 Piston ASC-08-7-163 | | ASB-08-5-132 500 O.D. smooth | .750 smooth outside .125-27 UNC inside | Conti 62844 SZ70-5060P02 FIRESTONE 7003 7050 7055 W023587003 W023587050 W023587055 |
| 1S4-042 Piston ASC-08-7-219 | | AS2-08-5-007 .375-16 UNC | .750 smooth | VOLVO 66003-0007 |
| 1S4-044 Piston ASC-08-7-194 | | ASB-08-5-076 .750 smooth outside .125-27 NPTF inside | .500-13 UNC | Conti 62561 SZ70-5067 LINK CAB & SEAT SPRINGS 1101-0023 |
| 1S4-056 Piston ASC-08-7-194 | | ASB-08-5-129 .750-16 UNC outside .125-27 NPTF inside | .500-13 UNC | FIRESTONE 7040 W023587040 LINK CAB & SEAT SPRINGS 1101-0024 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|--|---|
| 1S4-058 Piston ASC-08-7-139 | | AS2-08-5-007 .375-16 UNC | .750 smooth outside .125-27 UNC inside | Conti 67858 SC29-0086 FIRESTONE 7086 W023587086 |
| 1S4-067 Piston ASC-08-7-137 | | ASB-08-5-024 .750-16 UNF outside .125-27 NPTF inside | .750 smooth outside .125-27 NPTF inside | FIRESTONE 7007 W023587007 MACK TRUCK 227QS34B |
| 1S4-074 Piston ASC-08-7-134 | | AS2-08-5-007 .375-16 UNC | .750 smooth outside .125-27 NPTF inside | VOLVO 66003-3201 |
| 1S4-123 Piston ASC-08-7-157 | | ASB-08-5-170 .125-27 NPTF .375-16 UNC | .375-16 UNC | Conti 67769 SC29-0046 SZ70-5060P02 FIRESTONE W023587046 LINK CAB & SEAT SPRINGS 1102-0022 |
| 1S4-173 Piston ASC-08-7-137 | | ASB-08-5-172 3/4 - 16 UNF 2A | .750 smooth outside .125-27 NPTF inside | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊕ - Air Fitting - 1/4 NPTF
- ⊗ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|---|---|
| 1S4-175 Piston ASC-08-7-157 | | ASB-08-5-076 .750 smooth outside .125-27 NPTF inside | .375-16 UNC | <u>Conti</u> 67858 SC29-0086 <u>LINK CAB & SEAT SPRINGS</u> 1101-0025 |
| 1S4-187 Flexmember 579-08-1-049 | | ASB-08-5-129 .750-16 UNC outside .125-27 NPTF inside | .750-16 UNF-2A outside .125-27 NPTF inside | <u>DANA / SPICER</u> SR1VA103 |
| 1S4.5-073 Piston ASC-08-7-194 | | ASB-08-5-076 .750 smooth outside .125-27 NPTF inside | .500-13 UNC | <u>LINK CAB & SEAT SPRINGS</u> 1101-0030 |
| 1S4.5-107 Piston ASC-08-7-194 | | ASB-08-5-129 .750-16 UNC outside .125-27 NPTF inside | .500-13 UNC | <u>FIRESTONE</u> 7080 W023587080 |
















- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊕ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|---|--|
| 1S4.5-113 Piston 579-08-7-219 | | ASB-08-5-132 .500 O.D. smooth | .750 smooth outside .125-27 UNC inside | FIRESTONE 7056 W023587056 LINK CAB & SEAT SPRINGS 1102-0043 |
| 1S4.5-121 Piston ASC-08-7-157 | | ASB-08-5-201 .375-16 UNC .125-27 NPTF | .375-16 UNC | Conti 67851 SC29-W035 SZ70-7065P02 FIRESTONE 7035 W023587035 SEARS SEAT S-20235 S-9383 |
| 1S4.5-179 Piston ASC-08-7-157 | | ASB-08-5-076 .750 smooth outside .125-27 NPTF inside | .375-16 UNC | LINK CAB & SEAT SPRINGS 1101-0031 |
| 1S5-005 Piston ASC-08-7-005 | | ASB-08-5-006 .750-16 UNF outside .125-27 NPTF inside | .500-13 UNC | LINK CAB & SEAT SPRINGS 1101-0040 |
| 1S5-006 Piston ASC-08-7-005 | | ASB-08-5-006 .750-16 UNF outside .125-27 NPTF inside | .500-13 UNC | FIRESTONE 7017 W023587014 W023587017 W023587042 W023587044 LINK CAB & SEAT SPRINGS 1101-0041 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊗ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|---|---|
| 1S5-010 Piston ASC-08-7-139 |  | AS2-08-5-007 .375-16 UNC  | .750-16 UNF outside .125 NPTF inside  | Conti 67882 SC29-YG01 |
| 1S5-032 Piston ASC-08-7-163 |  | ASB-08-5-132 500 O.D. smooth  | .750 smooth outside .125-27 UNC inside  | LINK CAB & SEAT SPRINGS 1101-0042 1101-A042 |
| 1S5-038 Piston ASC-08-7-194 |  | ASB-08-5-076 .750 smooth outside .125-27 NPTF inside  | 500-13 UNC  | FIRESTONE 7081 W023587081 LINK CAB & SEAT SPRINGS 1101-0043 |
| 1S5-040 Piston ASC-08-7-137 |  | ASB-08-5-132 .500 O.D. Smooth  | .750 smooth outside .125-27 NPTF inside  | Conti 67636 SC29-W087 FIRESTONE 7087 W023587087 FLEETRITR 1S5-040 FREIGHTLINER GYR1S5040 |
| 1S5-045 Piston ASC-08-7-139 |  | ASB-08-5-132 500 O.D. smooth  | .750-16 UNF-2A outside .125-27 NPTF inside  | FREIGHTLINER GYR1S5045 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|--|---|
| 1S5-055 Piston ASC-08-7-194 | | AS2-08-5-063 .750 smooth outside .125-27 NPTF inside | .500-13 UNC | <u>MACK TRUCK</u> 227QS38B |
| 1S5-057 Piston 579-08-7-157 | | ASB-08-5-170 .125-27 NPTF .375-16 UNC | .375-16 UNC | <u>Conti</u> 67852 SC29-Y108 SZ70-8077P02 <u>FIRESTONE</u> 7108 W023587108 <u>MILSCO</u> 07067A |
| 1S5-060 Piston ASC-08-7-219 | | AS2-08-5-007 .375-16 UNC | .750 smooth | <u>VOLVO</u> 66003-0004 |
| 1S5-061 Piston ASC-08-7-194 | | AS2-08-5-079 .125-27 NPTF .500-13 UNC | .500-13 UNC | |
| 1S5-070 Piston ASB-08-7-134 | | AS2-08-5-007 .375-16 UNC | .750 smooth outside .125-27 NPTF inside | <u>VOLVO</u> 8169029 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊗ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|--|
| 1S5-072 Piston ASC-08-7-219 | | AS2-08-5-066 .750 Smooth | .750 smooth outside .125-27 NPTF inside | FLEETRITE 1S5-072 INT'L / NAVISTAR 2012771C1 |
| 1S5-120 Piston ASC-08-7-194 | | ASB-08-5-129 .750-16 UNF outside .125-27 NPTF inside | .500-13 UNC | FIRESTONE 7014 7017 7042 7044 W023587014 W023587017 W023587042 W023587044 |
| 1S5-122 Piston ASC-08-7-213 | | ASB-08-5-145 .75 - 16 UNF | .750 smooth outside .125 NPTF inside | |
| 1S5-133 Piston ASC-08-7-157 | | ASB-08-5-076 .750 smooth outside .125-27 NPTF inside | .375-16 UNC | LINK CAB & SEAT SPRINGS 1101-0045 |
| 1S5-135 Piston ASC-08-7-157 | | ASB-08-5-170 .375-16 UNC .125-27 NPTF | .375-16 UNC | LINK CAB & SEAT SPRINGS 1101-0044 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- ⊙ - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊕ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|---|---|
| 1S5-152 Piston ASC-08-7-219 | | AS2-08-5-112 .375-16 UNC | .750 smooth outside .125-27 UNC inside | FIRESTONE 7110 W023587110 |
| 1S5-154 Piston ASC-08-7-213 | | ASB-08-5-190 M20 x 2.50-6G | .750-16 smooth outside .125-27 NPTF inside | MACK TRUCK 227QS312BM |
| 1S5-157 Piston ASC-08-7-006 | | AS2-08-5-007 .375-16 UNC | .750-16 UNF outside .125 NPTF inside | FIRESTONE 7064 LINK CAB & SEAT SPRINGS 1102-0074 |
| 1S5-164 Piston ASC-08-7-137 | | ASB-08-5-190 M20 x 2.50-6G | .750 smooth outside .125-27 NPTF inside | MACK TRUCK 227QS47M |
| 1S5-173 Piston ASC-08-7-137 | | ASB-08-5-132 .500 O.D. smooth | .750 smooth outside .125-27 NPTF inside | FREIGHTLINER 18-41909-0 |

● - Bolt or Stud 1/2-13 or 1/2-20

⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13

⊗ - Air Fitting - 1/4 NPTF

⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF

⊙ - Stud - 3/4-10

⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|--|
| 1S5-174 Piston ASC-08-7-232 | | ASB-08-5-132 .500 O.D. Smooth | .750 smooth outside .125-27 NPTF inside | |
| 1S5-175 Flexmember 579-10-1-116 Piston ASC-08-7-277 | | ASB-08-5-176 Recommended Mounting Hole .72" Diameter | 1/4" Air Tube Fitting Recommended Mounting Hole 1.34" Diameter | Conti 67451 67638 68161 SC31-B207 SC31-Y205 SC31-Y215 FIRESTONE 7205 7207 7215 W023587205 W023587207 W023587215 |
| 1S5-176 Flexmember 579-10-1-115 Piston ASC-08-7-277 | | ASB-08-5-176 Recommended Mounting Hole .72" Diameter | 1/4" Air Tube Fitting Recommended Mounting Hole 1.34" Diameter | Conti 67452 SC31-W206 FIRESTONE 7202 7206 W023587202 W023587206 FREIGHTLINER 18-29919-000 |
| 1S5-186 Flexmember 579-10-1-083 Piston 579-08-7-301 | | 579-08-5-112 .375-16 UNC | .750-16 UNF-2A outside .125-27 NPTF inside | Conti 68162 SC29-Y036 FIRESTONE 7036 W023587036 PETERBILT 2903200 |
| 1S6-023 Piston ASB-08-7-079 | | ASB-08-5-048 M20 x 2.50-6G outside .125 NPTF inside | M20 x 2.50-6G | |










- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|---|--|---|
| 1S6-026 Piston ASC-08-7-223 | | AS2-08-5-048 M20 x 2.50-6G outside .125-27 NPTF inside | .750 smooth | <u>MACK TRUCK</u> 227QS310BM |
| 1S6-031 Piston ASC-08-7-215 | | ASB-08-5-146 M20 x 2.50-6G | .750 smooth outside .125-27 NPTF inside | <u>FREIGHTLINER</u> GYR1S6031 |
| 1S6-033 Piston ASC-08-7-215 | | ASB-08-5-146 M20 x 2.50-6g | .750 smooth outside .125-27 NPTF inside | |
| 1S6-036 Piston 579-08-7-215 | | ASB-08-5-146 M20 x 2.50-6g | 250 Air Fitting with Quick Disconnect | |
| 1S6-046 Piston ASC-08-7-215 | | ASB-08-5-145 .750-16 UNF | .750 smooth outside .125-27 NPTF inside | <u>LINK CAB & SEAT SPRINGS</u> 1101-0060 |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/4 NPTF
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊙ - Stud - 3/4-10
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

AIR SPRING SLEEVES

| Part No. | Side View With Extended And Compressed Height | Upper Mounting View | Lower Mounting View | Manufacturer Numbers |
|--|---|--|---|----------------------|
| 1S6-055 Piston ASC-08-7-215 |  <p>10.8 4.1</p> | ASB-08-5-146 M20 x 2.50-6G  <p>3.15</p> | .750 smooth outside .125-27 NPTF inside  <p>3.89</p> | |
| 1S6-641 Piston 566-08-7-215 |  <p>10.88 4.10</p> | ASB-08-5-145 .75 - 16 UNF  <p>3.15</p> | .750-16 UNF-2A outside .125-27 NPTF inside  <p>3.89</p> | |
| 1S8-003 Flexmember 579-16-1-002 Piston 579-16-7-103 |  <p>18.5 8.1</p> | 579-16-5-001  <p>3.38 6.51</p> |  <p>8.25</p> | |
| | | | | |

- - Bolt or Stud 1/2-13 or 1/2-20
- ⊗ - Air Fitting - 1/4 NPTF
- - Stud - 3/4-10
- ⊕ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- ⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
- ⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Notes



FLEX MEMBER INDEX

| Flexible Member No. | Piston Number | Air Spring Number | Flexible Member No. | Piston Number | Air Spring Number |
|---------------------|-----------------|-------------------|---------------------|-----------------|-------------------|
| 556-33-8-335 | | 3B14-464 | 566-22-3-049 | 566-20-7-124 | 1R11-232 |
| 556-33-8-335 | | 3B14-459 | 566-22-3-049 | 566-20-7-240 | 1R11-189 |
| 556-33-8-335 | | 3B14-457 | 566-22-3-049 | 566-20-7-124 | 1R11-130 |
| 556-33-8-335 | | 3B14-455 | 566-22-3-051 | 566-20-7-183 | 1R11-115 |
| 556-33-8-335 | | 3B14-450 | 566-22-3-057 | 566-20-7-253 | 1R11-225 |
| 566-16-3-007 | 566-16-7-021 | 1R8-034 | 566-22-3-057 | 566-20-7-150 | 1R11-171 |
| 566-16-3-007 | 566-16-7-000 | 1R8-031 | 566-22-3-057 | 566-20-7-150 | 1R11-161 |
| 566-16-3-007 | 566-16-7-000 | 1R8-009 | 566-22-3-060 | 566-20-7-257 | 1R11-175 |
| 566-16-3-007 | 566-16-7-021 | 1R8-041 | 566-22-3-068 | 566-20-7-257 | 1R11-216 |
| 566-18-3-003 | 566-16-7-009 | 1R9-065 | 566-22-3-073 | 566-20-7-308 | 1R11-224 |
| 566-18-3-004 | 566-16-7-021 | 1R9-070 | 566-22-3-075 | 566-20-7-257 | 1R11-176 |
| 566-18-3-004 | 566-16-7-000 | 1R9-056 | 566-22-3-079 | 566-20-7-079 | 1R11-244 |
| 566-18-3-004 | 566-16-7-000 | 1R9-054 | 566-22-3-084 | 566-20-7-156 | 1R11-249 |
| 566-18-3-004 | 566-16-7-021 | 1R9-053 | 566-22-3-143 | 566-20-7-120 | 1R11-243 |
| 566-18-3-004 | Not Included | 1R9-047 | 566-22-3-143 | 566-20-7-253 | 1R11-241 |
| 566-18-3-004 | 566-16-7-021 | 1R9-003 | 566-22-3-143 | 566-20-7-156 | 1R11-223 |
| 566-18-3-004 | 566-16-7-021 | 1R9-071 | 566-22-3-143 | 566-20-7-239 | 1R11-191 |
| 566-18-3-010 | 566-16-7-017 | 1R9-038 | 566-22-3-143 | 566-20-7-209 | 1R11-179 |
| 566-18-3-010 | 566-16-7-017 | 1R9-025 | 566-22-3-143 | 566-20-7-209 | 1R11-178 |
| 566-20-3-021 | 566-20-7-240 | 1R10-133 | 566-22-3-143 | 566-20-7-240 | 1R11-170 |
| 566-20-3-021 | 566-20-7-240 | 1R10-127 | 566-22-3-143 | 566-20-7-250 | 1R11-169 |
| 566-20-3-021 | 566-20-7-237 | 1R10-122 | 566-22-3-143 | 566-20-7-235 | 1R11-166 |
| 566-20-3-021 | 566-20-7-240 | 1R10-120 | 566-22-3-143 | 566-20-7-239 | 1R11-149 |
| 566-20-3-021 | 566-20-7-240 | 1R10-118 | 566-22-3-143 | 566-20-7-240 | 1R11-147 |
| 566-20-3-021 | 566-20-7-077-03 | 1R10-109 | 566-22-3-143 | 566-20-7-240 | 1R11-143 |
| 566-20-3-021 | 566-20-7-120 | 1R10-108 | 566-22-3-143 | 566-20-7-156 | 1R11-121 |
| 566-20-3-021 | 566-20-7-240 | 1R10-105 | 566-22-3-143 | 566-20-7-079 | 1R11-090 |
| 566-20-3-021 | 566-20-7-240 | 1R10-099 | 566-22-3-143 | 566-20-7-120 | 1R11-088 |
| 566-20-3-021 | 566-20-7-240 | 1R10-091 | 566-22-3-143 | 566-20-7-077-03 | 1R11-045 |
| 566-20-3-021 | 566-20-7-120 | 1R10-090 | 566-22-3-143 | 566-20-7-036 | 1R11-039 |
| 566-20-3-021 | 566-20-7-240 | 1R10-089 | 566-22-3-143 | 566-20-7-209 | 1R11-209 |
| 566-20-3-021 | 566-20-7-240 | 1R10-087 | 566-22-3-143 | Not Included | 1R11-109 |
| 566-20-3-021 | Not Included | 1R10-085 | 566-22-3-143 | 566-20-7-240 | 1R11-094 |
| 566-20-3-021 | 566-20-7-387 | 1R10-171 | 566-23-8-329 | | 2B14-469 |
| 566-20-3-021 | 566-20-7-240 | 1R10-165 | 566-24-3-024 | 566-20-7-240 | 1R12-127 |
| 566-20-3-022 | Not Included | 1R10-030 | 566-24-3-024 | 566-20-7-079 | 1R12-028 |
| 566-20-3-022 | 566-20-7-240 | 1R10-019 | 566-24-3-038 | 566-20-7-053 | 1R12-669 |
| 566-20-3-023 | 566-20-7-240 | 1R10-137 | 566-24-3-038 | 566-20-7-080 | 1R12-645 |
| 566-20-3-027 | 566-20-7-150 | 1R10-101 | 566-24-3-038 | 566-20-7-238 | 1R12-640 |
| 566-20-3-029 | 566-20-7-055 | 1R10-072 | 566-24-3-038 | 566-20-7-036 | 1R12-617 |
| 566-22-3-006 | 566-20-7-079 | 1R11-018 | 566-24-3-038 | 566-20-7-237 | 1R12-586 |
| 566-22-3-021 | 566-20-7-252 | 1R11-242 | 566-24-3-038 | 566-20-7-158 | 1R12-584 |
| 566-22-3-021 | 566-20-7-286 | 1R11-222 | 566-24-3-038 | 566-20-7-159 | 1R12-576 |
| 566-22-3-021 | 566-20-7-287 | 1R11-221 | 566-24-3-038 | 566-20-7-235 | 1R12-567 |
| 566-22-3-021 | 566-20-7-286 | 1R11-220 | 566-24-3-038 | 566-20-7-214 | 1R12-554 |
| 566-22-3-021 | 566-20-7-287 | 1R11-219 | 566-24-3-038 | 566-20-7-213 | 1R12-553 |
| 566-22-3-021 | 566-20-7-253 | 1R11-205 | 566-24-3-038 | 566-20-7-215 | 1R12-552 |
| 566-22-3-021 | 566-20-7-253 | 1R11-204 | 566-24-3-038 | 566-20-7-240 | 1R12-545 |
| 566-22-3-021 | 566-20-7-251 | 1R11-203 | 566-24-3-038 | 566-20-7-209 | 1R12-541 |
| 566-22-3-021 | 566-20-7-252 | 1R11-202 | 566-24-3-038 | 566-20-7-236 | 1R12-535 |
| 566-22-3-021 | 566-20-7-252 | 1R11-201 | 566-24-3-038 | 566-20-7-005 | 1R12-509 |
| 566-22-3-021 | 566-20-7-252 | 1R11-200 | 566-24-3-038 | 566-20-7-235 | 1R12-502 |
| 566-22-3-021 | 566-20-7-014 | 1R11-162 | 566-24-3-038 | 566-20-7-238 | 1R12-499 |
| 566-22-3-021 | 566-20-7-014 | 1R11-159 | 566-24-3-038 | 566-20-7-036 | 1R12-494 |
| 566-22-3-021 | 566-20-7-055 | 1R11-152 | 566-24-3-038 | 566-20-7-215 | 1R12-486 |
| 566-22-3-021 | 566-20-7-055 | 1R11-151 | 566-24-3-038 | 566-20-7-215 | 1R12-485 |
| 566-22-3-021 | 566-20-7-055 | 1R11-150 | 566-24-3-038 | 566-20-7-215 | 1R12-484 |
| 566-22-3-021 | 566-20-7-055 | 1R11-066 | 566-24-3-038 | 566-20-7-246 | 1R12-462 |
| 566-22-3-021 | 566-20-7-014 | 1R11-047 | 566-24-3-038 | 566-20-7-079 | 1R12-454 |
| 566-22-3-021 | 566-20-7-014 | 1R11-028 | 566-24-3-038 | 566-20-7-235 | 1R12-441 |
| 566-22-3-021 | 566-20-7-156 | 1R11-207 | 566-24-3-038 | 566-20-7-158 | 1R12-438 |
| 566-22-3-021 | 566-20-7-287 | 1R11-268 | 566-24-3-038 | 566-20-7-158 | 1R12-436 |
| 566-22-3-028 | 566-20-7-055 | 1R11-075 | 566-24-3-038 | 566-20-7-246 | 1R12-423 |
| 566-22-3-042 | 566-20-7-235 | 1R11-252 | 566-24-3-038 | 566-20-7-246 | 1R12-400 |
| 566-22-3-044 | 566-20-7-079 | 1R11-097 | 566-24-3-038 | 566-20-7-240 | 1R12-396 |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

FLEX MEMBER INDEX (Cont.)

| Flexible Member No. | Piston Number | Air Spring Number | Flexible Member No. | Piston Number | Air Spring Number |
|---------------------|---------------|-------------------|---------------------|-----------------|-------------------|
| 566-24-3-038 | Not Included | 1R12-394 | 566-24-3-067 | 566-20-7-251 | 1R12-508 |
| 566-24-3-038 | 566-20-7-079 | 1R12-369 | 566-24-3-067 | 566-20-7-239 | 1R12-487 |
| 566-24-3-038 | 566-20-7-163 | 1R12-366 | 566-24-3-067 | 566-20-7-014 | 1R12-465 |
| 566-24-3-038 | 566-20-7-079 | 1R12-365 | 566-24-3-067 | 566-20-7-014 | 1R12-435 |
| 566-24-3-038 | 566-20-7-080 | 1R12-358 | 566-24-3-067 | 566-20-7-055 | 1R12-324 |
| 566-24-3-038 | 566-20-7-080 | 1R12-356 | 566-24-3-067 | 566-20-7-164 | 1R12-309 |
| 566-24-3-038 | 566-20-7-080 | 1R12-285 | 566-24-3-067 | 566-20-7-055 | 1R12-204 |
| 566-24-3-038 | 566-20-7-080 | 1R12-220 | 566-24-3-067 | 566-20-7-055 | 1R12-178 |
| 566-24-3-038 | 566-20-7-079 | 1R12-188 | 566-24-3-067 | 566-20-7-055 | 1R12-156 |
| 566-24-3-038 | 566-20-7-079 | 1R12-182 | 566-24-3-067 | Not Included | 1R12-097 |
| 566-24-3-038 | 566-20-7-080 | 1R12-155 | 566-24-3-067 | 566-20-7-014 | 1R12-095 |
| 566-24-3-038 | 566-20-7-080 | 1R12-130 | 566-24-3-072 | 566-20-7-079 | 1R12-212 |
| 566-24-3-038 | Not Included | 1R12-093 | 566-24-3-076 | 566-20-7-158 | 1R12-655 |
| 566-24-3-038 | 566-20-7-079 | 1R12-090 | 566-24-3-076 | 566-20-7-239 | 1R12-648 |
| 566-24-3-038 | 566-20-7-080 | 1R12-066 | 566-24-3-076 | 566-20-7-156 | 1R12-636 |
| 566-24-3-038 | 566-20-7-233 | 1R12-419 | 566-24-3-076 | 566-20-7-239 | 1R12-620 |
| 566-24-3-048 | 566-20-7-240 | 1R12-511 | 566-24-3-076 | 566-20-7-251 | 1R12-616 |
| 566-24-3-048 | 566-20-7-240 | 1R12-304 | 566-24-3-076 | 566-20-7-156 | 1R12-614 |
| 566-24-3-048 | 566-20-7-120 | 1R12-288 | 566-24-3-076 | 566-20-7-156 | 1R12-600 |
| 566-24-3-048 | 566-20-7-240 | 1R12-284 | 566-24-3-076 | 566-20-7-212 | 1R12-543 |
| 566-24-3-048 | 566-20-7-120 | 1R12-217 | 566-24-3-076 | 566-20-7-156 | 1R12-512 |
| 566-24-3-048 | 566-20-7-120 | 1R12-154 | 566-24-3-076 | 566-20-7-235 | 1R12-505 |
| 566-24-3-048 | 566-20-7-006 | 1R12-143 | 566-24-3-076 | 566-20-7-036 | 1R12-492 |
| 566-24-3-061 | 566-20-7-251 | 1R12-539 | 566-24-3-076 | 566-20-7-156 | 1R12-445 |
| 566-24-3-061 | 566-20-7-251 | 1R12-531 | 566-24-3-076 | 566-20-7-156 | 1R12-437 |
| 566-24-3-061 | 566-20-7-251 | 1R12-530 | 566-24-3-076 | 566-20-7-164 | 1R12-434 |
| 566-24-3-061 | 566-20-7-014 | 1R12-383 | 566-24-3-076 | 566-20-7-036 | 1R12-422 |
| 566-24-3-061 | 566-20-7-197 | 1R12-359 | 566-24-3-076 | 566-20-7-158 | 1R12-421 |
| 566-24-3-061 | 566-20-7-197 | 1R12-351 | 566-24-3-076 | 566-20-7-036 | 1R12-370 |
| 566-24-3-061 | 566-20-7-197 | 1R12-350 | 566-24-3-076 | 566-20-7-164 | 1R12-367 |
| 566-24-3-066 | 566-20-7-159 | 1R12-653 | 566-24-3-076 | 566-20-7-036 | 1R12-355 |
| 566-24-3-066 | 566-20-7-159 | 1R12-639 | 566-24-3-076 | 566-20-7-080 | 1R12-352 |
| 566-24-3-066 | 566-20-7-158 | 1R12-613 | 566-24-3-076 | 566-20-7-055 | 1R12-325 |
| 566-24-3-066 | 566-20-7-235 | 1R12-568 | 566-24-3-076 | 566-20-7-055 | 1R12-205 |
| 566-24-3-066 | 566-20-7-006 | 1R12-527 | 566-24-3-076 | 566-20-7-036-03 | 1R12-169 |
| 566-24-3-066 | 566-20-7-237 | 1R12-504 | 566-24-3-076 | 566-20-7-006 | 1R12-139 |
| 566-24-3-066 | 566-20-7-235 | 1R12-480 | 566-24-3-076 | 566-20-7-036 | 1R12-132 |
| 566-24-3-066 | 566-20-7-005 | 1R12-467 | 566-24-3-076 | 566-20-7-036 | 1R12-076 |
| 566-24-3-066 | 566-20-7-159 | 1R12-444 | 566-24-3-076 | 566-20-7-235 | 1R12-676 |
| 566-24-3-066 | 566-20-7-237 | 1R12-439 | 566-24-3-090 | 566-20-7-006 | 1R12-663 |
| 566-24-3-066 | 566-20-7-080 | 1R12-395 | 566-24-3-090 | 566-20-7-159 | 1R12-637 |
| 566-24-3-066 | 566-20-7-006 | 1R12-357 | 566-24-3-090 | 566-20-7-159 | 1R12-609 |
| 566-24-3-066 | 566-20-7-080 | 1R12-281 | 566-24-3-090 | 566-20-7-159 | 1R12-599 |
| 566-24-3-066 | 566-20-7-080 | 1R12-265 | 566-24-3-090 | 566-20-7-236 | 1R12-507 |
| 566-24-3-066 | 566-20-7-006 | 1R12-261 | 566-24-3-090 | 566-20-7-159 | 1R12-363 |
| 566-24-3-066 | 566-20-7-006 | 1R12-195 | 566-24-3-090 | 566-20-7-006 | 1R12-335 |
| 566-24-3-066 | 566-20-7-080 | 1R12-185 | 566-24-3-090 | 566-20-7-159 | 1R12-256 |
| 566-24-3-066 | 566-20-7-080 | 1R12-167 | 566-24-3-097 | 566-20-7-303 | 1R12-647 |
| 566-24-3-066 | 566-20-7-006 | 1R12-145 | 566-24-3-097 | 566-20-7-158 | 1R12-644 |
| 566-24-3-066 | 566-20-7-006 | 1R12-142 | 566-24-3-097 | 566-20-7-236 | 1R12-622 |
| 566-24-3-066 | Not Included | 1R12-113 | 566-24-3-097 | 566-20-7-159 | 1R12-621 |
| 566-24-3-066 | 566-20-7-006 | 1R12-103 | 566-24-3-097 | 566-20-7-158 | 1R12-592 |
| 566-24-3-066 | 566-20-7-236 | 1R12-689 | 566-24-3-097 | 566-20-7-235 | 1R12-532 |
| 566-24-3-066 | 566-20-7-158 | 1R12-607 | 566-24-3-097 | 566-20-7-237 | 1R12-498 |
| 566-24-3-066 | 566-20-7-006 | 1R12-208 | 566-24-3-097 | 566-20-7-235 | 1R12-481 |
| 566-24-3-067 | 566-20-7-238 | 1R12-571 | 566-24-3-097 | 566-20-7-158 | 1R12-450 |
| 566-24-3-067 | 566-20-7-252 | 1R12-563 | 566-24-3-097 | 566-20-7-158 | 1R12-446 |
| 566-24-3-067 | 566-20-7-251 | 1R12-562 | 566-24-3-097 | 566-20-7-246 | 1R12-424 |
| 566-24-3-067 | 566-20-7-253 | 1R12-561 | 566-24-3-097 | 566-20-7-246 | 1R12-404 |
| 566-24-3-067 | 566-20-7-253 | 1R12-560 | 566-24-3-097 | 566-20-7-246 | 1R12-402 |
| 566-24-3-067 | 566-20-7-252 | 1R12-559 | 566-24-3-097 | 566-20-7-079 | 1R12-274 |
| 566-24-3-067 | 566-20-7-252 | 1R12-558 | 566-24-3-097 | 566-20-7-236 | 1R12-1049 |
| 566-24-3-067 | 566-20-7-252 | 1R12-557 | 566-24-3-097 | 566-20-7-158 | 1R12-1048 |
| 566-24-3-067 | 566-20-7-252 | 1R12-556 | 566-24-3-100 | 566-20-7-036 | 1R12-593 |
| 566-24-3-067 | 566-20-7-253 | 1R12-555 | 566-24-3-108 | 566-20-7-322 | 1R12-603 |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

FLEX MEMBER INDEX (Cont.)

| Flexible Member No. | Piston Number | Air Spring Number | Flexible Member No. | Piston Number | Air Spring Number |
|---------------------|-----------------|-------------------|---------------------|---------------|-------------------|
| 566-24-3-108 | 566-20-7-116 | 1R12-303 | 566-28-3-015 | 566-20-7-334 | 1R14-037 |
| 566-24-3-116 | 566-20-7-209 | 1R12-540 | 566-28-3-015 | 566-20-7-334 | 1R14-216 |
| 566-24-3-116 | 566-20-7-158 | 1R12-534 | 566-28-3-015 | 566-20-7-230 | 1R14-205 |
| 566-24-3-117 | 566-20-7-299 | 1R12-580 | 566-28-3-015 | 566-20-7-223 | 1R14-167 |
| 566-24-3-120 | 566-20-7-079 | 1R12-631 | 566-28-3-020 | 566-20-7-096 | 1R14-209 |
| 566-24-3-120 | 566-20-7-223 | 1R12-406 | 566-28-3-020 | 566-20-7-097 | 1R14-201 |
| 566-24-3-120 | 566-20-7-192 | 1R12-377 | 566-28-3-020 | 566-20-7-181 | 1R14-176 |
| 566-24-3-140 | 566-20-7-377 | 1R12-403 | 566-28-3-020 | 566-20-7-097 | 1R14-174 |
| 566-24-3-142 | 566-20-7-413 | 1R12-1047 | 566-28-3-020 | 566-20-7-097 | 1R14-170 |
| 566-24-3-163 | 566-20-7-236 | 1R12-538 | 566-28-3-020 | 566-20-7-097 | 1R14-154 |
| 566-24-3-163 | 566-20-7-221 | 1R12-401 | 566-28-3-020 | Not Included | 1R14-060 |
| 566-24-3-163 | 566-20-7-080 | 1R12-092 | 566-28-3-020 | 566-20-7-097 | 1R14-045 |
| 566-24-3-163 | 566-20-7-235 | 1R12-069 | 566-28-3-020 | Not Included | 1R14-031 |
| 566-24-3-164 | 566-20-7-303 | 1R12-615 | 566-28-3-020 | 566-20-7-097 | 1R14-030 |
| 566-24-3-165 | 566-20-7-236 | 1R12-523 | 566-28-3-020 | Not Included | 1R14-025 |
| 566-24-3-165 | 566-20-7-236 | 1R12-432 | 566-28-3-020 | 566-20-7-097 | 1R14-019 |
| 566-24-3-165 | 566-20-7-163 | 1R12-375 | 566-28-3-020 | 566-20-7-096 | 1R14-151 |
| 566-26-3-015 | 566-20-7-084 | 1R13-070 | 566-28-3-021 | 566-20-7-276 | 1R14-218 |
| 566-26-3-015 | 566-20-7-334 | 1R14-155 | 566-28-3-021 | 566-20-7-327 | 1R14-215 |
| 566-26-3-043 | 566-20-7-080 | 1R13-117 | 566-28-3-021 | 566-20-7-276 | 1R14-177 |
| 566-26-3-044 | 566-20-7-006 | 1R13-116 | 566-28-3-021 | 566-20-7-097 | 1R14-160 |
| 566-26-3-044 | 566-20-7-006 | 1R13-115 | 566-28-3-021 | 566-20-7-096 | 1R14-159 |
| 566-26-3-050 | 566-20-7-106 | 1R13-138 | 566-28-3-021 | 566-20-7-189 | 1R14-141 |
| 566-26-3-050 | 566-20-7-127 | 1R13-124 | 566-28-3-021 | 566-20-7-096 | 1R14-137 |
| 566-26-3-051 | 566-20-7-124 | 1R13-182 | 566-28-3-021 | 566-20-7-096 | 1R14-130 |
| 566-26-3-051 | 566-20-7-124 | 1R13-181 | 566-28-3-021 | 566-20-7-217 | 1R14-124 |
| 566-26-3-051 | 566-20-7-106 | 1R13-155 | 566-28-3-021 | 566-20-7-097 | 1R14-115 |
| 566-26-3-051 | 566-20-7-036-03 | 1R13-075 | 566-28-3-021 | 566-20-7-188 | 1R14-106 |
| 566-26-3-051 | 566-20-7-036 | 1R13-053 | 566-28-3-021 | 566-20-7-080 | 1R14-101 |
| 566-26-3-051 | Not Included | 1R13-049 | 566-28-3-021 | Not Included | 1R14-029 |
| 566-26-3-051 | 566-20-7-096 | 1R13-047 | 566-28-3-021 | 566-20-7-096 | 1R14-028 |
| 566-26-3-051 | 566-20-7-327 | 1R13-039 | 566-28-3-021 | Not Included | 1R14-027 |
| 566-26-3-054 | 566-20-7-334 | 1R13-120 | 566-28-3-021 | 566-20-7-096 | 1R14-026 |
| 566-26-3-055 | 566-20-7-230 | 1R13-130 | 566-28-3-021 | Not Included | 1R14-024 |
| 566-26-3-056 | 566-20-7-231 | 1R13-133 | 566-28-3-021 | 566-20-7-096 | 1R14-018 |
| 566-26-3-068 | 566-20-7-325 | 1R13-118 | 566-28-3-024 | 566-20-7-334 | 1R14-179 |
| 566-26-3-068 | 566-20-7-127 | 1R13-149 | 566-28-3-024 | 566-20-7-050 | 1R14-112 |
| 566-26-3-069 | 566-20-7-334 | 1R13-151 | 566-28-3-030 | 566-20-7-181 | 1R14-113 |
| 566-26-3-071 | 566-20-7-235 | 1R13-208 | 566-28-3-031 | 566-20-7-181 | 1R14-127 |
| 566-26-3-071 | 566-20-7-237 | 1R13-153 | 566-28-3-031 | 566-20-7-185 | 1R14-117 |
| 566-26-3-071 | 566-20-7-235 | 1R13-152 | 566-28-3-042 | 566-20-7-334 | 1R14-175 |
| 566-26-3-072 | Not Included | 1R13-048 | 566-28-3-042 | 566-20-7-152 | 1R14-172 |
| 566-26-3-072 | 566-20-7-097 | 1R13-038 | 566-28-3-042 | 566-20-7-323 | 1R14-232 |
| 566-26-3-072 | 566-20-7-097 | 1R13-216 | 566-28-3-043 | 566-20-7-304 | 1R14-182 |
| 566-26-3-073 | 566-20-7-154 | 1R13-159 | 566-28-3-043 | 566-20-7-158 | 1R14-222 |
| 566-26-3-078 | 566-20-7-152 | 1R13-189 | 566-28-3-044 | 566-20-7-152 | 1R14-190 |
| 566-26-3-078 | 566-20-7-314 | 1R13-188 | 566-28-3-044 | 566-20-7-152 | 1R14-183 |
| 566-26-3-078 | 566-20-7-152 | 1R13-179 | 566-28-3-057 | 566-20-7-274 | 1R14-236 |
| 566-26-3-078 | 566-20-7-154 | 1R13-177 | 566-28-3-059 | 566-20-7-277 | 1R14-240 |
| 566-26-3-078 | 566-20-7-154 | 1R13-176 | 566-28-3-065 | 566-20-7-152 | 1R14-171 |
| 566-26-3-078 | 566-20-7-152 | 1R13-174 | 566-28-3-065 | 566-20-7-334 | 1R14-039 |
| 566-26-3-081 | 566-20-7-106 | 1R13-210 | 566-28-3-164 | 566-20-7-097 | 1R14-164 |
| 566-26-3-081 | 566-20-7-106 | 1R13-207 | 566-30-3-001 | 566-20-7-152 | 1R15-001 |
| 566-26-3-081 | 566-20-7-296 | 1R13-109 | 566-92-3-356 | | 2B14-362 |
| 566-26-3-081 | 566-20-7-296 | 1R13-097 | 578-33-8-335 | | 3B14-453 |
| 566-26-3-095 | 566-20-7-274 | 1R13-235 | 578-33-8-335 | | 3B14-463 |
| 566-26-3-097 | 566-20-7-277 | 1R13-237 | 578-33-8-335 | | 3B14-462 |
| 566-26-3-098 | 566-20-7-106 | 1R13-119 | 578-33-8-335 | | 3B14-456 |
| 566-26-3-098 | 566-20-7-106 | 1R13-239 | 578-91-3-301 | | 1B12-313 |
| 566-28-3-015 | 566-20-7-334 | 1R14-198 | 578-91-3-301 | | 1B12-306 |
| 566-28-3-015 | 566-20-7-334 | 1R14-108 | 578-91-3-301 | | 1B12-305 |
| 566-28-3-015 | 566-20-7-334-03 | 1R14-094 | 578-91-3-301 | | 1B12-301 |
| 566-28-3-015 | 566-20-7-334 | 1R14-052 | 578-91-3-301 | | 1B12-322 |
| 566-28-3-015 | 566-20-7-334-03 | 1R14-042 | 578-91-3-351 | | 1B14-351 |
| 566-28-3-015 | 566-20-7-334 | 1R14-038 | 578-91-3-351 | | 1B14-350 |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

FLEX MEMBER INDEX (Cont.)

| Flexible Member No. | Piston Number | Air Spring Number | Flexible Member No. | Piston Number | Air Spring Number |
|---------------------|---------------|-------------------|---------------------|---------------|-------------------|
| 578-91-3-351 | | 1B14-373 | 578-92-3-353 | | 2B14-367 |
| 578-91-3-352 | | 1B14-358 | 578-92-3-353 | | 2B14-366 |
| 578-92-3-202 | | 2B9-245 | 578-92-3-353 | | 2B14-360 |
| 578-92-3-202 | | 2B9-244 | 578-92-3-353 | | 2B14-359 |
| 578-92-3-202 | | 2B9-240 | 578-92-3-353 | | 2B14-356 |
| 578-92-3-202 | | 2B9-230 | 578-92-3-353 | | 2B14-355 |
| 578-92-3-202 | | 2B9-225 | 578-92-3-353 | | 2B14-354 |
| 578-92-3-202 | | 2B9-216 | 578-923-356 | | 2B14-479 |
| 578-92-3-202 | | 2B9-210 | 578-92-3-356 | | 2B14-476 |
| 578-92-3-202 | | 2B9-206 | 578-92-3-356 | | 2B14-470 |
| 578-92-3-202 | | 2B9-201 | 578-92-3-356 | | 2B14-462 |
| 578-92-3-202 | | 2B9-200 | 578-92-3-356 | | 2B14-383 |
| 578-92-3-206 | | 2B9-270 | 578-92-3-356 | | 2B14-365 |
| 578-92-3-206 | | 2B9-265 | 578-92-3-356 | | 2B14-363 |
| 578-92-3-206 | | 2B9-255 | 578-93-3-100 | | 3B12-338 |
| 578-92-3-206 | | 2B9-254 | 578-93-3-100 | | 3B12-335 |
| 578-92-3-206 | | 2B9-253 | 578-93-3-100 | | 3B12-329 |
| 578-92-3-206 | | 2B9-252 | 578-93-3-100 | | 3B12-328 |
| 578-92-3-206 | | 2B9-251 | 578-93-3-100 | | 3B12-324 |
| 578-92-3-206 | | 2B9-250 | 578-93-3-100 | | 3B12-319 |
| 578-92-3-206 | | 2B9-218 | 578-93-3-100 | | 3B12-315 |
| 578-923-208 | | 2B9-607 | 578-93-3-100 | | 3B12-312 |
| 578-92-3-208 | | 2B9-266 | 578-93-3-100 | | 3B12-310 |
| 578-923-211 | | 2B9-611 | 578-93-3-100 | | 3B12-305 |
| 578-923-211 | | 2B9-606 | 578-93-3-100 | | 3B12-304 |
| 578-923-211 | | 2B9-296 | 578-93-3-100 | | 3B12-303 |
| 578-92-3-211 | | 2B9-288 | 578-93-3-100 | | 3B12-301 |
| 578-92-3-211 | | 2B9-280 | 578-93-3-100 | | 3B12-300 |
| 578-92-3-211 | | 2B9-246 | 578-93-3-100 | | 3B12-342 |
| 578-92-3-211 | | 2B9-239 | 578-93-3-103 | | 3B12-347 |
| 578-92-3-211 | | 2B9-229 | 578-93-3-103 | | 3B12-326 |
| 578-9-23-211 | | 2B9-614 | 578-93-3-103 | | 3B12-325 |
| 578-92-3-250 | | 2B10-226 | 578-93-3-103 | | 3B12-323 |
| 578-92-3-309 | | 2B12-463 | 578-93-3-103 | | 3B12-322 |
| 578-92-3-309 | | 2B12-432 | 578-93-3-104 | | 3B12-337 |
| 578-92-3-309 | | 2B12-429 | 578-93-3-105 | | 3B12-416 |
| 578-92-3-309 | | 2B12-427 | 578-93-3-105 | | 3B12-415 |
| 578-92-3-309 | | 2B12-426 | 578-93-3-335 | | 3B14-452 |
| 578-92-3-309 | | 2B12-425 | 578-93-3-335 | | 3B14-451 |
| 578-92-3-309 | | 2B12-424 | 578-93-3-350 | | 3B14-367 |
| 578-92-3-309 | | 2B12-412 | 578-93-3-350 | | 3B14-365 |
| 578-92-3-309 | | 2B12-411 | 578-93-3-350 | | 3B14-364 |
| 578-92-3-309 | | 2B12-410 | 578-93-3-350 | | 3B14-361 |
| 578-92-3-309 | | 2B12-406 | 578-93-3-350 | | 3B14-360 |
| 578-92-3-309 | | 2B12-340 | 578-93-3-350 | | 3B14-359 |
| 578-92-3-309 | | 2B12-320 | 578-93-3-350 | | 3B14-356 |
| 578-92-3-309 | | 2B12-319 | 578-93-3-350 | | 3B14-354 |
| 578-92-3-309 | | 2B12-318 | 578-93-3-350 | | 3B14-351 |
| 578-92-3-309 | | 2B12-313 | 579-91-3-501 | | 1B5-510 |
| 578-92-3-309 | | 2B12-309 | 579-91-3-532 | | 1B8-564 |
| 578-92-3-309 | | 2B12-307 | 579-923-510 | | 1B6-530 |
| 578-92-3-309 | | 2B12-304 | 579-92-3-515 | | 2B6-535 |
| 578-92-3-309 | | 2B12-300 | 579-923-525 | | 2B7-542 |
| 578-92-3-310 | | 2B12-446 | 579-92-3-525 | | 2B7-541 |
| 578-92-3-310 | | 2B12-434 | 579-92-3-525 | | 2B7-540 |
| 578-92-3-310 | | 2B12-428 | 579-92-3-526 | | 2B7-548 |
| 578-92-3-310 | | 2B12-402 | 579-92-3-530 | | 2B8-550 |
| 578-92-3-310 | | 2B12-324 | | | |
| 578-92-3-310 | | 2B12-317 | | | |
| 578-92-3-310 | | 2B12-305 | | | |
| 578-92-3-315 | | 2B12-440 | | | |
| 578-92-3-315 | | 2B12-416 | | | |
| 578-92-3-315 | | 2B12-346 | | | |
| 578-92-3-315 | | 2B12-345 | | | |
| 578-92-3-353 | | 2B14-473 | | | |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

Firestone By Flex Member

| Firestone Flex Member No. | Firestone No. | Air Spring Number | Firestone Flex Member No. | Firestone No. | Air Spring Number |
|---------------------------|---------------|-------------------|---------------------------|---------------|-------------------|
| 19 | 7009 | 1B12-301 | 1T15L-2 | 8900 | 1R11-204 |
| 20 | 6910 | 2B9-200 | 1T15L-2 | 9476 | 1R11-205 |
| 20 | 6935 | 2B9-201 | 1T15L-4 | 8919 | 1R11-191 |
| 20 | 6905 | 2B9-206 | 1T15LA-0 | 9618 | 1R11-220 |
| 20 | 6908 | 2B9-210 | 1T15LA-0 | 9625 | 1R11-222 |
| 20 | 6897 | 2B9-229 | 1T15LA-1 | 9617 | 1R11-219 |
| 20 | 6940 | 2B9-230 | 1T15LA-1 | 9622 | 1R11-221 |
| 20 | 6902 | 2B9-239 | 1T15LC-2.5 | 9379 | 1R12-178 |
| 20 | 6932 | 2B9-246 | 1T15LC-2.5 | 9566 | 1R12-204 |
| 20 | 6941 | 2B9-265 | 1T15LC-2.5 | 9565 | 1R12-324 |
| 21 | 7145 | 2B14-354 | 1T15LC-4.5 | 9568 | 1R12-205 |
| 21 | 7146 | 2B14-355 | 1T15LC-4.5 | 9567 | 1R12-325 |
| 21 | 7136 | 2B14-356 | 1T15LP-5 | 9293 | 1R10-120 |
| 21 | 7140 | 2B14-359 | 1T15LP-5 | 9291 | 1R10-122 |
| 21 | 7135 | 2B14-360 | 1T15LP-5 | 9295 | 1R11-166 |
| 21 | 7123 | 2B14-367 | 1T15M-0 | 9039 | 1R12-095 |
| 22 | 7424 | 2B12-300 | 1T15M-0 | 9031 | 1R12-350 |
| 22 | 7408 | 2B12-307 | 1T15M-0 | 9033 | 1R12-351 |
| 22 | 7400 | 2B12-309 | 1T15M-0 | 9077 | 1R12-359 |
| 22 | 7405 | 2B12-313 | 1T15M-0 | 8961 | 1R12-555 |
| 22 | 7185 | 2B12-318 | 1T15M-0 | 8964 | 1R12-556 |
| 22 | 7409 | 2B12-319 | 1T15M-0 | 8976 | 1R12-557 |
| 22 | 7401 | 2B12-320 | 1T15M-0 | 8986 | 1R12-558 |
| 22 | 7410 | 2B12-406 | 1T15M-0 | 9029 | 1R12-559 |
| 22 | 7404 | 2B12-410 | 1T15M-0 | 9308 | 1R12-560 |
| 22 | 7181 | 2B12-411 | 1T15M-0 | 9332 | 1R12-561 |
| 22 | 7183 | 2B12-412 | 1T15M-2 | 9302 | 1R12-132 |
| 22 | 7180 | 2B12-425 | 1T15M-2 | 9053 | 1R12-309 |
| 22 | 7406 | 2B12-426 | 1T15M-2 | 9127 | 1R12-355 |
| 22 | 7429 | 2B12-427 | 1T15M-2 | 9366 | 1R12-487 |
| 22 | 7423 | 2B12-432 | 1T15M-2 | 9325 | 1R12-505 |
| 26 | 7325 | 2B8-550 | 1T15M-2 | 8204 | 1R12-508 |
| 38 | 8008 | 3B12-300 | 1T15M-2 | 9078 | 1R12-512 |
| 38 | 8010 | 3B12-301 | 1T15M-2 | 8197 | 1R12-562 |
| 38 | 8018 | 3B12-303 | 1T15M-2 | 8934 | 1R12-563 |
| 38 | 8006 | 3B12-304 | 1T15M-2 | 9365 | 1R12-571 |
| 38 | 8027 | 3B12-310 | 1T15M-4 | 9069 | 1R12-069 |
| 38 | 8033 | 3B12-312 | 1T15M-4 | 9010 | 1R12-352 |
| 38 | 8032 | 3B12-319 | 1T15M-4 | 9070 | 1R12-370 |
| 38 | 7994 | 3B12-328 | 1T15M-4 | 8802 | 1R12-434 |
| 38 | 7995 | 3B12-329 | 1T15M-4 | 9797 | 1R12-437 |
| 38 | 7996 | 3B12-335 | 1T15M-4 | 8805 | 1R12-438 |
| 113 | 7103 | 1B14-350 | 1T15M-4 | 8806 | 1R12-445 |
| 113 | 7105 | 1B14-351 | 1T15M-6 | 9083 | 1R12-066 |
| 257 | 7795 | 2B10-226 | 1T15M-6 | 9213 | 1R12-090 |
| 313 | 7808 | 3B14-354 | 1T15M-6 | 9082 | 1R12-092 |
| 313 | 7838 | 3B14-356 | 1T15M-6 | 9227 | 1R12-130 |
| 313 | 7839 | 3B14-359 | 1T15M-6 | 9392 | 1R12-143 |
| 313 | 7848 | 3B14-360 | 1T15M-6 | 9096 | 1R12-155 |
| 313 | 7847 | 3B14-367 | 1T15M-6 | 9219 | 1R12-182 |
| 333 | 7846 | 3B14-451 | 1T15M-6 | 9223 | 1R12-188 |
| 333 | 7850 | 3B14-452 | 1T15M-6 | 9193 | 1R12-220 |
| 113B-1 | 7112 | 1B14-358 | 1T15M-6 | 9194 | 1R12-356 |
| 1T14C-1 | | 1R9-065 | 1T15M-6 | 9096 | 1R12-358 |
| 1T14F-4 | 5406 | 1R9-038 | 1T15M-6 | 9296 | 1R12-400 |
| 1T14F-4 | | 1R9-070 | 1T15M-6 | 8924 | 1R12-436 |
| 1T15L-1.5 | 9422 | 1R11-028 | 1T15M-6 | 9362 | 1R12-441 |
| 1T15L-2 | 9447 | 1R11-066 | 1T15M-6 | 9026 | 1R12-567 |
| 1T15L-2 | 9448 | 1R11-150 | 1T15M-7.5 | 9921 | 1R12-502 |
| 1T15L-2 | 9457 | 1R11-151 | 1T15M-7.5 | 9935 | 1R12-532 |
| 1T15L-2 | 9459 | 1R11-152 | 1T15M-8 | 9923 | 1R12-481 |
| 1T15L-2 | 9376 | 1R11-200 | 1T15M-9 | 9101 | 1R12-103 |
| 1T15L-2 | 9377 | 1R11-201 | 1T15M-9 | 9241 | 1R12-142 |
| 1T15L-2 | 9378 | 1R11-202 | 1T15M-9 | 9238 | 1R12-145 |
| 1T15L-2 | 9387 | 1R11-203 | 1T15M-9 | 9192 | 1R12-167 |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

Firestone By Flex Member (Cont.)

| Firestone Flex Member No. | Firestone No. | Air Spring Number | Firestone Flex Member No. | Firestone No. | Air Spring Number |
|---------------------------|---------------|-------------------|---------------------------|---------------|-------------------|
| 1T15M-9 | 9349 | 1R12-195 | 1T19L-11 | 9158 | 1R14-030 |
| 1T15M-9 | 9130 | 1R12-281 | 1T19L-11 | 9122 | 1R14-045 |
| 1T15M-9 | 9348 | 1R12-357 | 20-2 | 6927 | 2B9-218 |
| 1T15M-9 | 9203 | 1R12-395 | 20-2 | 6943 | 2B9-250 |
| 1T15M-9 | 9346 | 1R12-439 | 20-2 | 6948 | 2B9-251 |
| 1T15M-9 | 9245 | 1R12-446 | 20-2 | 6944 | 2B9-252 |
| 1T15M-9 | 9243 | 1R12-480 | 20-2 | 6945 | 2B9-253 |
| 1T15M-9 | 8852 | 1R12-568 | 20-2 | 6946 | 2B9-254 |
| 1T15M-11 | 9321 | 1R12-256 | 20-2 | 6947 | 2B9-255 |
| 1T15M-11 | 9320 | 1R12-363 | 21-2 | 6801 | 2B14-365 |
| 1T15M-11 | 9370 | 1R12-580 | 21-2 | 6803 | 2B14-366 |
| 1T15MLW-7 | 8944 | 1R12-366 | 22-1.5 | 7443 | 2B12-305 |
| 1T15MT-3 | 9640 | 1R12-367 | 22-1.5 | 7447 | 2B12-324 |
| 1T15MT-6 | 9466 | 1R12-365 | 22-1.5 | 7444 | 2B12-416 |
| 1T15MT-8 | 9287 | 1R12-274 | 22-1.5 | 7473 | 2B12-428 |
| 1T15MT-8 | 9371 | 1R12-401 | 22-1.5 | 7472 | 2B12-434 |
| 1T15MT-8 | 9297 | 1R12-402 | 22-1.5 | 7444 | 2B12-446 |
| 1T15MT-8 | 9373 | 1R12-403 | 228-1.5 | 7545 | 2B12-345 |
| 1T15MT-8 | 9375 | 1R12-404 | 228-1.5 | 7550 | 2B12-346 |
| 1T15MT-8 | 9648 | 1R12-538 | 228-1.5 | 7446 | 2B12-402 |
| 1T15MW-10 | 9265 | 1R12-375 | 228-1.5 | 7555 | 2B12-440 |
| 1T15S-6 | 9043 | 1R10-089 | 233-2 | 7557 | 2B14-383 |
| 1T15S-6 | 9073 | 1R11-018 | | | |
| 1T15TM-1 | 5766 | 1R11-161 | | | |
| 1T15TM-1 | 9421 | 1R11-171 | | | |
| 1T15V-8 | 9473 | 1R12-484 | | | |
| 1T15V-8 | 9471 | 1R12-485 | | | |
| 1T15V-8 | 9473 | 1R12-486 | | | |
| 1T15V-8 | 9471 | 1R12-504 | | | |
| 1T15V-8 | 9471 | 1R12-552 | | | |
| 1T15V-8 | 9472 | 1R12-553 | | | |
| 1T15V-8 | 9470 | 1R12-554 | | | |
| 1T15V-8 | 9275 | 1R13-117 | | | |
| 1T15V-11 | 9250 | 1R13-115 | | | |
| 1T15V-11 | 9252 | 1R13-116 | | | |
| 1T15VLY-10.5 | 9580 | 1R13-118 | | | |
| 1T15VM-4.0 | 9270 | 1R13-119 | | | |
| 1T15ZR-6 | 9780 | 1R12-303 | | | |
| 1T17B-11 | 8748 | 1R13-152 | | | |
| 1T17B-11 | 8749 | 1R13-153 | | | |
| 1T17BB-2 | 8729 | 1R13-130 | | | |
| 1T17CA-5 | 8709 | 1R13-159 | | | |
| 1T17CA-6.5 | 8713 | 1R13-176 | | | |
| 1T17CA-6.5 | 8708 | 1R13-177 | | | |
| 1T17CL-5 | 8710 | 1R13-124 | | | |
| 1T19F-5 | 9204 | 1R12-265 | | | |
| 1T19F-5 | 9218 | 1R13-120 | | | |
| 1T19F-5 | 9215 | 1R14-037 | | | |
| 1T19F-5 | 9200 | 1R14-038 | | | |
| 1T19F-7 | 9148 | 1R14-026 | | | |
| 1T19F-7 | 9961 | 1R14-115 | | | |
| 1T19F-7 | 9164 | 1R14-159 | | | |
| 1T19F-7 | 9144 | 1R14-160 | | | |
| 1T19F-9 | 9134 | 1R14-137 | | | |
| 1T19F-11 | 9156 | 1R14-019 | | | |
| 1T19F-12 | 5505 | 1R14-113 | | | |
| 1T19F-12 | 5503 | 1R14-174 | | | |
| 1T19F-14 | 9264 | 1R14-127 | | | |
| 1T19FC-6 | 8091 | 1R14-171 | | | |
| 1T19J-6 | 8052 | 1R14-042 | | | |
| 1T19J-7 | 8050 | 1R14-039 | | | |
| 1T19L-7 | 9121 | 1R13-039 | | | |
| 1T19L-7 | 9149 | 1R14-018 | | | |
| 1T19L-7 | 9177 | 1R14-028 | | | |
| 1T19L-11 | 9122 | 1R13-038 | | | |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

PISTON INDEX

| Piston Number | Flexible Member No. | Air Spring Number | Piston Number | Flexible Member No. | Air Spring Number |
|---------------|---------------------|-------------------|---------------|---------------------|-------------------|
| 566-08-7-157 | 579-08-1-002 | 1S4-205 | 566-20-7-055 | 566-20-3-029 | 1R10-072 |
| 566-08-7-215 | | 1S6-641 | 566-20-7-077- | 566-22-3-143 | 1R11-045 |
| 566-16-7-000 | 566-18-3-004 | 1R9-056 | 566-20-7-077- | 566-20-3-021 | 1R10-109 |
| 566-16-7-000 | 566-18-3-004 | 1R9-054 | 566-20-7-079 | 566-24-3-120 | 1R12-631 |
| 566-16-7-000 | 566-16-3-007 | 1R8-031 | 566-20-7-079 | 566-24-3-038 | 1R12-454 |
| 566-16-7-000 | 566-16-3-007 | 1R8-009 | 566-20-7-079 | 566-24-3-038 | 1R12-369 |
| 566-16-7-009 | 566-18-3-003 | 1R9-065 | 566-20-7-079 | 566-24-3-038 | 1R12-365 |
| 566-16-7-017 | 566-18-3-010 | 1R9-038 | 566-20-7-079 | 566-24-3-097 | 1R12-274 |
| 566-16-7-017 | 566-18-3-010 | 1R9-025 | 566-20-7-079 | 566-24-3-072 | 1R12-212 |
| 566-16-7-021 | 566-18-3-004 | 1R9-070 | 566-20-7-079 | 566-24-3-038 | 1R12-188 |
| 566-16-7-021 | 566-18-3-004 | 1R9-053 | 566-20-7-079 | 566-24-3-038 | 1R12-182 |
| 566-16-7-021 | 566-18-3-004 | 1R9-003 | 566-20-7-079 | 566-24-3-038 | 1R12-090 |
| 566-16-7-021 | 566-16-3-007 | 1R8-034 | 566-20-7-079 | 566-24-3-024 | 1R12-028 |
| 566-16-7-021 | 566-18-3-004 | 1R9-071 | 566-20-7-079 | 566-22-3-079 | 1R11-244 |
| 566-16-7-021 | 566-16-3-007 | 1R8-041 | 566-20-7-079 | 566-22-3-044 | 1R11-097 |
| 566-20-7-005 | 566-24-3-038 | 1R12-509 | 566-20-7-079 | 566-22-3-143 | 1R11-090 |
| 566-20-7-005 | 566-24-3-066 | 1R12-467 | 566-20-7-079 | 566-22-3-006 | 1R11-018 |
| 566-207-006 | 566-24-3-066 | 1R12-208 | 566-20-7-080 | 566-28-3-021 | 1R14-101 |
| 566-20-7-006 | 566-26-3-044 | 1R13-116 | 566-20-7-080 | 566-26-3-043 | 1R13-117 |
| 566-20-7-006 | 566-26-3-044 | 1R13-115 | 566-20-7-080 | 566-24-3-038 | 1R12-645 |
| 566-20-7-006 | 566-24-3-090 | 1R12-663 | 566-20-7-080 | 566-24-3-066 | 1R12-395 |
| 566-20-7-006 | 566-24-3-066 | 1R12-527 | 566-20-7-080 | 566-24-3-038 | 1R12-358 |
| 566-20-7-006 | 566-24-3-066 | 1R12-357 | 566-20-7-080 | 566-24-3-038 | 1R12-356 |
| 566-20-7-006 | 566-24-3-090 | 1R12-335 | 566-20-7-080 | 566-24-3-076 | 1R12-352 |
| 566-20-7-006 | 566-24-3-066 | 1R12-261 | 566-20-7-080 | 566-24-3-038 | 1R12-285 |
| 566-20-7-006 | 566-24-3-066 | 1R12-195 | 566-20-7-080 | 566-24-3-066 | 1R12-281 |
| 566-20-7-006 | 566-24-3-066 | 1R12-145 | 566-20-7-080 | 566-24-3-066 | 1R12-265 |
| 566-20-7-006 | 566-24-3-048 | 1R12-143 | 566-20-7-080 | 566-24-3-038 | 1R12-220 |
| 566-20-7-006 | 566-24-3-066 | 1R12-142 | 566-20-7-080 | 566-24-3-066 | 1R12-185 |
| 566-20-7-006 | 566-24-3-076 | 1R12-139 | 566-20-7-080 | 566-24-3-066 | 1R12-167 |
| 566-20-7-006 | 566-24-3-066 | 1R12-103 | 566-20-7-080 | 566-24-3-038 | 1R12-155 |
| 566-20-7-014 | 566-24-3-067 | 1R12-465 | 566-20-7-080 | 566-24-3-038 | 1R12-130 |
| 566-20-7-014 | 566-24-3-067 | 1R12-435 | 566-20-7-080 | 566-24-3-163 | 1R12-092 |
| 566-20-7-014 | 566-24-3-061 | 1R12-383 | 566-20-7-080 | 566-24-3-038 | 1R12-066 |
| 566-20-7-014 | 566-24-3-067 | 1R12-095 | 566-20-7-084 | 566-26-3-015 | 1R13-070 |
| 566-20-7-014 | 566-22-3-021 | 1R11-162 | 566-20-7-096 | 566-28-3-020 | 1R14-209 |
| 566-20-7-014 | 566-22-3-021 | 1R11-159 | 566-20-7-096 | 566-28-3-021 | 1R14-159 |
| 566-20-7-014 | 566-22-3-021 | 1R11-047 | 566-20-7-096 | 566-28-3-021 | 1R14-137 |
| 566-20-7-014 | 566-22-3-021 | 1R11-028 | 566-20-7-096 | 566-28-3-021 | 1R14-130 |
| 566-20-7-036 | 566-26-3-051 | 1R13-053 | 566-20-7-096 | 566-28-3-021 | 1R14-028 |
| 566-20-7-036 | 566-24-3-038 | 1R12-617 | 566-20-7-096 | 566-28-3-021 | 1R14-026 |
| 566-20-7-036 | 566-24-3-038 | 1R12-494 | 566-20-7-096 | 566-28-3-021 | 1R14-018 |
| 566-20-7-036 | 566-24-3-076 | 1R12-492 | 566-20-7-096 | 566-26-3-051 | 1R13-047 |
| 566-20-7-036 | 566-24-3-076 | 1R12-422 | 566-20-7-097 | 566-28-3-020 | 1R14-201 |
| 566-20-7-036 | 566-24-3-076 | 1R12-370 | 566-20-7-097 | 566-28-3-020 | 1R14-174 |
| 566-20-7-036 | 566-24-3-076 | 1R12-355 | 566-20-7-097 | 566-28-3-020 | 1R14-170 |
| 566-20-7-036 | 566-24-3-076 | 1R12-132 | 566-20-7-097 | 566-28-3-021 | 1R14-160 |
| 566-20-7-036 | 566-24-3-076 | 1R12-076 | 566-20-7-097 | 566-28-3-020 | 1R14-154 |
| 566-20-7-036 | 566-22-3-143 | 1R11-039 | 566-20-7-097 | 566-28-3-021 | 1R14-115 |
| 566-20-7-036 | 566-24-3-100 | 1R12-593 | 566-20-7-097 | 566-28-3-020 | 1R14-045 |
| 566-20-7-036- | 566-26-3-051 | 1R13-075 | 566-20-7-097 | 566-28-3-020 | 1R14-030 |
| 566-20-7-036- | 566-24-3-076 | 1R12-169 | 566-20-7-097 | 566-28-3-020 | 1R14-019 |
| 566-20-7-050 | 566-28-3-024 | 1R14-112 | 566-20-7-097 | 566-26-3-072 | 1R13-038 |
| 566-20-7-053 | 566-24-3-038 | 1R12-669 | 566-20-7-097 | 566-26-3-072 | 1R13-216 |
| 566-20-7-055 | 566-24-3-076 | 1R12-325 | 566-20-7-097 | 566-28-3-164 | 1R14-164 |
| 566-20-7-055 | 566-24-3-067 | 1R12-324 | 566-20-7-106 | 566-26-3-081 | 1R13-210 |
| 566-20-7-055 | 566-24-3-076 | 1R12-205 | 566-20-7-106 | 566-26-3-081 | 1R13-207 |
| 566-20-7-055 | 566-24-3-067 | 1R12-204 | 566-20-7-106 | 566-26-3-051 | 1R13-155 |
| 566-20-7-055 | 566-24-3-067 | 1R12-178 | 566-20-7-106 | 566-26-3-050 | 1R13-138 |
| 566-20-7-055 | 566-24-3-067 | 1R12-156 | 566-20-7-106 | 566-26-3-098 | 1R13-119 |
| 566-20-7-055 | 566-22-3-021 | 1R11-152 | 566-20-7-106 | 566-26-3-098 | 1R13-239 |
| 566-20-7-055 | 566-22-3-021 | 1R11-151 | 566-20-7-116 | 566-24-3-108 | 1R12-303 |
| 566-20-7-055 | 566-22-3-021 | 1R11-150 | 566-20-7-120 | 566-24-3-048 | 1R12-288 |
| 566-20-7-055 | 566-22-3-028 | 1R11-075 | 566-20-7-120 | 566-24-3-048 | 1R12-217 |
| 566-20-7-055 | 566-22-3-021 | 1R11-066 | 566-20-7-120 | 566-24-3-048 | 1R12-154 |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

PISTON INDEX (Cont.)

| Piston Number | Flexible Member No. | Air Spring Number | Piston Number | Flexible Member No. | Air Spring Number |
|---------------|---------------------|-------------------|---------------|---------------------|-------------------|
| 566-20-7-120 | 566-22-3-143 | 1R11-243 | 566-20-7-181 | 566-28-3-030 | 1R14-113 |
| 566-20-7-120 | 566-22-3-143 | 1R11-088 | 566-20-7-183 | 566-22-3-051 | 1R11-115 |
| 566-20-7-120 | 566-20-3-021 | 1R10-108 | 566-20-7-185 | 566-28-3-031 | 1R14-117 |
| 566-20-7-120 | 566-20-3-021 | 1R10-090 | 566-20-7-188 | 566-28-3-021 | 1R14-106 |
| 566-20-7-124 | 566-26-3-051 | 1R13-182 | 566-20-7-189 | 566-28-3-021 | 1R14-141 |
| 566-20-7-124 | 566-26-3-051 | 1R13-181 | 566-20-7-192 | 566-24-3-120 | 1R12-377 |
| 566-20-7-124 | 566-22-3-049 | 1R11-232 | 566-20-7-197 | 566-24-3-061 | 1R12-359 |
| 566-20-7-124 | 566-22-3-049 | 1R11-130 | 566-20-7-197 | 566-24-3-061 | 1R12-351 |
| 566-20-7-127 | 566-26-3-050 | 1R13-124 | 566-20-7-197 | 566-24-3-061 | 1R12-350 |
| 566-20-7-127 | 566-26-3-068 | 1R13-149 | 566-20-7-209 | 566-24-3-038 | 1R12-541 |
| 566-20-7-150 | 566-22-3-057 | 1R11-171 | 566-20-7-209 | 566-24-3-116 | 1R12-540 |
| 566-20-7-150 | 566-22-3-057 | 1R11-161 | 566-20-7-209 | 566-22-3-143 | 1R11-179 |
| 566-20-7-150 | 566-20-3-027 | 1R10-101 | 566-20-7-209 | 566-22-3-143 | 1R11-178 |
| 566-20-7-152 | 566-30-3-001 | 1R15-001 | 566-20-7-209 | 566-22-3-143 | 1R11-209 |
| 566-20-7-152 | 566-28-3-044 | 1R14-190 | 566-20-7-212 | 566-24-3-076 | 1R12-543 |
| 566-20-7-152 | 566-28-3-044 | 1R14-183 | 566-20-7-213 | 566-24-3-038 | 1R12-553 |
| 566-20-7-152 | 566-28-3-042 | 1R14-172 | 566-20-7-214 | 566-24-3-038 | 1R12-554 |
| 566-20-7-152 | 566-28-3-065 | 1R14-171 | 566-20-7-215 | 566-24-3-038 | 1R12-552 |
| 566-20-7-152 | 566-26-3-078 | 1R13-189 | 566-20-7-215 | 566-24-3-038 | 1R12-486 |
| 566-20-7-152 | 566-26-3-078 | 1R13-179 | 566-20-7-215 | 566-24-3-038 | 1R12-485 |
| 566-20-7-152 | 566-26-3-078 | 1R13-174 | 566-20-7-215 | 566-24-3-038 | 1R12-484 |
| 566-20-7-154 | 566-26-3-078 | 1R13-177 | 566-20-7-217 | 566-28-3-021 | 1R14-124 |
| 566-20-7-154 | 566-26-3-078 | 1R13-176 | 566-20-7-221 | 566-24-3-163 | 1R12-401 |
| 566-20-7-154 | 566-26-3-073 | 1R13-159 | 566-20-7-223 | 566-28-3-015 | 1R14-167 |
| 566-20-7-156 | 566-24-3-076 | 1R12-636 | 566-20-7-223 | 566-24-3-120 | 1R12-406 |
| 566-20-7-156 | 566-24-3-076 | 1R12-614 | 566-20-7-230 | 566-26-3-055 | 1R13-130 |
| 566-20-7-156 | 566-24-3-076 | 1R12-600 | 566-20-7-230 | 566-28-3-015 | 1R14-205 |
| 566-20-7-156 | 566-24-3-076 | 1R12-512 | 566-20-7-231 | 566-26-3-056 | 1R13-133 |
| 566-20-7-156 | 566-24-3-076 | 1R12-445 | 566-20-7-233 | 566-24-3-038 | 1R12-419 |
| 566-20-7-156 | 566-24-3-076 | 1R12-437 | 566-20-7-235 | 566-26-3-071 | 1R13-208 |
| 566-20-7-156 | 566-22-3-143 | 1R11-223 | 566-20-7-235 | 566-26-3-071 | 1R13-152 |
| 566-20-7-156 | 566-22-3-143 | 1R11-121 | 566-20-7-235 | 566-24-3-066 | 1R12-568 |
| 566-20-7-156 | 566-22-3-084 | 1R11-249 | 566-20-7-235 | 566-24-3-038 | 1R12-567 |
| 566-20-7-156 | 566-22-3-021 | 1R11-207 | 566-20-7-235 | 566-24-3-097 | 1R12-532 |
| 566-20-7-158 | 566-24-3-076 | 1R12-655 | 566-20-7-235 | 566-24-3-076 | 1R12-505 |
| 566-20-7-158 | 566-24-3-097 | 1R12-644 | 566-20-7-235 | 566-24-3-038 | 1R12-502 |
| 566-20-7-158 | 566-24-3-066 | 1R12-613 | 566-20-7-235 | 566-24-3-097 | 1R12-481 |
| 566-20-7-158 | 566-24-3-097 | 1R12-592 | 566-20-7-235 | 566-24-3-066 | 1R12-480 |
| 566-20-7-158 | 566-24-3-038 | 1R12-584 | 566-20-7-235 | 566-24-3-038 | 1R12-441 |
| 566-20-7-158 | 566-24-3-097 | 1R12-450 | 566-20-7-235 | 566-24-3-163 | 1R12-069 |
| 566-20-7-158 | 566-24-3-097 | 1R12-446 | 566-20-7-235 | 566-22-3-042 | 1R11-252 |
| 566-20-7-158 | 566-24-3-038 | 1R12-438 | 566-20-7-235 | 566-22-3-143 | 1R11-166 |
| 566-20-7-158 | 566-24-3-038 | 1R12-436 | 566-20-7-235 | 566-24-3-076 | 1R12-676 |
| 566-20-7-158 | 566-24-3-076 | 1R12-421 | 566-20-7-236 | 566-24-3-097 | 1R12-622 |
| 566-20-7-158 | 566-24-3-066 | 1R12-607 | 566-20-7-236 | 566-24-3-163 | 1R12-538 |
| 566-20-7-158 | 566-24-3-116 | 1R12-534 | 566-20-7-236 | 566-24-3-038 | 1R12-535 |
| 566-20-7-158 | 566-28-3-043 | 1R14-222 | 566-20-7-236 | 566-24-3-165 | 1R12-523 |
| 566-20-7-158 | 566-24-3-097 | 1R12-1048 | 566-20-7-236 | 566-24-3-090 | 1R12-507 |
| 566-20-7-159 | 566-24-3-066 | 1R12-653 | 566-20-7-236 | 566-24-3-165 | 1R12-432 |
| 566-20-7-159 | 566-24-3-066 | 1R12-639 | 566-20-7-236 | 566-24-3-066 | 1R12-689 |
| 566-20-7-159 | 566-24-3-090 | 1R12-637 | 566-20-7-236 | 566-24-3-097 | 1R12-1049 |
| 566-20-7-159 | 566-24-3-097 | 1R12-621 | 566-20-7-237 | 566-26-3-071 | 1R13-153 |
| 566-20-7-159 | 566-24-3-090 | 1R12-609 | 566-20-7-237 | 566-24-3-038 | 1R12-586 |
| 566-20-7-159 | 566-24-3-090 | 1R12-599 | 566-20-7-237 | 566-24-3-066 | 1R12-504 |
| 566-20-7-159 | 566-24-3-038 | 1R12-576 | 566-20-7-237 | 566-24-3-097 | 1R12-498 |
| 566-20-7-159 | 566-24-3-066 | 1R12-444 | 566-20-7-237 | 566-24-3-066 | 1R12-439 |
| 566-20-7-159 | 566-24-3-090 | 1R12-363 | 566-20-7-237 | 566-20-3-021 | 1R10-122 |
| 566-20-7-159 | 566-24-3-090 | 1R12-256 | 566-20-7-238 | 566-24-3-038 | 1R12-640 |
| 566-20-7-163 | 566-24-3-165 | 1R12-375 | 566-20-7-238 | 566-24-3-067 | 1R12-571 |
| 566-20-7-163 | 566-24-3-038 | 1R12-366 | 566-20-7-238 | 566-24-3-038 | 1R12-499 |
| 566-20-7-164 | 566-24-3-076 | 1R12-434 | 566-20-7-239 | 566-24-3-076 | 1R12-648 |
| 566-20-7-164 | 566-24-3-076 | 1R12-367 | 566-20-7-239 | 566-24-3-076 | 1R12-620 |
| 566-20-7-164 | 566-24-3-067 | 1R12-309 | 566-20-7-239 | 566-24-3-067 | 1R12-487 |
| 566-20-7-181 | 566-28-3-020 | 1R14-176 | 566-20-7-239 | 566-22-3-143 | 1R11-191 |
| 566-20-7-181 | 566-28-3-031 | 1R14-127 | 566-20-7-239 | 566-22-3-143 | 1R11-149 |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

PISTON INDEX (Cont.)

| Piston Number | Flexible Member No. | Air Spring Number | Piston Number | Flexible Member No. | Air Spring Number |
|---------------|---------------------|-------------------|---------------|---------------------|-------------------|
| 566-20-7-240 | 566-24-3-038 | 1R12-545 | 566-20-7-287 | 566-22-3-021 | 1R11-219 |
| 566-20-7-240 | 566-24-3-048 | 1R12-511 | 566-20-7-287 | 566-22-3-021 | 1R11-268 |
| 566-20-7-240 | 566-24-3-038 | 1R12-396 | 566-20-7-296 | 566-26-3-081 | 1R13-109 |
| 566-20-7-240 | 566-24-3-048 | 1R12-304 | 566-20-7-296 | 566-26-3-081 | 1R13-097 |
| 566-20-7-240 | 566-24-3-048 | 1R12-284 | 566-20-7-299 | 566-24-3-117 | 1R12-580 |
| 566-20-7-240 | 566-24-3-024 | 1R12-127 | 566-20-7-303 | 566-24-3-097 | 1R12-647 |
| 566-20-7-240 | 566-22-3-049 | 1R11-189 | 566-20-7-303 | 566-24-3-164 | 1R12-615 |
| 566-20-7-240 | 566-22-3-143 | 1R11-170 | 566-20-7-304 | 566-28-3-043 | 1R14-182 |
| 566-20-7-240 | 566-22-3-143 | 1R11-147 | 566-20-7-308 | 566-22-3-073 | 1R11-224 |
| 566-20-7-240 | 566-22-3-143 | 1R11-143 | 566-20-7-314 | 566-26-3-078 | 1R13-188 |
| 566-20-7-240 | 566-20-3-023 | 1R10-137 | 566-20-7-322 | 566-24-3-108 | 1R12-603 |
| 566-20-7-240 | 566-20-3-021 | 1R10-133 | 566-20-7-323 | 566-28-3-042 | 1R14-232 |
| 566-20-7-240 | 566-20-3-021 | 1R10-127 | 566-20-7-325 | 566-26-3-068 | 1R13-118 |
| 566-20-7-240 | 566-20-3-021 | 1R10-120 | 566-20-7-327 | 566-28-3-021 | 1R14-215 |
| 566-20-7-240 | 566-20-3-021 | 1R10-118 | 566-20-7-327 | 566-26-3-051 | 1R13-039 |
| 566-20-7-240 | 566-20-3-021 | 1R10-105 | 566-20-7-328 | 566-22-3-143 | 1R11-267 |
| 566-20-7-240 | 566-20-3-021 | 1R10-099 | 566-20-7-328 | 566-22-3-076 | 1R11-266 |
| 566-20-7-240 | 566-20-3-021 | 1R10-091 | 566-20-7-334 | 566-28-3-015 | 1R14-198 |
| 566-20-7-240 | 566-20-3-021 | 1R10-089 | 566-20-7-334 | 566-28-3-024 | 1R14-179 |
| 566-20-7-240 | 566-20-3-021 | 1R10-087 | 566-20-7-334 | 566-28-3-042 | 1R14-175 |
| 566-20-7-240 | 566-20-3-022 | 1R10-019 | 566-20-7-334 | 566-28-3-015 | 1R14-108 |
| 566-20-7-240 | 566-22-3-143 | 1R11-094 | 566-20-7-334 | 566-28-3-015 | 1R14-052 |
| 566-20-7-240 | 566-20-3-021 | 1R10-165 | 566-20-7-334 | 566-28-3-065 | 1R14-039 |
| 566-20-7-246 | 566-24-3-038 | 1R12-462 | 566-20-7-334 | 566-28-3-015 | 1R14-038 |
| 566-20-7-246 | 566-24-3-097 | 1R12-424 | 566-20-7-334 | 566-28-3-015 | 1R14-037 |
| 566-20-7-246 | 566-24-3-038 | 1R12-423 | 566-20-7-334 | 566-26-3-069 | 1R13-151 |
| 566-20-7-246 | 566-24-3-097 | 1R12-404 | 566-20-7-334 | 566-26-3-054 | 1R13-120 |
| 566-20-7-246 | 566-24-3-097 | 1R12-402 | 566-20-7-334 | 566-28-3-015 | 1R14-216 |
| 566-20-7-246 | 566-24-3-038 | 1R12-400 | 566-20-7-334 | 566-26-3-015 | 1R14-155 |
| 566-20-7-250 | 566-22-3-143 | 1R11-169 | 566-20-7-334 | 566-28-3-015 | 1R14-094 |
| 566-20-7-251 | 566-24-3-076 | 1R12-616 | 566-20-7-334 | 566-28-3-015 | 1R14-042 |
| 566-20-7-251 | 566-24-3-067 | 1R12-562 | 566-20-7-377 | 566-24-3-140 | 1R12-403 |
| 566-20-7-251 | 566-24-3-061 | 1R12-539 | 566-20-7-387 | 566-20-3-021 | 1R10-171 |
| 566-20-7-251 | 566-24-3-061 | 1R12-531 | 566-20-7-392 | 566-22-3-143 | 1R11-273 |
| 566-20-7-251 | 566-24-3-061 | 1R12-530 | 566-20-7-413 | 566-24-3-142 | 1R12-1047 |
| 566-20-7-251 | 566-24-3-067 | 1R12-508 | 579-08-7-157 | | 1S5-057 |
| 566-20-7-251 | 566-22-3-021 | 1R11-203 | 579-08-7-215 | | 1S6-036 |
| 566-20-7-252 | 566-24-3-067 | 1R12-563 | 579-08-7-219 | | 1S4.5-113 |
| 566-20-7-252 | 566-24-3-067 | 1R12-559 | 579-08-7-301 | 579-10-1-083 | 1S5-186 |
| 566-20-7-252 | 566-24-3-067 | 1R12-558 | 579-16-7-103 | 579-16-1-002 | 1S8-003 |
| 566-20-7-252 | 566-24-3-067 | 1R12-557 | AS3-08-7-006 | | 1S5-157 |
| 566-20-7-252 | 566-24-3-067 | 1R12-556 | ASB-06-7-014 | | 1S3-011 |
| 566-20-7-252 | 566-22-3-021 | 1R11-242 | ASB-08-7-079 | | 1S6-023 |
| 566-20-7-252 | 566-22-3-021 | 1R11-202 | ASB-08-7-134 | | 1S5-070 |
| 566-20-7-252 | 566-22-3-021 | 1R11-201 | ASC-06-7-017 | | 1S3-013 |
| 566-20-7-252 | 566-22-3-021 | 1R11-200 | ASC-08-7-005 | | 1S5-006 |
| 566-20-7-253 | 566-24-3-067 | 1R12-561 | ASC-08-7-005 | | 1S5-005 |
| 566-20-7-253 | 566-24-3-067 | 1R12-560 | ASC-08-7-005 | | 1S4-008 |
| 566-20-7-253 | 566-24-3-067 | 1R12-555 | ASC-08-7-093 | | 1S4-030 |
| 566-20-7-253 | 566-22-3-143 | 1R11-241 | ASC-08-7-134 | | 1S4-074 |
| 566-20-7-253 | 566-22-3-057 | 1R11-225 | ASC-08-7-137 | | 1S5-173 |
| 566-20-7-253 | 566-22-3-021 | 1R11-205 | ASC-08-7-137 | | 1S5-040 |
| 566-20-7-253 | 566-22-3-021 | 1R11-204 | ASC-08-7-137 | | 1S4-067 |
| 566-20-7-257 | 566-22-3-068 | 1R11-216 | ASC-08-7-137 | | 1S4-016 |
| 566-20-7-257 | 566-22-3-075 | 1R11-176 | ASC-08-7-137 | | 1S5-164 |
| 566-20-7-257 | 566-22-3-060 | 1R11-175 | ASC-08-7-137 | | 1S4-173 |
| 566-20-7-274 | 566-28-3-057 | 1R14-236 | ASC-08-7-139 | | 1S5-045 |
| 566-20-7-274 | 566-26-3-095 | 1R13-235 | ASC-08-7-139 | | 1S5-010 |
| 566-20-7-276 | 566-28-3-021 | 1R14-218 | ASC-08-7-139 | | 1S4-058 |
| 566-20-7-276 | 566-28-3-021 | 1R14-177 | ASC-08-7-139 | | 1S4-007 |
| 566-20-7-277 | 566-26-3-097 | 1R13-237 | ASC-08-7-157 | | 1S5-135 |
| 566-20-7-277 | 566-28-3-059 | 1R14-240 | ASC-08-7-157 | | 1S5-133 |
| 566-20-7-286 | 566-22-3-021 | 1R11-222 | ASC-08-7-157 | | 1S4.5-179 |
| 566-20-7-286 | 566-22-3-021 | 1R11-220 | ASC-08-7-157 | | 1S4.5-121 |
| 566-20-7-287 | 566-22-3-021 | 1R11-221 | ASC-08-7-157 | | 1S4-175 |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

PISTON INDEX (Cont.)

| Piston Number | Flexible Member No. | Air Spring Number | Piston Number | Flexible Member No. | Air Spring Number |
|---------------|---------------------|-------------------|---------------|---------------------|-------------------|
| ASC-08-7-157 | | 1S4-123 | | | |
| ASC-08-7-163 | | 1S4-035 | | | |
| ASC-08-7-163 | | 1S5-032 | | | |
| ASC-08-7-194 | | 1S5-120 | | | |
| ASC-08-7-194 | | 1S5-061 | | | |
| ASC-08-7-194 | | 1S5-055 | | | |
| ASC-08-7-194 | | 1S5-038 | | | |
| ASC-08-7-194 | | 1S4.5-107 | | | |
| ASC-08-7-194 | | 1S4.5-073 | | | |
| ASC-08-7-194 | | 1S4-056 | | | |
| ASC-08-7-194 | | 1S4-044 | | | |
| ASC-08-7-213 | | 1S5-154 | | | |
| ASC-08-7-213 | | 1S5-122 | | | |
| ASC-08-7-215 | | 1S6-046 | | | |
| ASC-08-7-215 | | 1S6-033 | | | |
| ASC-08-7-215 | | 1S6-031 | | | |
| ASC-08-7-215 | | 1S6-055 | | | |
| ASC-08-7-219 | | 1S5-152 | | | |
| ASC-08-7-219 | | 1S5-072 | | | |
| ASC-08-7-219 | | 1S5-060 | | | |
| ASC-08-7-219 | | 1S4-042 | | | |
| ASC-08-7-223 | | 1S6-026 | | | |
| ASC-08-7-232 | | 1S5-174 | | | |
| ASC-08-7-277 | 579-10-1-115 | 1S5-176 | | | |
| ASC-08-7-277 | 579-10-1-116 | 1S5-175 | | | |
| Not Included | 566-18-3-004 | 1R9-047 | | | |
| Not Included | 566-28-3-020 | 1R14-060 | | | |
| Not Included | 566-28-3-020 | 1R14-031 | | | |
| Not Included | 566-28-3-021 | 1R14-029 | | | |
| Not Included | 566-28-3-021 | 1R14-027 | | | |
| Not Included | 566-28-3-020 | 1R14-025 | | | |
| Not Included | 566-28-3-021 | 1R14-024 | | | |
| Not Included | 566-26-3-051 | 1R13-049 | | | |
| Not Included | 566-26-3-072 | 1R13-048 | | | |
| Not Included | 566-24-3-038 | 1R12-394 | | | |
| Not Included | 566-24-3-066 | 1R12-113 | | | |
| Not Included | 566-24-3-067 | 1R12-097 | | | |
| Not Included | 566-24-3-038 | 1R12-093 | | | |
| Not Included | 566-20-3-021 | 1R10-085 | | | |
| Not Included | 566-20-3-022 | 1R10-030 | | | |

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

CROSS REFERENCE INFORMATION

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|-------------------------|----------|----------------|----------|----------------|----------|-------------------------|----------|----------------|----------|
| AM GENERAL | | 64544 | 2B14-359 | FD200-25428 | 2B9-255 | FT330-29520 | 3B12-335 | 1110-5-21A31 | 1R13-038 |
| Air Spring Rolling Lobe | | 64545 | 2B14-356 | FD200-25429 | 2B9-251 | FT330-29525 | 3B12-312 | 1110-5-21A31 | 1R14-045 |
| 5973923 | 1R9-003 | 64546 | 2B14-355 | FD200-25453 | 2B9-218 | FT330-29546 | 3B12-328 | 11105-21A313 | 1R13-038 |
| 5973924 | 1R12-076 | 64547 | 2B14-367 | FD200-25-454 | 2B9-266 | FT330-29547 | 3B12-315 | 11105-21A313 | 1R14-045 |
| AMERICAN CARRIER | | 64548 | 2B14-354 | FD200-25454 | 2B9-252 | FT330-29547 | 3B12-329 | 1110-5-21A31 | 1R14-030 |
| Air Spring Bellows | | 64549 | 2B9-250 | FD200-25454 | 2B9-266 | FT330-29554 | 3B12-415 | 11105-21A318 | 1R14-030 |
| 8003005 | 2B14-355 | 64550 | 2B9-253 | FD200-25463 | 2B9-254 | FT330-29723 | 3B12-335 | 1110-5-21A36 | 1R14-018 |
| 8003006 | 2B8-550 | 64551 | 2B9-255 | FD330-22313 | 2B12-309 | FT530-32325 | 3B14-359 | 11105-21A369 | 1R14-019 |
| 8003007 | 1B14-351 | 64552 | 2B9-251 | FD330-22318 | 2B12-307 | FT530-32329 | 3B14-356 | 1110-5-21A37 | 1R14-019 |
| AMERICAN CARRIER | | 64553 | 2B9-218 | FD330-22323 | 2B12-305 | FT530-32333 | 3B14-360 | 11105-21A370 | 1R14-019 |
| Air Spring Rolling Lobe | | 64554 | 2B9-252 | FD330-22327 | 2B12-300 | FT530-32336 | 3B14-354 | 1110-5-21A96 | 1R14-201 |
| 8003003 | 1R11-171 | 64554 | 2B9-266 | FD330-22331 | 2B12-406 | FT530-35436 | 3B14-453 | 1110-5-22A53 | 1R14-174 |
| 8003023 | 1R11-161 | 64555 | 2B9-254 | FD330-22334 | 2B12-320 | FT530-35441 | 3B14-452 | 11105-22A530 | 1R14-174 |
| AUTO BUS | | 64560 | 3B12-319 | FD330-22343 | 2B12-427 | FT530-35455 | 3B14-364 | 1110-5-22A75 | 1R14-170 |
| Air Spring Rolling Lobe | | 64562 | 3B12-300 | FD330-22346 | 2B12-410 | FT530-35455 | 3B14-457 | 11105-22A752 | 1R14-170 |
| 10530087 | 1R10-089 | 64563 | 3B12-301 | FD330-22363 | 2B12-425 | FT530-35456 | 3B14-451 | 1110-5-22S71 | 1R14-127 |
| CHANCE BUS | | 64565 | 3B12-310 | FD330-22364 | 2B12-313 | FT530-35457 | 3B14-367 | 11105-22S712 | 1R14-127 |
| Air Spring Rolling Lobe | | 64568 | 3B12-304 | FD330-22365 | 2B12-426 | FT530-35457 | 3B14-459 | 1110-5-22S75 | 1R14-113 |
| 23891728 | 1R11-152 | 64570 | 3B12-335 | FD330-22367 | 2B12-319 | FT530-35534 | 3B14-464 | 11105-22S750 | 1R14-113 |
| CONTITECH | | 64571 | 3B12-312 | FD330-22368 | 2B12-432 | CONTITECH | | 11105-22S764 | 1R14-113 |
| Air Spring Bellows | | 64572 | 3B12-328 | FD330-22465 | 2B12-432 | Air Spring Rolling Lobe | | 1110-5A-16P5 | 1R14-171 |
| 64267 | 2B9-200 | 64573 | 3B12-315 | FD330-22471 | 2B12-412 | 7010-15P453 | 1R13-159 | 11105A-16P5 | 1R14-171 |
| 64268 | 2B12-406 | 64573 | 3B12-329 | FD330-22472 | 2B12-411 | 1010-15S518 | 1R13-097 | 1110-5C-16A3 | 1R14-039 |
| 64270 | 2B12-309 | 64576 | 3B14-453 | FD330-22500 | 2B12-304 | 1010-15S518 | 1R13-038 | 11105C-16A3 | 1R14-039 |
| 64283 | 2B12-300 | 64580 | 3B14-452 | FD330-22540 | 2B12-463 | 1010-15S522 | 1R13-124 | 1110-5C-16A3 | 1R14-042 |
| 64284 | 2B12-440 | 64581 | 3B14-364 | FD330-22780 | 2B12-429 | 1010-15S711 | 1R13-124 | 11105C-16A3 | 1R14-042 |
| 64285 | 3B12-303 | 64581 | 3B14-457 | FD330-30323 | 2B12-305 | 1010-15S713 | 1R13-207 | 1110-5C-16A7 | 1R14-198 |
| 64488 | 2B12-307 | 64582 | 3B14-451 | FD330-30340 | 2B12-324 | 1010-15S773 | 1R13-210 | 1110-5C-16A7 | 1R14-155 |
| 64489 | 2B12-320 | 64583 | 3B14-367 | FD330-30369 | 2B12-416 | 1010-15S871 | 1R13-109 | 11105C-16A7 | 1R14-039 |
| 64491 | 2B12-427 | 64583 | 3B14-459 | FD330-30369 | 2B12-446 | 1010-15S962 | 1R13-097 | 1110-5F-17P7 | 1R14-172 |
| 64492 | 2B12-410 | 64587 | 3B14-464 | FD330-30370 | 2B12-402 | 1010-16-5S78 | 1R13-039 | 1110-5F-17P7 | 1R14-190 |
| 64493 | 2B12-425 | 64589 | 2B14-366 | FD330-30371 | 2B12-434 | 1010-16S783 | 1R13-039 | 11105F-17P74 | 1R14-172 |
| 64494 | 2B12-313 | 64590 | 2B14-365 | FD330-30372 | 2B12-428 | 1010-16S526 | 1R13-177 | 11105F-17P74 | 1R14-190 |
| 64495 | 2B12-426 | 64593 | 2B14-462 | FD330-30464 | 2B12-434 | 1010-16S533 | 1R13-176 | 34690 | 1R14-170 |
| 64497 | 2B12-319 | 64595 | 1B12-301 | FD330-30502 | 2B12-317 | 1010-16S724 | 1R13-155 | 4811NP04 | 1R14-030 |
| 64498 | 2B12-432 | 64596 | 1B12-313 | FD330-30513 | 2B12-324 | 1010-21P434 | 1R13-118 | 64252 | 1R13-152 |
| 64499 | 2B12-412 | 64597 | 2B12-345 | FD331-26480 | 2B12-440 | 1010-21P486 | 1R13-153 | 64253 | 1R14-038 |
| 64500 | 2B12-411 | 64599 | 2B12-346 | FD331-26514 | 2B12-345 | 1010-21P570 | 1R13-152 | 64254 | 1R14-039 |
| 64501 | 2B12-304 | 64601 | 2B8-550 | FD331-26-541 | 2B12-346 | 1010-21P774 | 1R13-208 | 64255 | 1R11-028 |
| 64502 | 2B12-463 | 64604 | 2B14-383 | FD331-26541 | 2B12-346 | 1010-5-15P46 | 1R13-159 | 64256 | 1R11-242 |
| 64503 | 3B14-359 | 64605 | 2B14-476 | FD530-22311 | 2B14-360 | 10105-15P460 | 1R13-159 | 64258 | 1R12-352 |
| 64504 | 3B14-356 | 64606 | 2B14-470 | FD530-22316 | 2B14-359 | 1010-5AV-12P | 1R13-130 | 64258 | 1R12-421 |
| 64505 | 3B14-360 | 66094 | 2B6-535 | FD530-22321 | 2B14-356 | 1010B-13S51 | 1R13-130 | 64259 | 1R12-182 |
| 64506 | 3B14-354 | 66300 | 2B12-429 | FD530-22342 | 2B14-355 | 1110-5-15A41 | 1R14-037 | 64260 | 1R12-095 |
| 64509 | 2B9-239 | 66522 | 3B12-415 | FD530-22345 | 2B14-367 | 11105-15A414 | 1R14-037 | 64262 | 1R12-090 |
| 64510 | 2B9-206 | 67667 | 2B7-548 | FD530-22374 | 2B14-354 | 1110-5-15A41 | 1R14-038 | 64263 | 1R12-538 |
| 64511 | 2B9-210 | 67705 | 2B10-226 | FD530-30449 | 2B14-366 | 11105-15A415 | 1R14-038 | 64264 | 1R12-404 |
| 64512 | 2B9-265 | FD110-15766 | 2B6-535 | FD530-30451 | 2B14-365 | 1110-5-15A42 | 1R13-120 | 64265 | 1R12-403 |
| 64512 | 2B9-280 | FD110-17A77 | 2B7-548 | FD530-30532 | 2B14-462 | 11105-15A422 | 1R13-120 | 64266 | 1R12-603 |
| 64513 | 2B9-230 | FD120-20509 | 2B8-550 | FD530-35530 | 2B14-383 | 1110-5-17A31 | 1R14-028 | 64269 | 1R12-092 |
| 64514 | 2B9-246 | FD200-19310 | 2B9-239 | FD530-35543 | 2B14-476 | 11105-17A316 | 1R14-028 | 64269 | 1R12-509 |
| 64515 | 2B9-201 | FD200-19315 | 2B9-206 | FD530-35544 | 2B14-470 | 1110-5-17A36 | 1R14-026 | 64273 | 1R13-038 |
| 64516 | 2B9-288 | FD200-19320 | 2B9-200 | FD530-35720 | 2B14-462 | 11105-17A364 | 1R14-026 | 64273 | 1R14-045 |
| 64517 | 2B9-229 | FD200-19362 | 2B9-210 | FS330-11468 | 1B12-301 | 11105-17A365 | 1R14-018 | 64274 | 1R12-069 |
| 64519 | 2B9-245 | FD200-19448 | 2B9-252 | FS330-11474 | 1B12-313 | 1110-5-17A36 | 1R14-028 | 64274 | 1R12-669 |
| 64521 | 1B14-358 | FD200-19448 | 2B9-265 | FS530-14339 | 1B14-358 | 11105-17A366 | 1R14-028 | 64274 | 1R12-676 |
| 64523 | 1B14-350 | FD200-19448 | 2B9-280 | FS530-14442 | 1B14-350 | 1110-5-17A36 | 1R14-115 | 64275 | 1R12-188 |
| 64524 | 1B14-351 | FD200-19450 | 2B9-230 | FS530-14446 | 1B14-351 | 11105-17A367 | 1R14-115 | 64276 | 1R12-365 |
| 64525 | 1B14-351 | FD200-19452 | 2B9-246 | FS530-14447 | 1B14-351 | 1110-5-17A37 | 1R13-047 | 64277 | 1R12-424 |
| 64531 | 2B12-305 | FD200-19499 | 2B9-201 | FT330-29413 | 3B12-319 | 1110-5-17A37 | 1R14-160 | 64278 | 1R12-481 |
| 64532 | 2B12-324 | FD200-19504 | 2B9-288 | FT330-29431 | 3B12-300 | 11105-17A377 | 1R14-160 | 64279 | 1R12-103 |
| 64533 | 2B12-416 | FD200-19505 | 2B9-229 | FT330-29432 | 3B12-301 | 1110-5-17A40 | 1R14-159 | 64286 | 1R11-150 |
| 64533 | 2B12-446 | FD200-19510 | 2B9-245 | FT330-29434 | 3B12-303 | 11105-17A405 | 1R14-159 | 64287 | 1R13-119 |
| 64534 | 2B12-402 | FD200-19713 | 2B10-226 | FT330-29466 | 3B12-310 | 1110-5-17A50 | 1R14-130 | 64287 | 1R13-239 |
| 64535 | 2B12-434 | FD200-22524 | 2B10-226 | FT330-29469 | 3B12-300 | 11105-17A507 | 1R14-130 | 64288 | 1R12-375 |
| 64536 | 2B12-428 | FD200-22706 | 2B9-229 | FT330-29498 | 3B12-301 | 1110-5-19A43 | 1R14-137 | 64290 | 1R12-401 |
| 64539 | 2B12-317 | FD200-25426 | 2B9-250 | FT330-29503 | 3B12-304 | 11105-19A431 | 1R14-137 | 64291 | 1R12-335 |
| 64543 | 2B14-360 | FD200-25427 | 2B9-253 | FT330-29508 | 3B12-312 | 1110-5-19A96 | 1R14-151 | 64292 | 1R12-155 |

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|---------------------------------|----------|----------------|----------|----------------|-----------|----------------|-----------|----------------|----------|
| CONTITECH | | 64397 | 1R13-124 | 64688 | 1R14-113 | 910-12A341 | 1R12-132 | 910-175P406 | 1R12-424 |
| Air Spring Rolling Lobe (cont.) | | 64398 | 1R12-640 | 64708 | 1R12-534 | 910-12A343 | 1R12-132 | 910-17-5P418 | 1R12-450 |
| 64292 | 1R12-358 | 64399 | 1R12-498 | 64715 | 1R12-335 | 910-12A427 | 1R12-367 | 910-17-5P426 | 1R12-640 |
| 64293 | 1R12-621 | 64401 | 1R12-366 | 64716 | 1R12-256 | 910-12A488 | 1R12-487 | 910-17-5P428 | 1R12-498 |
| 64294 | 1R12-066 | 64402 | 1R12-502 | 64725 | 1R13-210 | 910-12A504 | 1R12-132 | 910-175P428 | 1R12-498 |
| 64297 | 1R12-356 | 64403 | 1R12-586 | 64728 | 1R13-208 | 910-12P024 | 1R12-562 | 910-17-5P429 | 1R12-481 |
| 64298 | 1R12-130 | 64405 | 1R12-499 | 64746 | 1R13-039 | 910-12P319 | 1R12-132 | 910-175P429 | 1R12-481 |
| 64301 | 1R12-220 | 64409 | 1R12-504 | 64761 | 1R12-613 | 910-12P329 | 1R12-355 | 910-17-5P436 | 1R12-366 |
| 64302 | 1R12-143 | 64410 | 1R12-402 | 64762 | 1R12-494 | 910-12P395 | 1R12-505 | 910-175P436 | 1R12-366 |
| 64304 | 1R12-441 | 64412 | 1R12-532 | 65356 | 1R12-357 | 910-12P484 | 1R12-508 | 910-175P440 | 1R12-403 |
| 64306 | 1R12-567 | 64415 | 1R12-554 | 65361 | 1R12-543 | 910-12P488 | 1R12-487 | 910-17-5P443 | 1R12-502 |
| 64310 | 1R12-400 | 64416 | 1R12-552 | 65361 | 1R12-636 | 910-12P495 | 1R12-571 | 910-175P443 | 1R12-502 |
| 64312 | 1R12-615 | 64417 | 1R12-553 | 65367 | 1R11-221 | 910-12P544 | 1R12-563 | 910-17-5P445 | 1R12-586 |
| 64314 | 1R12-436 | 64418 | 1R12-484 | 65387 | 1R12-467 | 910-13-5P874 | 1R12-1047 | 910-175P445 | 1R12-586 |
| 64323 | 1R12-167 | 64418 | 1R12-486 | 65389 | 1R11-222 | 910-13-5S433 | 1R13-119 | 910-175P451 | 1R12-404 |
| 64324 | 1R12-395 | 64419 | 1R13-153 | 65394 | 1R11-221 | 910-13-5S433 | 1R13-239 | 910-17-5P454 | 1R12-499 |
| 64325 | 1R12-145 | 64420 | 1R13-130 | 65593 | 1R14-172 | 910-135S433 | 1R13-239 | 910-175P454 | 1R12-499 |
| 64326 | 1R12-639 | 64421 | 1R14-171 | 65593 | 1R14-190 | 910-135S881 | 1R13-239 | 910-175P456 | 1R12-538 |
| 64327 | 1R12-261 | 64422 | 1R14-174 | 65649 | 1R12-609 | 910-14A330 | 1R12-370 | 910-17-5P502 | 1R12-504 |
| 64327 | 1R12-281 | 64423 | 1R11-252 | 65807 | 1R12-467 | 910-14A469 | 1R12-434 | 910-175P502 | 1R12-504 |
| 64329 | 1R12-480 | 64424 | 1R14-037 | 66109 | 1R11-268 | 910-14A496 | 1R12-437 | 910-175P519 | 1R12-403 |
| 64331 | 1R12-265 | 64428 | 1R13-120 | 66112 | 1R11-219 | 910-14A545 | 1R12-445 | 910-175P520 | 1R12-402 |
| 64331 | 1R12-446 | 64430 | 1R12-351 | 66113 | 1R11-220 | 910-14A545 | 1R12-492 | 910-175P521 | 1R12-401 |
| 64334 | 1R12-450 | 64431 | 1R12-359 | 66340 | 1R13-109 | 910-14A575 | 1R12-636 | 910-17-5P536 | 1R11-252 |
| 64335 | 1R12-195 | 64433 | 1R12-350 | 66-5-11S027 | 1R9-065 | 910-14A707 | 1R12-512 | 910-17-5P548 | 1R12-532 |
| 64336 | 1R12-403 | 64435 | 1R12-561 | 66-5-13S039 | 1R9-038 | 910-14AT75 | 1R12-543 | 910-175P548 | 1R12-532 |
| 64338 | 1R12-439 | 64436 | 1R12-560 | 66-5-13S056 | 1R9-003 | 910-14P312 | 1R12-069 | 910-17-5P571 | 1R12-554 |
| 64339 | 1R12-568 | 64437 | 1R12-559 | 66-5-13S446 | 1R9-070 | 910-14P312 | 1R12-669 | 910-175P571 | 1R12-554 |
| 64340 | 1R12-644 | 64438 | 1R12-558 | 66-5B-11S525 | 1R9-065 | 910-14P312 | 1R12-676 | 910-17-5P572 | 1R12-552 |
| 64342 | 1R14-028 | 64439 | 1R12-508 | 66908 | 1R12-432 | 910-14P345 | 1R12-352 | 910-175P572 | 1R12-552 |
| 64343 | 1R14-026 | 64440 | 1R12-465 | 67473 | 1R12-303 | 910-14P345 | 1R12-421 | 910-17-5P573 | 1R12-553 |
| 64344 | 1R14-018 | 64441 | 1R12-556 | 67479 | 1R12-142 | 910-14P450 | 1R12-205 | 910-175P573 | 1R12-553 |
| 64345 | 1R14-028 | 64443 | 1R12-508 | 67492 | 1R11-178 | 910-14P461 | 1R12-325 | 910-17-5P574 | 1R12-484 |
| 64346 | 1R14-115 | 64444 | 1R12-557 | 67547 | 1R14-151 | 910-14P462 | 1R12-438 | 910-17-5P574 | 1R12-486 |
| 64347 | 1R13-047 | 64445 | 1R12-132 | 67586 | 1R12-1048 | 910-14P465 | 1R12-620 | 910-175P574 | 1R12-484 |
| 64347 | 1R14-160 | 64446 | 1R12-309 | 67600 | 1R13-097 | 910-14P469 | 1R12-434 | 910-175P574 | 1R12-486 |
| 64349 | 1R14-159 | 64447 | 1R12-355 | 67625 | 1R14-201 | 910-14P490 | 1R12-648 | 910-175P714 | 1R12-486 |
| 64350 | 1R14-130 | 64451 | 1R12-505 | 67703 | 1R12-208 | 910-14P575 | 1R12-543 | 910-175P715 | 1R12-485 |
| 64352 | 1R14-030 | 64456 | 1R12-508 | 68009 | 1R12-562 | 910-14P709 | 1R12-285 | 910-18-5P406 | 1R12-424 |
| 64354 | 1R14-019 | 64459 | 1R12-487 | 68108 | 1R9-065 | 910-16A382 | 1R12-603 | 910-185P406 | 1R12-424 |
| 64357 | 1R14-042 | 64460 | 1R12-571 | 68119 | 1R9-065 | 910-16A999 | 1R12-603 | 910-18-5P440 | 1R12-403 |
| 64361 | 1R12-178 | 64463 | 1R12-563 | 68121 | 1R9-038 | 910-16P130 | 1R12-454 | 910-185P440 | 1R12-403 |
| 64362 | 1R11-204 | 64464 | 1R12-370 | 68123 | 1R9-070 | 910-16P310 | 1R12-092 | 910-18-5P451 | 1R12-404 |
| 64363 | 1R11-202 | 64472 | 1R12-205 | 68136 | 1R9-003 | 910-16P310 | 1R12-509 | 910-185P451 | 1R12-404 |
| 64364 | 1R11-149 | 64473 | 1R12-325 | 68151 | 1R12-1047 | 910-16P325 | 1R12-155 | 910-18-5P456 | 1R12-538 |
| 64365 | 1R11-200 | 64474 | 1R12-438 | 68207 | 1R12-603 | 910-16P325 | 1R12-358 | 910-185P456 | 1R12-538 |
| 64366 | 1R11-201 | 64475 | 1R12-620 | 68638 | 1R12-422 | 910-16P332 | 1R12-621 | 910-18-5P519 | 1R12-403 |
| 64367 | 1R11-159 | 64477 | 1R12-434 | 69075 | 1R12-454 | 910-16P333 | 1R12-066 | 910-185P519 | 1R12-403 |
| 64367 | 1R11-203 | 64479 | 1R12-648 | 910-10P311 | 1R12-095 | 910-16P350 | 1R12-092 | 910-18-5P520 | 1R12-402 |
| 64368 | 1R11-205 | 64484 | 1R12-437 | 910-10P328 | 1R12-351 | 910-16P352 | 1R12-356 | 910-185P520 | 1R12-402 |
| 64371 | 1R13-117 | 64486 | 1R12-445 | 910-10P331 | 1R12-359 | 910-16P353 | 1R12-130 | 910-18-5P521 | 1R12-401 |
| 64375 | 1R13-115 | 64486 | 1R12-492 | 910-10P339 | 1R12-350 | 910-16P372 | 1R12-220 | 910-185P521 | 1R12-401 |
| 64376 | 1R13-116 | 64615 | 1R12-281 | 910-10P397 | 1R12-561 | 910-16P376 | 1R12-143 | 910-195P801 | 1R12-467 |
| 64379 | 1R11-039 | 64627 | 1R11-171 | 910-10P398 | 1R12-560 | 910-16P391 | 1R12-441 | 910-19A358 | 1R12-261 |
| 64379 | 1R11-121 | 64628 | 1R14-198 | 910-10P399 | 1R12-559 | 910-16P393 | 1R12-567 | 910-19A358 | 1R12-281 |
| 64381 | 1R11-191 | 64631 | 1R11-179 | 910-10P400 | 1R12-558 | 910-16P407 | 1R12-090 | 910-19A552 | 1R12-613 |
| 64382 | 1R12-363 | 64632 | 1R12-285 | 910-10P471 | 1R12-435 | 910-16P408 | 1R12-182 | 910-19A801 | 1R12-467 |
| 64382 | 1R12-663 | 64633 | 1R12-512 | 910-10P471 | 1R12-508 | 910-16P409 | 1R12-188 | 910-19A830 | 1R12-467 |
| 64383 | 1R12-580 | 64636 | 1R13-176 | 910-10P473 | 1R12-465 | 910-16P410 | 1R12-365 | 910-19Pxxx | 1R12-261 |
| 64384 | 1R12-256 | 64637 | 1R14-127 | 910-10P480 | 1R12-556 | 910-16P416 | 1R12-400 | 910-19P315 | 1R12-103 |
| 64385 | 1R12-637 | 64638 | 1R13-177 | 910-10P482 | 1R12-435 | 910-16P449 | 1R12-615 | 910-19P321 | 1R12-281 |
| 64386 | 1R11-166 | 64639 | 1R13-207 | 910-10P482 | 1R12-508 | 910-16P497 | 1R12-436 | 910-19P326 | 1R12-167 |
| 64388 | 1R10-120 | 64645 | 1R13-159 | 910-10P503 | 1R12-557 | 910-16P710 | 1R12-366 | 910-19P355 | 1R12-395 |
| 64389 | 1R10-122 | 64649 | 1R13-155 | 910-10P542 | 1R12-555 | 910-16P769 | 1R12-541 | 910-19P356 | 1R12-145 |
| 64391 | 1R14-137 | 64650 | 1R12-541 | 910-12A104 | 1R12-422 | 910-16P770 | 1R12-576 | 910-19P357 | 1R12-639 |
| 64394 | 1R13-118 | 64651 | 1R12-576 | 910-12A319 | 1R12-132 | 910-17-5A802 | 1R12-494 | 910-19P358 | 1R12-281 |
| 64395 | 1R12-367 | 64658 | 1R12-555 | 910-12A327 | 1R12-309 | 910-175A802 | 1R12-494 | 910-19P384 | 1R12-480 |
| 64396 | 1R13-138 | 64660 | 1R14-155 | 910-12A329 | 1R12-355 | 910-17-5A930 | 1R12-1048 | 910-19P390 | 1R12-265 |

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|---------------------------------|----------|-------------------------|-----------|-------------------------|----------|----------------|----------|----------------|----------|
| CONTITECH | | 67636 | 1S5-040 | 354-7798 | 3B14-356 | 6800 | 2B14-362 | 7557 | 2B14-383 |
| Air Spring Rolling Lobe (cont.) | | 67638 | 1S5-175 | 354-7800 | 3B14-360 | 6801 | 2B14-365 | 7782 | 2B14-470 |
| 910-19P390 | 1R12-446 | 67769 | 1S4-123 | 354-7818 | 3B14-359 | 6803 | 2B14-366 | 7788 | 2B9-245 |
| 910-19P435 | 1R12-375 | 67770 | 1S4-007 | 354-7847 | 3B14-367 | 6805 | 2B14-462 | 7790 | 2B12-324 |
| 910-19P438 | 1R12-195 | 67851 | 1S4.5-121 | 354-8008 | 3B12-300 | 6850 | 2B12-463 | 7795 | 2B10-226 |
| 910-19P439 | 1R12-357 | 67852 | 1S5-057 | DAYTON | | 6897 | 2B9-229 | 7798 | 3B14-356 |
| 910-19P444 | 1R13-070 | 67858 | 1S4-058 | Air Spring Rolling Lobe | | 6902 | 2B9-239 | 7800 | 3B14-360 |
| 910-19P470 | 1R12-439 | 67858 | 1S4-175 | 352-8050 | 1R14-039 | 6905 | 2B9-206 | 7808 | 3B14-354 |
| 910-19P472 | 1R12-568 | 67882 | 1S5-010 | 352-9039 | 1R12-095 | 6908 | 2B9-210 | 7816 | 3B14-359 |
| 910-19P552 | 1R12-644 | 68161 | 1S5-175 | 352-9053 | 1R12-309 | 6910 | 2B9-200 | 7818 | 3B14-359 |
| 910-19P762 | 1R12-534 | 68162 | 1S5-186 | 352-9069 | 1R12-069 | 6920 | 1B12-305 | 7838 | 3B14-453 |
| 910-19P801 | 1R12-467 | SC29-0046 | 1S4-123 | 352-9069 | 1R12-669 | 6926 | 2B9-288 | 7839 | 3B14-456 |
| 910-19P946 | 1R12-142 | SC29-0086 | 1S4-058 | 352-9073 | 1R11-018 | 6927 | 2B9-218 | 7843 | 3B14-457 |
| 910-19P973 | 1R12-208 | SC29-0086 | 1S4-175 | 352-9082 | 1R12-092 | 6928 | 2B9-225 | 7846 | 3B14-451 |
| 910-21A361 | 1R12-335 | SC29-0001 | 1S4-007 | 352-9082 | 1R12-509 | 6932 | 2B9-246 | 7847 | 3B14-459 |
| 910-21A505 | 1R12-256 | SC29-W035 | 1S4.5-121 | 352-9083 | 1R12-066 | 6935 | 2B9-201 | 7850 | 3B14-452 |
| 910-21P360 | 1R12-363 | SC29-W087 | 1S5-040 | 352-9096 | 1R12-358 | 6940 | 2B9-230 | 7855 | 3B14-462 |
| 910-21P360 | 1R12-663 | SC29-Y036 | 1S5-186 | 352-9101 | 1R12-103 | 6941 | 2B9-280 | 7859 | 3B14-463 |
| 910-21P361 | 1R12-335 | SC29-Y108 | 1S5-057 | 352-9105 | 1R12-132 | 6943 | 2B9-250 | 7862 | 3B14-464 |
| 910-21P448 | 1R12-580 | SC29-YG01 | 1S5-010 | 352-9121 | 1R13-039 | 6944 | 2B9-252 | 7990 | 3B12-329 |
| 910-21P505 | 1R12-256 | SC31-B207 | 1S5-175 | 352-9122 | 1R13-038 | 6945 | 2B9-253 | 7994 | 3B12-328 |
| 910-21P511 | 1R12-637 | SC31-W206 | 1S5-176 | 352-9130 | 1R12-281 | 6946 | 2B9-254 | 7995 | 3B12-329 |
| 910-21P817 | 1R12-609 | SC31-Y205 | 1S5-175 | 352-9148 | 1R14-026 | 6947 | 2B9-255 | 7996 | 3B12-335 |
| 910B-17-5A32 | 1R13-117 | SC31-Y215 | 1S5-175 | 352-9149 | 1R14-018 | 6948 | 2B9-251 | 8006 | 3B12-304 |
| 910B-175A32 | 1R13-117 | SZ70-5060P0 | 1S4-035 | 352-9158 | 1R14-030 | 7009 | 1B12-301 | 8008 | 3B12-300 |
| 910B-19-5P88 | 1R12-432 | SZ70-5060P0 | 1S4-123 | 352-9177 | 1R14-028 | 7043 | 1B12-305 | 8010 | 3B12-301 |
| 910B-195P88 | 1R12-432 | SZ70-5067 | 1S4-044 | 352-9194 | 1R12-356 | 7103 | 1B14-350 | 8018 | 3B12-303 |
| 910D-21A324 | 1R13-115 | SZ70-7065P0 | 1S4.5-121 | 352-9200 | 1R14-038 | 7105 | 1B14-351 | 8025 | 3B12-300 |
| 910D-21A363 | 1R13-116 | SZ70-8077P0 | 1S5-057 | 352-9203 | 1R12-395 | 7112 | 1B14-358 | 8027 | 3B12-310 |
| 910S-16A382 | 1R12-303 | DANA/SPICER | | 352-9213 | 1R12-090 | 7119 | 2B9-240 | 8030 | 3B12-301 |
| 910S-16A382 | 1R12-603 | Air Spring Rolling Lobe | | 352-9215 | 1R14-037 | 7123 | 2B14-367 | 8032 | 3B12-319 |
| 910S-16P382 | 1R12-303 | SR1JA100 | 1R13-188 | 352-9238 | 1R12-145 | 7124 | 2B12-402 | 8033 | 3B12-312 |
| 99-10P538 | 1R11-222 | SR1VA101 | 1R13-174 | 352-9321 | 1R12-261 | 7133 | 2B14-367 | 8038 | 3B12-415 |
| 99-10P576 | 1R11-221 | SR1VA101-1 | 1R13-188 | 352-9415 | 1R11-018 | 7135 | 2B14-360 | 8039 | 3B12-416 |
| 99-10P862 | 1R11-220 | SR1VA105 | 1R13-188 | 352-9422 | 1R11-028 | 7136 | 2B14-356 | 8042 | 3B12-322 |
| 99-12P314 | 1R11-028 | DANA/SPICER | | DINA | | 7140 | 2B14-359 | 8043 | 3B12-323 |
| 99-12P379 | 1R12-178 | Air Spring Sleeve | | Air Spring Bellows | | 7145 | 2B14-354 | 8047 | 3B12-326 |
| 99-12P401 | 1R11-204 | SR1VA103 | 1S4-187 | A-8127-19 | 2B9-200 | 7146 | 2B14-355 | 8048 | 3B12-325 |
| 99-12P447 | 1R11-202 | DAYTON | | AZ-8127-19 | 2B9-216 | 7180 | 2B12-425 | W013586799 | 2B14-476 |
| 99-12P464 | 1R11-149 | Air Spring Bellows | | DINA | | 7181 | 2B12-411 | W013586801 | 2B14-365 |
| 99-12P477 | 1R11-200 | 354-6801 | 2B14-365 | Air Spring Rolling Lobe | | 7183 | 2B12-412 | W013586803 | 2B14-366 |
| 99-12P478 | 1R11-201 | 354-6803 | 2B14-366 | 2027911C1 | 1R12-369 | 7184 | 2B12-429 | W013586805 | 2B14-462 |
| 99-12P479 | 1R11-159 | 354-6902 | 2B9-201 | 224-B020018 | 1R13-133 | 7185 | 2B12-318 | W013586850 | 2B12-463 |
| 99-12P479 | 1R11-203 | 354-6905 | 2B9-206 | 224-B020020 | 1R11-143 | 7325 | 2B8-550 | W013586897 | 2B9-229 |
| 99-12P515 | 1R11-242 | 354-6910 | 2B9-200 | 224-B020030 | 1R10-099 | 7344 | 2B12-304 | W013586902 | 2B9-239 |
| 99-12P516 | 1R11-205 | 354-6947 | 2B9-255 | E-Z RIDE | | 7400 | 2B12-309 | W013586905 | 2B9-206 |
| 99-12P563 | 1R11-150 | 354-7112 | 1B14-358 | Air Spring Bellows | | 7401 | 2B12-320 | W013586908 | 2B9-210 |
| 99-12P705 | 1R11-171 | 354-7123 | 2B14-367 | 8030120 | 2B9-206 | 7403 | 2B12-307 | W013586910 | 2B9-200 |
| 99-14A322 | 1R11-018 | 354-7135 | 2B14-360 | 8030150 | 2B12-324 | 7404 | 2B12-410 | W013586920 | 1B12-305 |
| 99-14A337 | 1R11-039 | 354-7136 | 2B14-356 | 8030160 | 2B14-365 | 7405 | 2B12-313 | W013586926 | 2B9-288 |
| 99-14A337 | 1R11-121 | 354-7140 | 2B14-359 | 8030170 | 3B14-354 | 7406 | 2B12-426 | W013586927 | 2B9-218 |
| 99-14A517 | 1R11-191 | 354-7145 | 2B14-354 | 8030180 | 3B14-359 | 7409 | 2B12-319 | W013586928 | 2B9-225 |
| 99-14P517 | 1R11-191 | 354-7146 | 2B14-355 | 8030190 | 2B12-425 | 7410 | 2B12-406 | W013586932 | 2B9-246 |
| 99-14P708 | 1R11-179 | 354-7181 | 2B12-411 | E-Z RIDE | | 7423 | 2B12-432 | W013586935 | 2B9-201 |
| 99-14P895 | 1R11-178 | 354-7183 | 2B12-412 | Air Spring Rolling Lobe | | 7424 | 2B12-300 | W013586940 | 2B9-230 |
| 99-9P537 | 1R11-221 | 354-7400 | 2B12-309 | 8030192 | 1R12-309 | 7429 | 2B12-427 | W013586941 | 2B9-265 |
| 99-9P859 | 1R11-268 | 354-7403 | 2B12-307 | FAB TEK | | 7437 | 2B12-320 | W013586941 | 2B9-280 |
| 99-9P860 | 1R11-219 | 354-7404 | 2B12-410 | Air Spring Bellows | | 7443 | 2B12-305 | W013586943 | 2B9-250 |
| 99K-15P417 | 1R11-166 | 354-7405 | 2B12-313 | 40080 | 2B12-309 | 7444 | 2B12-416 | W013586944 | 2B9-252 |
| 99K-15P424 | 1R10-120 | 354-7406 | 2B12-426 | FAB TEK | | 7444 | 2B12-446 | W013586944 | 2B9-266 |
| 99K-15P425 | 1R10-122 | 354-7409 | 2B12-319 | Air Spring Rolling Lobe | | 7446 | 2B12-402 | W013586945 | 2B9-253 |
| 99K-15P708 | 1R11-179 | 354-7410 | 2B12-406 | 101827 | 1R12-095 | 7447 | 2B12-324 | W013586946 | 2B9-254 |
| CONTITECH | | 354-7424 | 2B12-300 | 101828 | 1R12-092 | 7472 | 2B12-434 | W013586947 | 2B9-255 |
| Air Spring Sleeve | | 354-7429 | 2B12-427 | 101828 | 1R12-509 | 7473 | 2B12-428 | W013586948 | 2B9-251 |
| 62561 | 1S4-044 | 354-7437 | 2B12-320 | 10828 | 1R12-309 | 7499 | 2B12-317 | W013587008 | 1B12-313 |
| 62844 | 1S4-035 | 354-7443 | 2B12-305 | FIRESTONE | | 7545 | 2B12-345 | W013587009 | 1B12-301 |
| 67451 | 1S5-175 | 354-7446 | 2B12-402 | Air Spring Bellows | | 7550 | 2B12-346 | W013587043 | 1B12-305 |
| 67452 | 1S5-176 | 354-7447 | 2B12-324 | 6799 | 2B14-476 | 7555 | 2B12-440 | W013587103 | 1B14-350 |

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|----------------------------|----------|-------------------------|----------|----------------|----------|----------------|----------|----------------|-----------|
| FIRESTONE | | W013588018 | 3B12-303 | 9029 | 1R12-559 | 9303 | 1R12-132 | 9650 | 1R11-225 |
| Air Spring Bellows (cont.) | | W013588025 | 3B12-300 | 9031 | 1R12-350 | 9306 | 1R12-530 | 9675 | 1R11-221 |
| W013587104 | 1B14-351 | W013588027 | 3B12-310 | 9033 | 1R12-351 | 9307 | 1R12-435 | 9780 | 1R12-303 |
| W013587105 | 1B14-351 | W013588030 | 3B12-301 | 9039 | 1R12-095 | 9308 | 1R12-560 | 9781 | 1R12-603 |
| W013587112 | 1B14-358 | W013588032 | 3B12-319 | 9043 | 1R10-105 | 9320 | 1R12-363 | 9797 | 1R12-437 |
| W013587119 | 2B9-240 | W013588033 | 3B12-312 | 9053 | 1R12-309 | 9321 | 1R12-335 | 9807 | 1R12-1047 |
| W013587123 | 2B14-367 | W013588038 | 3B12-415 | 9067 | 1R10-089 | 9325 | 1R12-505 | 9921 | 1R12-502 |
| W013587124 | 2B12-340 | W013588039 | 3B12-416 | 9069 | 1R12-069 | 9332 | 1R12-561 | 9922 | 1R12-498 |
| W013587133 | 2B14-367 | W013588042 | 3B12-322 | 9069 | 1R12-669 | 9334 | 1R12-435 | 9923 | 1R12-481 |
| W013587135 | 2B14-360 | W013588043 | 3B12-323 | 9069 | 1R12-676 | 9335 | 1R12-620 | 9935 | 1R12-532 |
| W013587136 | 2B14-356 | W013588047 | 3B12-326 | 9070 | 1R12-370 | 9336 | 1R12-648 | 9936 | 1R12-499 |
| W013587140 | 2B14-359 | W013588048 | 3B12-325 | 9077 | 1R12-359 | 9346 | 1R12-439 | 9961 | 1R14-115 |
| W013587145 | 2B14-354 | FIRESTONE | | 9078 | 1R12-355 | 9348 | 1R12-357 | 9974 | 1R12-1048 |
| W013587146 | 2B14-355 | Air Spring Rolling Lobe | | 9082 | 1R12-092 | 9349 | 1R12-195 | W013582119 | 1R9-065 |
| W013587180 | 2B12-425 | 2119 | 1R9-065 | 9082 | 1R12-509 | 9362 | 1R12-441 | W013585406 | 1R9-038 |
| W013587181 | 2B12-411 | 5406 | 1R9-038 | 9083 | 1R12-066 | 9365 | 1R12-571 | W013585409 | 1R9-003 |
| W013587183 | 2B12-412 | 5409 | 1R9-003 | 9092 | 1R12-220 | 9366 | 1R12-487 | W013585410 | 1R9-070 |
| W013587184 | 2B12-429 | 5410 | 1R9-070 | 9093 | 1R12-621 | 9367 | 1R12-256 | W013585435 | 1R9-003 |
| W013587185 | 2B12-318 | 5503 | 1R14-174 | 9096 | 1R12-155 | 9370 | 1R12-580 | W013585503 | 1R14-174 |
| W013587325 | 2B8-550 | 5505 | 1R14-113 | 9096 | 1R12-358 | 9371 | 1R12-401 | W013585505 | 1R14-113 |
| W013587344 | 2B12-304 | 5710 | 1R8-034 | 9100 | 1R12-076 | 9373 | 1R12-403 | W013585710 | 1R8-034 |
| W013587400 | 2B12-309 | 5730 | 1R8-034 | 9101 | 1R12-103 | 9375 | 1R12-404 | W013585730 | 1R8-034 |
| W013587401 | 2B12-320 | 5739 | 1R11-088 | 9105 | 1R12-132 | 9376 | 1R11-200 | W013585739 | 1R11-088 |
| W013587403 | 2B12-307 | 5766 | 1R11-161 | 9113 | 1R12-132 | 9377 | 1R11-201 | W013585766 | 1R11-161 |
| W013587404 | 2B12-410 | 5770 | 1R10-101 | 9115 | 1R10-019 | 9378 | 1R11-202 | W013585770 | 1R10-101 |
| W013587405 | 2B12-313 | 5779 | 1R12-303 | 9121 | 1R13-039 | 9379 | 1R12-178 | W013588050 | 1R14-039 |
| W013587406 | 2B12-426 | 8050 | 1R14-039 | 9122 | 1R14-045 | 9380 | 1R10-091 | W013588052 | 1R14-042 |
| W013587409 | 2B12-319 | 8052 | 1R14-042 | 9127 | 1R12-512 | 9386 | 1R10-089 | W013588091 | 1R14-171 |
| W013587410 | 2B12-406 | 8091 | 1R14-171 | 9130 | 1R12-281 | 9387 | 1R11-159 | W013588197 | 1R12-562 |
| W013587423 | 2B12-432 | 8197 | 1R12-562 | 9134 | 1R14-137 | 9387 | 1R11-203 | W013588204 | 1R12-508 |
| W013587424 | 2B12-300 | 8204 | 1R12-508 | 9144 | 1R14-160 | 9392 | 1R12-143 | W013588616 | 1R11-249 |
| W013587429 | 2B12-427 | 8708 | 1R13-177 | 9148 | 1R14-026 | 9394 | 1R12-281 | W013588708 | 1R13-177 |
| W013587437 | 2B12-320 | 8709 | 1R13-159 | 9149 | 1R14-018 | 9415 | 1R11-018 | W013588709 | 1R13-159 |
| W013587443 | 2B12-305 | 8710 | 1R13-124 | 9152 | 1R14-019 | 9421 | 1R11-171 | W013588710 | 1R13-124 |
| W013587444 | 2B12-416 | 8713 | 1R13-176 | 9158 | 1R14-030 | 9422 | 1R11-028 | W013588713 | 1R13-176 |
| W013587444 | 2B12-446 | 8729 | 1R13-130 | 9164 | 1R14-159 | 9436 | 1R10-089 | W013588729 | 1R13-130 |
| W013587446 | 2B12-402 | 8748 | 1R13-152 | 9177 | 1R14-028 | 9439 | 1R11-039 | W013588740 | 1R13-210 |
| W013587447 | 2B12-324 | 8749 | 1R13-153 | 9179 | 1R14-028 | 9441 | 1R11-121 | W013588746 | 1R13-208 |
| W013587472 | 2B12-434 | 8751 | 1R13-159 | 9192 | 1R12-185 | 9447 | 1R11-066 | W013588748 | 1R13-152 |
| W013587473 | 2B12-428 | 8752 | 1R13-138 | 9194 | 1R12-356 | 9448 | 1R11-150 | W013588749 | 1R13-153 |
| W013587499 | 2B12-317 | 8754 | 1R13-053 | 9200 | 1R14-038 | 9457 | 1R11-151 | W013588751 | 1R13-159 |
| W013587545 | 2B12-345 | 8755 | 1R13-124 | 9203 | 1R12-395 | 9459 | 1R11-152 | W013588752 | 1R13-138 |
| W013587550 | 2B12-346 | 8778 | 1R14-130 | 9213 | 1R12-090 | 9466 | 1R12-365 | W013588753 | 1R13-207 |
| W013587555 | 2B12-440 | 8782 | 1R13-109 | 9215 | 1R14-037 | 9469 | 1R11-223 | W013588754 | 1R13-053 |
| W013587557 | 2B14-383 | 8792 | 1R14-045 | 9218 | 1R13-120 | 9471 | 1R12-504 | W013588755 | 1R13-124 |
| W013587782 | 2B14-470 | 8802 | 1R12-434 | 9219 | 1R12-182 | 9471 | 1R12-552 | W013588774 | 1R14-172 |
| W013587788 | 2B9-245 | 8805 | 1R12-438 | 9223 | 1R12-188 | 9472 | 1R12-553 | W013588778 | 1R14-130 |
| W013587790 | 2B12-324 | 8806 | 1R12-445 | 9227 | 1R12-130 | 9473 | 1R12-586 | W013588782 | 1R13-109 |
| W013587795 | 2B10-226 | 8829 | 1R12-615 | 9236HR | 1R10-089 | 9476 | 1R11-205 | W013588792 | 1R14-045 |
| W013587798 | 3B14-356 | 8852 | 1R12-568 | 9238 | 1R12-145 | 9491 | 1R12-553 | W013588802 | 1R12-434 |
| W013587800 | 3B14-360 | 8899 | 1R10-108 | 9241 | 1R12-261 | 9501 | 1R12-552 | W013588805 | 1R12-438 |
| W013587808 | 3B14-354 | 8900 | 1R11-204 | 9243 | 1R12-480 | 9541 | 1R11-268 | W013588806 | 1R12-445 |
| W013587816 | 3B14-359 | 8901 | 1R11-149 | 9245 | 1R12-446 | 9542 | 1R11-268 | W013588806 | 1R12-492 |
| W013587818 | 3B14-359 | 8919 | 1R11-191 | 9250 | 1R13-115 | 9547 | 1R11-268 | W013588829 | 1R12-615 |
| W013587838 | 3B14-453 | 8924 | 1R12-436 | 9252 | 1R13-116 | 9565 | 1R12-324 | W013588852 | 1R12-568 |
| W013587843 | 3B14-457 | 8934 | 1R12-563 | 9262 | 1R13-118 | 9566 | 1R12-204 | W013588855 | 1R12-644 |
| W013587845 | 3B14-450 | 8944 | 1R12-366 | 9264 | 1R14-127 | 9567 | 1R12-325 | W013588899 | 1R10-108 |
| W013587846 | 3B14-451 | 8961 | 1R12-555 | 9265 | 1R12-375 | 9568 | 1R12-205 | W013588900 | 1R11-204 |
| W013587847 | 3B14-459 | 8964 | 1R12-556 | 9270 | 1R13-239 | 9580 | 1R13-118 | W013588901 | 1R11-149 |
| W013587850 | 3B14-452 | 8976 | 1R12-557 | 9275 | 1R13-117 | 9610 | 1R10-089 | W013588903 | 1R11-252 |
| W013587862 | 3B14-464 | 8986 | 1R12-558 | 9287 | 1R12-424 | 9616 | 1R11-242 | W013588919 | 1R11-191 |
| W013587990 | 3B12-329 | 8997 | 1R9-065 | 9291 | 1R10-122 | 9617 | 1R11-219 | W013588924 | 1R12-436 |
| W013587994 | 3B12-328 | 9010 | 1R12-421 | 9293 | 1R10-120 | 9618 | 1R11-220 | W013588934 | 1R12-563 |
| W013587995 | 3B12-329 | 9015 | 1R12-366 | 9295 | 1R11-166 | 9622 | 1R11-221 | W013588944 | 1R12-366 |
| W013587996 | 3B12-335 | 9017 | 1R10-085 | 9296 | 1R12-400 | 9625 | 1R11-222 | W013588961 | 1R12-555 |
| W013588006 | 3B12-304 | 9017 | 1R10-089 | 9297 | 1R12-402 | 9634 | 1R12-636 | W013588963 | 1R12-465 |
| W013588008 | 3B12-300 | 9018 | 1R12-304 | 9299 | 1R12-366 | 9640 | 1R12-367 | W013588964 | 1R12-556 |
| W013588010 | 3B12-301 | 9026 | 1R12-567 | 9302 | 1R12-132 | 9648 | 1R12-538 | W013588976 | 1R12-557 |

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|---------------------------------|----------|----------------|----------|-------------------|-----------|-------------------------|-----------|-------------------------|----------|
| FIRESTONE | | W013589250 | 1R13-115 | W013589491 | 1R12-553 | 7207 | 1S5-175 | 97-6694-1 | 1R14-101 |
| Air Spring Rolling Lobe (cont.) | | W013589252 | 1R13-116 | W013589542 | 1R11-268 | 7215 | 1S5-175 | 97-9999-0218 | 1R12-383 |
| W013588986 | 1R12-558 | W013589264 | 1R14-127 | W013589547 | 1R11-268 | W023583000 | 1S3-013 | T14-1035 | 1R14-124 |
| W013588997 | 1R9-065 | W013589265 | 1R12-375 | W013589565 | 1R12-324 | W023583001 | 1S3-013 | FLXIBLE | |
| W013589010 | 1R12-352 | W013589270 | 1R13-119 | W013589566 | 1R12-204 | W023584001 | 1S3-011 | Air Spring Sleeve | |
| W013589010 | 1R12-421 | W013589270 | 1R13-239 | W013589567 | 1R12-325 | W023587001 | 1S4-007 | 97-9999-0186 | 1S4-007 |
| W013589015 | 1R12-366 | W013589275 | 1R13-117 | W013589568 | 1R12-205 | W023587002 | 1S4-007 | FREIGHTLINER | |
| W013589017 | 1R10-085 | W013589287 | 1R12-424 | W013589580 | 1R13-118 | W023587003 | 1S4-035 | Air Spring Bellows | |
| W013589017 | 1R10-089 | W013589291 | 1R10-122 | W013589592 | 1R10-133 | W023587007 | 1S4-067 | 16-10769-000 | 2B12-309 |
| W013589018 | 1R12-304 | W013589293 | 1R10-120 | W013589610 | 1R10-089 | W023587010 | 1S4-008 | 16-11378-000 | 2B12-406 |
| W013589026 | 1R12-567 | W013589295 | 1R11-166 | W013589616 | 1R11-242 | W023587014 | 1S5-006 | 16-14318-000 | 2B9-201 |
| W013589029 | 1R12-559 | W013589296 | 1R12-400 | W013589617 | 1R11-219 | W023587014 | 1S5-120 | FREIGHTLINER | |
| W013589031 | 1R12-350 | W013589297 | 1R12-402 | W013589618 | 1R11-220 | W023587017 | 1S5-006 | Air Spring Rolling Lobe | |
| W013589033 | 1R12-351 | W013589299 | 1R12-366 | W013589622 | 1R11-221 | W023587017 | 1S5-120 | 16-13810-000 | 1R12-303 |
| W013589039 | 1R12-095 | W013589302 | 1R12-132 | W013589625 | 1R11-222 | W023587031 | 1S4-007 | 16-13810-001 | 1R12-303 |
| W013589053 | 1R12-309 | W013589306 | 1R12-530 | W013589634 | 1R12-636 | W023587035 | 1S4-5-121 | 16-13810-002 | 1R12-303 |
| W013589067 | 1R10-089 | W013589307 | 1R12-508 | W013589640 | 1R12-367 | W023587036 | 1S5-186 | 16-14377-000 | 1R12-303 |
| W013589069 | 1R12-069 | W013589308 | 1R12-560 | W013589648 | 1R12-538 | W023587040 | 1S4-056 | 16-15595-000 | 1R12-303 |
| W013589069 | 1R12-669 | W013589320 | 1R12-363 | W013589650 | 1R11-225 | W023587042 | 1S5-006 | 16-15595-001 | 1R12-303 |
| W013589069 | 1R12-676 | W013589320 | 1R12-663 | W013589675 | 1R11-221 | W023587042 | 1S5-120 | 16-15595-002 | 1R12-303 |
| W013589070 | 1R12-370 | W013589321 | 1R12-256 | W013589780 | 1R12-303 | W023587044 | 1S5-006 | 16-16825-000 | 1R12-303 |
| W013589077 | 1R12-359 | W013589321 | 1R12-335 | W013589781 | 1R12-603 | W023587044 | 1S5-120 | 16-19465-000 | 1R12-603 |
| W013589078 | 1R12-355 | W013589325 | 1R12-505 | W013589797 | 1R12-437 | W023587046 | 1S4-123 | 16-19468-000 | 1R12-303 |
| W013589082 | 1R12-092 | W013589332 | 1R12-561 | W013589807 | 1R12-1047 | W023587050 | 1S4-035 | 18-18335-000 | 1R12-303 |
| W013589082 | 1R12-509 | W013589334 | 1R12-508 | W013589902 | 1R12-640 | W023587055 | 1S4-035 | 18-18335-001 | 1R12-303 |
| W013589083 | 1R12-066 | W013589335 | 1R12-620 | W013589921 | 1R12-502 | W023587056 | 1S4-5-113 | 6813200017 | 1R12-603 |
| W013589092 | 1R12-220 | W013589336 | 1R12-648 | W013589922 | 1R12-498 | W023587080 | 1S4-5-107 | A16-14004-00 | 1R12-603 |
| W013589093 | 1R12-621 | W013589338 | 1R12-637 | W013589923 | 1R12-481 | W023587081 | 1S5-038 | A16-14004-00 | 1R12-603 |
| W013589096 | 1R12-155 | W013589342 | 1R12-450 | W013589935 | 1R12-532 | W023587086 | 1S4-058 | FREIGHTLINER | |
| W013589096 | 1R12-358 | W013589346 | 1R12-439 | W013589936 | 1R12-499 | W023587087 | 1S5-040 | Air Spring Sleeve | |
| W013589100 | 1R12-076 | W013589348 | 1R12-357 | W013589961 | 1R14-115 | W023587108 | 1S5-057 | 18-29919-000 | 1S5-176 |
| W013589101 | 1R12-103 | W013589349 | 1R12-195 | W013589974 | 1R12-1048 | W023587110 | 1S5-152 | 18-40977-000 | 1S5-175 |
| W013589102 | 1R12-113 | W013589362 | 1R12-441 | W015449542 | 1R11-268 | W023587202 | 1S5-176 | 18-41909-0 | 1S5-173 |
| W013589105 | 1R12-132 | W013589365 | 1R12-571 | W01W359385 | 1R11-178 | W023587205 | 1S5-175 | 18-52651-000 | 1S5-175 |
| W013589115 | 1R10-019 | W013589366 | 1R12-487 | W01W359465 | 1R11-179 | W023587206 | 1S5-176 | 20-12461 | 1S4-030 |
| W013589121 | 1R13-039 | W013589367 | 1R12-256 | W359060 | 1R12-285 | W023587207 | 1S5-175 | GYR1S5040 | 1S5-040 |
| W013589122 | 1R14-045 | W013589370 | 1R12-580 | FIRESTONE | | W023587215 | 1S5-175 | GYR1S5045 | 1S5-045 |
| W013589127 | 1R12-512 | W013589371 | 1R12-401 | Air Spring Sleeve | | FLXIBLE | | GYR1S6031 | 1S6-031 |
| W013589130 | 1R12-281 | W013589373 | 1R12-403 | 3000 | 1S3-013 | Air Spring Bellows | | FRUEHAUF | |
| W013589134 | 1R14-137 | W013589375 | 1R12-404 | 3001 | 1S3-013 | 6-336-13 | 2B12-304 | Air Spring Bellows | |
| W013589141 | 1R14-215 | W013589376 | 1R11-200 | 4001 | 1S3-011 | 6-336-5 | 2B12-304 | UAB-5620 | 2B12-411 |
| W013589144 | 1R13-047 | W013589377 | 1R11-201 | 7001 | 1S4-007 | FLXIBLE | | UCA-0112 | 2B12-412 |
| W013589144 | 1R14-160 | W013589378 | 1R11-202 | 7002 | 1S4-007 | Air Spring Rolling Lobe | | UCA-0112B | 2B12-412 |
| W013589148 | 1R14-026 | W013589379 | 1R12-178 | 7003 | 1S4-035 | 6-304-156 | 1R8-034 | UCC-3054-1 | 2B12-411 |
| W013589149 | 1R14-018 | W013589380 | 1R10-091 | 7007 | 1S4-067 | 6-304-157 | 1R10-089 | FRUEHAUF | |
| W013589152 | 1R14-019 | W013589386 | 1R10-089 | 7010 | 1S4-008 | 6-336-11 | 1R9-003 | Air Spring Rolling Lobe | |
| W013589158 | 1R14-030 | W013589387 | 1R11-159 | 7014 | 1S5-120 | 6-336-15 | 1R10-091 | MFR-022354 | 1R12-359 |
| W013589164 | 1R14-159 | W013589387 | 1R11-203 | 7017 | 1S5-006 | 6-336-166 | 1R9-047 | MFR-022355 | 1R12-355 |
| W013589177 | 1R14-028 | W013589392 | 1R12-143 | 7017 | 1S5-120 | 6-336-174 | 1R10-089 | UCB-4453-1 | 1R12-359 |
| W013589179 | 1R14-028 | W013589394 | 1R12-281 | 7031 | 1S4-007 | 6-336-175 | 1R8-034 | UCB-9668-1 | 1R12-355 |
| W013589192 | 1R12-185 | W013589415 | 1R11-018 | 7035 | 1S4-5-121 | 6-336-182 | 1R10-091 | UCE-1304-1 | 1R12-155 |
| W013589194 | 1R12-356 | W013589421 | 1R11-171 | 7036 | 1S5-186 | 6-336-183 | 1R14-112 | UCE-1304-1 | 1R12-358 |
| W013589200 | 1R14-038 | W013589422 | 1R11-028 | 7040 | 1S4-056 | 6-336-200 | 1R11-121 | UCE-1304-2 | 1R12-309 |
| W013589203 | 1R12-395 | W013589436 | 1R10-089 | 7042 | 1S5-120 | 6-336-202 | 1R12-095 | UCE-9393-1 | 1R12-281 |
| W013589210 | 1R12-645 | W013589439 | 1R11-039 | 7044 | 1S5-120 | 6-336-209 | 1R10-019 | UCE-9393-3 | 1R12-281 |
| W013589213 | 1R12-090 | W013589441 | 1R11-121 | 7050 | 1S4-035 | 6-336-212 | 1R10-087 | UCE-9393-4 | 1R12-281 |
| W013589215 | 1R14-037 | W013589447 | 1R11-066 | 7055 | 1S4-035 | 6-841-92 | 1R10-089 | GILLIG | |
| W013589218 | 1R13-120 | W013589448 | 1R11-150 | 7056 | 1S4-5-113 | 6-841-92 | 1R14-101 | Air Spring Rolling Lobe | |
| W013589219 | 1R12-182 | W013589457 | 1R11-151 | 7064 | 1S5-157 | 97-240-153 | 1R10-085 | 53-13187 | 1R11-121 |
| W013589223 | 1R12-188 | W013589459 | 1R11-152 | 7080 | 1S4-5-107 | 97-240-153 | 1R10-089 | 53-13188 | 1R14-018 |
| W013589227 | 1R12-130 | W013589466 | 1R12-365 | 7081 | 1S5-038 | 97-2410-0000 | 1R12-169 | 53-14006 | 1R11-121 |
| W013589236 | 1R10-089 | W013589469 | 1R11-223 | 7086 | 1S4-058 | 97-2410-1 | 1R12-169 | 53-20415-000 | 1R14-094 |
| W013589238 | 1R12-145 | W013589470 | 1R12-554 | 7087 | 1S5-040 | 97-2410-2 | 1R12-169 | 53-8212 | 1R11-121 |
| W013589240 | 1R12-639 | W013589471 | 1R12-504 | 7108 | 1S5-057 | 97-2410-3 | 1R12-169 | 87-17289 | 1R12-505 |
| W013589241 | 1R12-142 | W013589471 | 1R12-552 | 7110 | 1S5-152 | 97-2410-4 | 1R12-169 | GMC | |
| W013589241 | 1R12-261 | W013589472 | 1R12-553 | 7202 | 1S5-176 | 97-2410-5 | 1R12-169 | Air Spring Bellows | |
| W013589243 | 1R12-480 | W013589473 | 1R12-586 | 7205 | 1S5-175 | 97-5382-001 | 1R14-101 | 2076095 | 2B12-320 |
| W013589245 | 1R12-446 | W013589476 | 1R11-205 | 7206 | 1S5-176 | 97-6693-1 | 1R12-169 | 693230 | 2B12-309 |

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|----------------------------|----------|-------------------------|----------|-------------------------|----------|-------------------------|----------|-------------------------|----------|
| GMC | | 8221 | 3B12-335 | C-1013 | 2B12-309 | C-20217 | 1R12-366 | 554784C1 | 2B9-201 |
| Air Spring Bellows (cont.) | | GRANNING | | S-12405 | 3B12-319 | C-20223 | 1R12-367 | 554785C1 | 2B12-300 |
| 711954 | 2B12-320 | Air Spring Rolling Lobe | | S-14795 | 3B12-323 | C-20414 | 1R13-118 | 554786C1 | 2B12-305 |
| GMC | | 1359 | 1R12-066 | S-7853 | 3B14-451 | C-20900 | 1R13-159 | 554787C1 | 2B12-307 |
| Air Spring Rolling Lobe | | 1528 | 1R12-066 | HENDRICKSON | | C-20901 | 1R14-171 | 554788C1 | 2B12-309 |
| 10530086 | 1R8-034 | 1971 | 1R9-038 | Air Spring Rolling Lobe | | C-21208 | 1R13-239 | 554789C1 | 2B12-320 |
| 10530087 | 1R10-089 | 2112 | 1R9-070 | 1R13-102 | 1R13-239 | C-21623 | 1R13-124 | 554790C1 | 2B12-324 |
| 10530087 | 1R10-090 | 2727 | 1R12-092 | 20413 | 1R12-375 | C-21800 | 1R13-159 | 554791C1 | 2B12-402 |
| 15504181 | 1R12-511 | 2727 | 1R12-509 | 29892 | 1R13-118 | C-21966 | 1R13-177 | 554792C1 | 2B12-406 |
| 15963160 | 1R12-424 | 5065 | 1R12-132 | 36514-1 | 1R14-030 | C-22045 | 1R13-124 | 554793C1 | 2B12-410 |
| 2021085 | 1R9-038 | 5122 | 1R9-065 | 36514-12 | 1R14-042 | C-22046 | 1R13-124 | 554794C1 | 2B12-411 |
| 2052623 | 1R14-112 | B59 | 1R12-066 | 36514-13 | 1R14-039 | C-22173 | 1R13-038 | 554795C1 | 2B12-412 |
| 2054879 | 1R14-112 | HDA | | 36514-2 | 1R14-045 | C-22948 | 1R13-176 | 554796C1 | 2B14-354 |
| 2090412 | 1R14-112 | Air Spring Bellows | | 36514-3 | 1R12-132 | C-25873 | 1R14-172 | 554797C1 | 2B14-355 |
| 2475408 | 1R10-019 | PMABG-6902 | 2B9-201 | 36514-4 | 1R14-030 | S-20010 | 1R13-119 | 554798C1 | 2B14-356 |
| 6617550 | 1R8-034 | PMABG-6910 | 2B9-200 | 36514-7 | 1R12-092 | S-20228 | 1R12-563 | 554799C1 | 2B14-359 |
| 661756 | 1R10-089 | PMABG-7136 | 2B14-356 | 36514-7 | 1R12-509 | S20901 | 1R14-171 | 554800C1 | 2B14-360 |
| 661756 | 1R10-090 | PMABG-7140 | 2B14-359 | 36514-8 | 1R14-045 | S-24445 | 1R14-240 | 554801C1 | 3B14-354 |
| 661759A | 1R10-085 | PMABG-7400 | 2B12-309 | 48195 | 1R12-188 | S-24446 | 1R14-236 | 554802C1 | 3B14-356 |
| 661759C | 1R10-085 | PMABG-7401 | 2B12-320 | 49048 | 1R12-365 | S-25559 | 1R13-239 | 554803C1 | 3B14-359 |
| 662743 | 1R9-003 | PMABG-7403 | 2B12-307 | 49674 | 1R12-365 | S-25871 | 1R13-237 | 554804C1 | 3B14-360 |
| 662744 | 1R10-091 | PMABG-7424 | 2B12-300 | 50405 | 1R12-424 | S-25872 | 1R13-235 | INT'L/NAVISTAR | |
| 667302 | 1R10-085 | PMABG-7446 | 2B12-402 | 50405-1 | 1R12-424 | S-29892 | 1R13-188 | Air Spring Rolling Lobe | |
| 667512A | 1R9-038 | PMABG-7798 | 3B14-356 | 50405-2 | 1R12-424 | S-3467 | 1R13-038 | 1660581C1 | 1R12-090 |
| 667512C | 1R9-038 | HDA | | 50898-1 | 1R12-402 | S-3830 | 1R13-038 | 1660694C1 | 1R12-178 |
| 667513A | 1R10-030 | Air Spring Rolling Lobe | | 50898-2 | 1R12-402 | S6195 | 1R12-185 | 1670043C1 | 1R12-401 |
| 667513C | 1R10-030 | PMABG-9039 | 1R12-095 | 50899-1 | 1R12-404 | HISTEER | | 1672401C1 | 1R12-204 |
| 672755 | 1R9-053 | PMABG-9082 | 1R12-092 | 50899-2 | 1R12-404 | Air Spring Bellows | | 1675495C1 | 1R12-205 |
| 677302 | 1R10-085 | PMABG-9082 | 1R12-509 | 56917-1 | 1R12-620 | 10301 | 3B14-452 | 1681579C1 | 1R12-142 |
| 677302 | 1R10-089 | PMABG-9105 | 1R12-132 | 56917-2 | 1R12-620 | 10302 | 2B9-252 | 1681737C1 | 1R12-145 |
| 684192 | 1R10-089 | PMABG-9123 | 1R13-039 | 57122-1 | 1R12-403 | 10302 | 2B9-280 | 1681738C1 | 1R12-167 |
| 684192 | 1R10-090 | PMABG-9177 | 1R14-028 | 65086-2 | 1R12-620 | 10303 | 3B12-303 | 1681739C1 | 1R12-182 |
| 684193 | 1R10-089 | HENDRICKSON | | B-11650 | 1R12-095 | 10303 | 3B12-416 | 1681740C1 | 1R12-167 |
| 684193 | 1R10-090 | Air Spring Bellows | | B-12353 | 1R12-220 | 10307 | 2B9-266 | 1681741C1 | 1R14-024 |
| 684195-3 | 1R10-089 | 1015 | 3B12-322 | B-1245 | 1R12-132 | 10313 | 3B12-415 | 1681742C1 | 1R14-025 |
| 684242 | 1R10-019 | 1475 | 2B12-324 | B-12514-004 | 1R14-030 | 10315 | 2B12-346 | 1681743C1 | 1R14-027 |
| 698634 | 1R8-034 | 1796 | 2B12-345 | B-12514-008 | 1R13-038 | 10316 | 2B14-383 | 1681744C1 | 1R14-029 |
| 6989635 | 1R10-090 | 20018 | 2B12-440 | B-12514-012 | 1R14-042 | HOLLAND HITCH | | 1681745C1 | 1R14-031 |
| 716110 | 1R10-019 | 36514-5 | 2B12-434 | B-14249 | 1R12-256 | Air Spring Bellows | | 1681746C1 | 1R14-038 |
| 716111 | 1R9-038 | 45843-1 | 2B9-206 | B-2063 | 1R14-030 | 4514 | 3B14-360 | 1681747C1 | 1R14-042 |
| 720414 | 1R10-030 | 45843-3 | 2B9-200 | B-2064 | 1R12-095 | HUTCHENS IND. | | 1681748C1 | 1R14-045 |
| 8870484 | 1R8-034 | 5079 | 2B7-548 | B-2065 | 1R14-028 | Air Spring Bellows | | 1681749C1 | 1R14-060 |
| 8870485 | 1R10-089 | B-1080 | 2B14-356 | B-2066 | 1R12-092 | 10384-01 | 2B12-313 | 1685174C1 | 1R14-039 |
| 8875032 | 1R10-085 | B-1159 | 2B12-307 | B-2066 | 1R12-509 | HUTCHENS IND. | | 1686386C1 | 1R12-401 |
| 8875032 | 1R10-089 | B-11637 | 3B12-300 | B-22046 | 1R13-124 | Air Spring Rolling Lobe | | 2013947C2 | 1R9-054 |
| G1015009 | 1R12-511 | B-12405 | 3B12-319 | B-2394 | 1R9-065 | 19141-01 | 1R11-161 | 2013948C2 | 1R9-056 |
| G1017370 | 1R14-112 | B-12514-005 | 2B12-434 | B-2694 | 1R12-395 | 9424-01 | 1R12-095 | 2027911C1 | 1R12-538 |
| G1019449 | 1R10-085 | B-12514-014 | 2B14-360 | B-2827 | 1R12-352 | 9424-03 | 1R12-095 | 2027911C2 | 1R12-538 |
| G1019450 | 1R10-090 | B-1345 | 2B12-410 | B-2924 | 1R12-130 | 9424-1 | 1R12-097 | 2027911C3 | 1R12-538 |
| G1019452 | 1R10-087 | B-14486 | 2B10-226 | B-3411 | 1R13-039 | 9630-01 | 1R12-092 | 2027912C1 | 1R12-324 |
| G1020956 | 1R12-511 | B-14487 | 3B12-312 | B-3467 | 1R14-045 | 9630-01 | 1R12-509 | 2027913C1 | 1R12-325 |
| G1020957 | 1R10-090 | B-2630 | 2B9-201 | B-3648 | 1R14-037 | 9630-03 | 1R12-093 | 350243C94 | 1R12-432 |
| G1050310 | 1R14-112 | B-2734 | 2B14-365 | B-3830 | 1R13-038 | INT'L/NAVISTAR | | 3541732C1 | 1R12-523 |
| G5008051 | 1R8-034 | B-2883 | 2B12-307 | B-3839 | 1R14-038 | Air Spring Bellows | | 3541733C1 | 1R11-175 |
| GRANNING | | B-3184 | 2B14-359 | B-3842 | 1R12-103 | 1681750C1 | 2B12-432 | 3596112C1 | 1R12-622 |
| Air Spring Bellows | | B-3518 | 2B9-206 | B-4375 | 1R12-256 | 1681751C1 | 2B12-434 | 501559C1 | 1R12-090 |
| 1014 | 3B14-359 | B-3798 | 2B12-402 | B-4771 | 1R14-039 | 1685175C1 | 2B9-206 | 501559C2 | 1R12-090 |
| 1015 | 2B14-359 | B-5270 | 2B9-206 | B-4773 | 1R12-143 | 1685176C1 | 2B9-218 | 517096C91 | 1R12-220 |
| 1218 | 2B12-305 | B-5468 | 2B12-410 | B-5060 | 1R12-145 | 1685177C1 | 2B12-313 | 517559C9 | 1R12-092 |
| 1371 | 2B9-200 | B-6242 | 2B12-324 | B-7128 | 1R14-019 | 1685178C1 | 2B12-319 | 517559C9 | 1R12-509 |
| 1476 | 3B14-359 | B-6412 | 2B14-366 | B-7193 | 1R11-018 | 1685179C1 | 2B12-425 | 554761C1 | 1R11-018 |
| 1589 | 2B12-305 | B-6861 | 3B14-359 | B-8988 | 1R12-195 | 1685180C1 | 2B12-426 | 554762C1 | 1R11-028 |
| 1613 | 3B14-356 | B-7100 | 3B14-364 | B-9001 | 1R14-052 | 1685181C1 | 2B12-427 | 554763C1 | 1R12-066 |
| 1626 | 2B14-356 | B-8701 | 2B9-255 | C-10443 | 1R12-208 | 1685182C1 | 2B12-428 | 554764C1 | 1R12-069 |
| 2725 | 2B12-307 | B-8768 | 2B9-200 | C-13122 | 1R14-127 | 1685183C1 | 2B14-365 | 554764C1 | 1R12-669 |
| 2726 | 2B12-309 | B-8874 | 3B14-367 | C-20010 | 1R13-119 | 1685184C1 | 2B14-367 | 554765C1 | 1R12-093 |
| 4514 | 3B14-360 | B-9830 | 2B12-416 | C-20124 | 1R12-375 | 554782C1 | 1B14-358 | 554766C1 | 1R12-095 |
| 4848 | 2B9-201 | B-9830 | 2B12-446 | C-20127 | 1R13-118 | 554783C1 | 2B9-200 | 554767C1 | 1R12-097 |

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|------------------------------------|-----------|-------------------------|-----------|-------------------------|-----------|-------------------------|----------|-------------------------|-----------|
| INT'L/NAVISTAR | | 1101-0042 | 1S5-032 | SC2040 | 1R13-039 | MCI | | 5973877 | 1R9-003 |
| Air Spring Rolling Lobe (cont.) | | 1101-0043 | 1S5-038 | SC2041 | 1R13-038 | Air Spring Bellows | | 5973923 | 1R9-003 |
| 554768C1 | 1R12-103 | 1101-0044 | 1S5-135 | SC2042 | 1R14-026 | 12C-1-36 | 2B9-240 | 5993113 | 1R9-003 |
| 554769C1 | 1R12-113 | 1101-0045 | 1S5-133 | SC2043 | 1R14-018 | 12C-3-52 | 2B12-340 | 65 | 1R12-285 |
| 554770C1 | 1R12-132 | 1101-0060 | 1S6-046 | SC2044 | 1R14-019 | MCI | | 9594 | 1R12-512 |
| 554772C1 | 1R13-038 | 1101-A042 | 1S5-032 | SC2045 | 1R14-030 | Air Spring Rolling Lobe | | 99865 | 1R11-179 |
| 554773C1 | 1R13-039 | 1102-0022 | 1S4-123 | SC2046 | 1R14-028 | 12-01-1002 | 1R14-141 | NEW HOLLAND | |
| 554774C1 | 1R13-048 | 1102-0023 | 1S4-007 | SC2047 | 1R14-037 | 12-01-1048 | 1R14-141 | Air Spring Rolling Lobe | |
| 554775C1 | 1R13-049 | 1102-0043 | 1S4.5-113 | SC2048 | 1R12-090 | 12-01-1090 | 1R14-182 | 48100494 | 1R12-1047 |
| 554776C1 | 1R14-018 | 1102-0074 | 1S5-157 | SC2049 | 1R11-018 | 12-01-1143 | 1R14-205 | NEWAY | |
| 554777C1 | 1R14-019 | LOAD GUARD | | SC2050 | 1R11-028 | 12-01-1249 | 1R14-216 | Air Spring Bellows | |
| 554778C1 | 1R14-026 | Air Spring Bellows | | SC2052 | 1R14-039 | 12-03-1029 | 1R14-106 | 570-07-180 | 2B12-425 |
| 554779C1 | 1R14-028 | SC2010 | 2B9-201 | SC2053 | 1R12-113 | 12-03-1041 | 1R11-115 | 905-57-001 | 2B14-360 |
| 554780C1 | 1R14-030 | SC2011 | 2B9-200 | SC2054 | 1R12-093 | 12-03-6034 | 1R11-143 | 905-57-002 | 1B12-301 |
| 554781C1 | 1R14-037 | SC2012 | 1B14-358 | SC2055 | 1R13-049 | 12-04-1158 | 1R14-222 | 905-57-014 | 2B12-300 |
| INT'L/NAVISTAR | | SC2013 | 2B14-360 | SC2056 | 1R13-048 | 12-04-6007 | 1R12-545 | 905-57-015 | 2B12-320 |
| Air Spring Sleeve | | SC2014 | 2B14-356 | SC2058 | 1R12-097 | 12C-1-126 | 1R12-288 | 905-57-016 | 2B12-309 |
| 1680378C1 | 1S4-016 | SC2015 | 2B14-359 | SC2070 | 1R12-182 | 12F-4-34 | 1R10-091 | 905-57-026 | 1B14-358 |
| 2012771C1 | 1S5-072 | SC2016 | 2B14-354 | SC2098 | 1R14-045 | 12G-1-60 | 1R12-304 | 905-57-028 | 1B14-358 |
| KENWORTH | | SC2017 | 2B14-355 | SC2099 | 1R14-060 | 12J-1-23 | 1R12-139 | 905-57-039 | 2B14-355 |
| Air Spring Rolling Lobe | | SC2018 | 2B12-411 | SC2108 | 1R12-142 | 12J-1-88 | 1R12-154 | 905-57-041 | 1B14-358 |
| K-102-A | 1R11-018 | SC2019 | 2B12-412 | SC2109 | 1R12-145 | 12J-3-53 | 1R11-047 | 905-57-203 | 2B14-476 |
| K-303-14 | 1R11-028 | SC2020 | 2B12-309 | SC2110 | 1R12-178 | 12K-1-45 | 1R12-288 | 905-57-236 | 3B12-322 |
| K-303-15 | 1R11-028 | SC2022 | 2B12-410 | SC2111 | 1R14-025 | 12K-3-11 | 1R12-156 | 905-57-237 | 2B9-250 |
| K-303-16 | 1R11-242 | SC2023 | 2B12-406 | SC2112 | 1R14-024 | 12L-1-104 | 1R12-217 | 905-57-257 | 2B14-469 |
| K-303-18 | 1R11-219 | SC2024 | 2B12-300 | SC2113 | 1R14-027 | 12L-1-126 | 1R12-288 | AR-1520 | 2B14-355 |
| K-303-19 | 1R11-220 | SC2025 | 2B12-320 | SC2114 | 1R14-029 | 12L-1-133 | 1R12-304 | AR-1834 | 1B14-358 |
| K-303-22 | 1R11-221 | SC2026 | 2B12-305 | SC2115 | 1R14-031 | 12L-1-135 | 1R12-304 | TC-144-2 | 2B12-300 |
| K-303-25 | 1R11-222 | SC2027 | 2B12-402 | SC2116 | 1R14-038 | 12L-1-136 | 1R12-217 | TC-144-3A | 2B12-320 |
| K-303-28 | 1R11-221 | SC2028 | 2B12-324 | SC2120 | 1R12-256 | 12L-1-140 | 1R12-396 | TC-144-4 | 2B12-309 |
| K-303-5 | 1R11-018 | SC2029 | 3B14-356 | SC2121 | 1R14-042 | 12L-1-142 | 1R12-304 | NEWAY | |
| K-303-6 | 1R11-028 | SC2030 | 3B14-360 | SC2776 | 1R13-070 | 12L-1-169 | 1R12-394 | Air Spring Rolling Lobe | |
| KWIK-LOK/TODCO | | SC2031 | 3B14-354 | LOADAIR | | 12L-1-215 | 1R12-454 | 900-44-197 | 1R14-031 |
| Air Spring Bellows | | SC2032 | 3B14-359 | Air Spring Bellows | | 12L-4-212 | 1R9-053 | 900-44-199 | 1R12-097 |
| 53671 | 2B14-367 | SC2071 | 2B9-206 | P10-754U | 2B6-535 | 12L-4-261 | 1R10-091 | 900-44-200 | 1R12-093 |
| CP-5223 | 2B12-427 | SC2072 | 2B9-218 | MACK TRUCK | | 12L-4-5 | 1R10-091 | 900-44-201 | 1R12-113 |
| KWIK-LOK/TODCO | | SC2073 | 2B12-313 | Air Spring Bellows | | 12L-4-8 | 1R9-053 | 900-44-216 | 1R12-093 |
| Air Spring Rolling Lobe | | SC2074 | 2B12-319 | 227QS32 | 2B8-550 | 12M-4-6 | 1R10-091 | 900-44-647 | 1R12-093 |
| CP-3281 | 1R12-092 | SC2075 | 2B12-425 | 57QK1113 | 2B8-550 | 14002 | 1R11-200 | 900-44-653 | 1R12-113 |
| CP-3281 | 1R12-509 | SC2076 | 2B12-426 | 57QL239 | 2B14-354 | 1496372 | 1R10-099 | 900-44-658 | 1R13-048 |
| CP-5125 | 1R12-092 | SC2077 | 2B12-427 | MACK TRUCK | | 1498928 | 1R11-189 | 900-44-668 | 1R13-048 |
| CP-5125 | 1R12-509 | SC2078 | 2B12-428 | Air Spring Rolling Lobe | | 1510979 | 1R13-133 | 900-44-670 | 1R13-049 |
| CP-5152 | 1R12-092 | SC2079 | 2B14-365 | 20910892 | 1R12-647 | 1512076 | 1R11-143 | 900-44-701 | 1R12-103 |
| CP-5152 | 1R12-509 | SC2080 | 2B14-367 | 21244322 | 1R12-1049 | 2992101C1 | 1R12-403 | 900-44-702 | 1R13-049 |
| LES AUTOBUS | | SC2101 | 2B12-432 | 21669088 | 1R12-1049 | 39390246 | 1R10-101 | 900-44-708 | 1R12-097 |
| Air Spring Rolling Lobe | | SC2119 | 3B12-301 | 364SQ27 | 1R12-404 | G1004846 | 1R12-212 | 900-54-218 | 1R12-113 |
| 10530086 | 1R10-034 | SC2122 | 2B9-250 | 364SQ28 | 1R12-365 | MERITOR | | 900-54-234 | 1R12-097 |
| 10530087 | 1R10-090 | SC2123 | 2B9-251 | 57QL332 | 1R13-070 | Air Spring Rolling Lobe | | 900-57-001 | 1R14-029 |
| 661759C | 1R10-085 | SC2124 | 2B9-252 | 57QL39306 | 1R13-070 | 202796 | 1R13-130 | 905-44-608 | 1R13-070 |
| 698934 | 1R8-034 | SC2125 | 2B9-253 | 57QL411M | 1R12-365 | MILSCO | | 905-54-060 | 1R13-049 |
| 698935 | 1R10-090 | SC2126 | 2B9-254 | 57QL414M | 1R12-404 | Air Spring Sleeve | | 905-57-003 | 1R14-028 |
| G5001705 | 1R8-034 | SC2127 | 2B9-255 | 57QL519M | 1R12-647 | 07067A | 1S5-057 | 905-57-005 | 1R14-030 |
| G5008052 | 1R10-090 | SC2128 | 2B12-434 | 57QL54M | 1R12-615 | MONOCO COACH | | 905-57-006 | 1R12-092 |
| LES AUTOBUS | | SC2129 | 2B14-366 | MACK TRUCK | | Air Spring Rolling Lobe | | 905-57-006 | 1R12-509 |
| Air Spring Sleeve | | SC2130 | 3B12-300 | Air Spring Sleeve | | 14002 | 1R11-200 | 905-57-007 | 1R12-621 |
| G5006637 | 1S3-011 | SC2131 | 3B12-303 | 227QS310BM | 1S6-026 | NABI-HF | | 905-57-008 | 1R12-103 |
| LINK CAB & SEAT SPRINGS | | SC2132 | 3B12-304 | 227QS312BM | 1S5-154 | Air Spring Rolling Lobe | | 905-57-009 | 1R12-103 |
| Air Spring Sleeve | | SC2784 | 3B12-312 | 227QS333 | 1S4-007 | 5009273 | 1R14-218 | 905-57-011 | 1R12-095 |
| 1101-0001 | 1S3-011 | LOAD GUARD | | 227QS34B | 1S4-067 | 5014470 | 1R14-177 | 905-57-012 | 1R12-351 |
| 1101-0020 | 1S4-007 | Air Spring Rolling Lobe | | 227QS38B | 1S5-055 | 630-5056 | 1R12-505 | 905-57-019 | 1R13-039 |
| 1101-0021 | 1S4-008 | SC2033 | 1R12-095 | 227QS39301 | 1S4-008 | 633-7773 | 1R12-487 | 905-57-020 | 1R13-038 |
| 1101-0023 | 1S4-044 | SC2034 | 1R12-069 | 227QS47M | 1S5-164 | 633-9668 | 1R11-249 | 905-57-023 | 1R12-095 |
| 1101-0024 | 1S4-056 | SC2035 | 1R12-092 | MASA | | NEW FLYER | | 905-57-027 | 1R12-092 |
| 1101-0025 | 1S4-175 | SC2035 | 1R12-509 | Air Spring Bellows | | Air Spring Rolling Lobe | | 905-57-027 | 1R12-509 |
| 1101-0030 | 1S4.5-073 | SC2035 | 1R12-509 | 227002002 | 2B12-309 | 73 | 1R13-053 | 905-57-029 | 1R9-065 |
| 1101-0031 | 1S4.5-179 | SC2036 | 1R12-066 | 227004001 | 2B9-201 | 14635 | 1R12-285 | 905-57-031 | 1R12-220 |
| 1101-0040 | 1S5-005 | SC2038 | 1R12-103 | 227138412 | 2B9-200 | 55089 | 1R11-178 | 905-57-032 | 1R12-621 |
| 1101-0041 | 1S5-006 | SC2039 | 1R12-132 | | | 5920815 | 1R9-003 | 905-57-034 | 1R9-065 |

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|---------------------------------|----------|-------------------------|----------|-----------------------------------|----------|-----------------------------------|----------|-------------------------|----------|
| NEWAY | | AR-1115-1-G | 1R13-039 | 03-07887 | 1R12-568 | R & S TRUCK & BODY | | 1003588010C | 3B12-301 |
| Air Spring Rolling Lobe (cont.) | | AR-1215-1-F | 1R14-030 | 23-10042 | 1R12-069 | Air Spring Rolling Lobe | | 1003588030C | 3B12-301 |
| 905-57-035 | 1R12-621 | AR-1215-1-G | 1R13-038 | 23-10042 | 1R12-669 | 1090023 | 1R13-039 | 1006587437C | 2B12-320 |
| 905-57-037 | 1R12-092 | AR-1315-1-F | 1R12-092 | PETERBILT | | 1090216 | 1R14-028 | S-1326-C | 2B14-360 |
| 905-57-037 | 1R12-509 | AR-1315-1-G | 1R12-092 | Air Spring Sleeve | | 1090217 | 1R12-092 | S-1505-C | 3B14-360 |
| 905-57-038-1 | 1R12-370 | AR-1515-1 | 1R12-351 | 2903200 | 1S5-186 | 1090217 | 1R12-509 | S-1728-C | 2B9-201 |
| 905-57-052 | 1R13-039 | AR-250-12 | 1R13-153 | PEZZANI | | 1090218 | 1R12-095 | S-2683-C | 2B12-305 |
| 905-57-054 | 1R12-092 | AR-250-14 | 1R13-152 | Air Spring Bellows | | 1090276 | 1R12-132 | S-2685-C | 3B14-359 |
| 905-57-054 | 1R12-509 | AR-250-15 | 1R13-152 | AR-21-A | 2B14-360 | 1090326 | 1R14-159 | S-2845-C | 2B9-206 |
| 905-57-069 | 1R14-030 | AR-250-16 | 1R13-153 | PREVOST | | 10907 | 1R12-261 | S-3159-C | 2B12-426 |
| 905-57-070 | 1R13-070 | AR-250-17 | 1R13-153 | Air Spring Bellows | | REYCO | | S-3363-C | 2B12-320 |
| 905-57-071 | 1R13-038 | AR-90112 | 1R12-370 | 63-0166 | 2B9-240 | Air Spring Bellows | | S-3364-C | 1B14-358 |
| 905-57-075 | 1R12-092 | NOVABUS | | 63-0173 | 2B9-200 | 12906-01 | 2B9-218 | S-4302-C | 2B12-307 |
| 905-57-075 | 1R12-509 | Air Spring Rolling Lobe | | 63-0174 | 2B9-216 | 12906-02 | 2B9-218 | S-4512-C | 2B9-200 |
| 905-57-076 | 1R13-038 | G1015009 | 1R12-511 | 63-0185 | 2B12-340 | 18813-01 | 2B12-440 | S-4538-C | 2B12-425 |
| 905-57-077 | 1R13-038 | G1076863 | 1R10-105 | PREVOST | | 19983-01 | 2B14-383 | S-4540-C | 2B14-354 |
| 905-57-078 | 1R13-039 | G1202328 | 1R11-169 | Air Spring Rolling Lobe | | 20018-01 | 2B12-440 | S-4830-C | 3B14-354 |
| 905-57-082 | 1R12-103 | G1202651 | 1R11-169 | 360258 | 1R12-631 | REYCO | | S-5844-C | 3B12-301 |
| 905-57-083 | 1R13-039 | G1202652 | 1R11-169 | 63-0040 | 1R12-127 | Air Spring Rolling Lobe | | S-788-C | 2B12-309 |
| 905-57-085 | 1R12-095 | G1202944 | 1R12-511 | 63-0044 | 1R10-085 | 12882-01 | 1R12-092 | RIDEWELL | |
| 905-57-087 | 1R13-070 | G5001705 | 1R8-034 | 63-0044 | 1R10-089 | 12882-01 | 1R12-509 | Air Spring Rolling Lobe | |
| 905-57-089 | 1R12-560 | G5001706 | 1R8-034 | 63-0045 | 1R12-028 | 12882-02 | 1R13-039 | 1000001 | 1R12-467 |
| 905-57-090 | 1R12-370 | N15558 | 1R10-085 | 63-0064 | 1R12-127 | 12883-01 | 1R12-103 | 1000002 | 1R14-127 |
| 905-57-097 | 1R11-225 | N15558 | 1R10-089 | 63-0067 | 1R10-087 | 12883-02 | 1R13-038 | 1000006 | 1R14-151 |
| 905-57-099 | 1R12-363 | N16374 | 1R11-121 | 63-0077 | 1R10-108 | 12884-01 | 1R12-188 | 1000008 | 1R14-175 |
| 905-57-102 | 1R14-170 | N17842 | 1R11-130 | 63-0090 | 1R11-090 | 12884-01A | 1R12-188 | 1001R12584G | 1R12-584 |
| 905-57-103 | 1R14-113 | N21361 | 1R12-422 | 63-0092 | 1R11-088 | 12928-01 | 1R12-421 | 1001R13-087 | 1R13-097 |
| 905-57-110 | 1R13-047 | N35162 | 1R11-232 | 63-0093 | 1R11-243 | 17360-01 | 1R12-560 | 1001R13-097 | 1R13-097 |
| 905-57-111 | 1R14-159 | N38168 | 1R10-120 | 63-0094 | 1R11-090 | 17361-01 | 1R11-204 | 1001R13-109 | 1R13-109 |
| 905-57-112 | 1R12-480 | N39112 | 1R12-092 | 63-0099 | 1R11-243 | 17636-01 | 1R12-195 | 1003580725C | 1R12-132 |
| 905-57-113 | 1R12-441 | NOVABUS | | 63-0102 | 1R11-244 | 20074-01 | 1R12-561 | 1003585410C | 1R9-070 |
| 905-57-117 | 1R12-502 | Air Spring Sleeve | | 63-0104 | 1R11-088 | 20446-01 | 1R11-205 | 1003588752C | 1R13-097 |
| 905-57-118 | 1R12-481 | N12687 | 1S3-011 | 63-0105 | 1R11-243 | 21054-01 | 1R11-201 | 1003588802C | 1R12-434 |
| 905-57-119 | 1R12-498 | ORION | | 63-0106 | 1R11-090 | 21055-01 | 1R12-557 | 1003588802X | 1R12-445 |
| 905-57-120 | 1R10-120 | Air Spring Rolling Lobe | | 63-0109 | 1R11-109 | 21598-01 | 1R12-556 | 1003588805C | 1R12-438 |
| 905-57-121 | 1R11-166 | 010132404-4 | 1R12-383 | 63-0125 | 1R12-631 | 23377-01 | 1R12-555 | 1003588919C | 1R11-191 |
| 905-57-122 | 1R10-122 | 020117511-4 | 1R10-109 | 63-0126 | 1R11-244 | 23631-01 | 1R14-039 | 1003588924C | 1R12-436 |
| 905-57-125 | 1R14-137 | 20117526 | 1R10-127 | 63-0129 | 1R11-097 | RIDEWELL | | 1003588986C | 1R12-558 |
| 905-57-126 | 1R12-439 | 20217501 | 1R11-147 | 63-0151 | 1R12-377 | Air Spring Bellows | | 1003588997C | 1R9-065 |
| 905-57-129 | 1R12-435 | T14-1044 | 1R10-109 | 63-0158 | 1R10-087 | 1002B09270G | 2B9-270 | 1003589010C | 1R12-421 |
| 905-57-139 | 1R10-122 | PEERLESS | | 63-0162 | 1R12-406 | 1003586801C | 2B14-365 | 1003589029C | 1R12-559 |
| 905-57-149 | 1R12-505 | Air Spring Bellows | | 63-0178 | 1R12-145 | 1003586805C | 2B14-462 | 1003589039C | 1R12-095 |
| 905-57-152 | 1R12-586 | 0550-00001 | 2B12-425 | 63-0179 | 1R12-156 | 1003586850C | 2B12-463 | 1003589053C | 1R12-309 |
| 905-57-155 | 1R14-160 | 0550-00015 | 1B14-350 | 63-0180 | 1R12-288 | 1003586902C | 2B9-239 | 1003589073C | 1R11-018 |
| 905-57-156 | 1R12-499 | 0550-00030 | 3B14-354 | 63-0181 | 1R12-217 | 1003586905C | 2B9-206 | 1003589082C | 1R12-092 |
| 905-57-157 | 1R12-532 | PEERLESS | | 63-0182 | 1R12-304 | 1003586910C | 2B9-200 | 1003589082C | 1R12-509 |
| 905-57-159 | 1R12-571 | Air Spring Rolling Lobe | | 63-0183 | 1R12-396 | 1003586932C | 2B9-246 | 1003589083C | 1R12-066 |
| 905-57-160 | 1R12-487 | 0550-00010 | 1R14-018 | 63-0224 | 1R12-394 | 1003586945C | 2B9-253 | 1003589101C | 1R12-103 |
| 905-57-167 | 1R13-152 | 0550-00051 | 1R12-350 | 63-0226 | 1R8-034 | 1003586946C | 2B9-254 | 1003589105C | 1R12-132 |
| 905-57-168 | 1R13-153 | 0550-00060 | 1R14-024 | 63-0259 | 1R11-244 | 1003586947C | 2B9-255 | 1003589121C | 1R13-039 |
| 905-57-170 | 1R12-434 | 0550-00070 | 1R14-026 | 63-0260 | 1R11-243 | 1003586948C | 2B9-251 | 1003589122C | 1R13-038 |
| 905-57-173 | 1R12-508 | 0550-00080 | 1R14-019 | PREVOST | | 1003587112C | 1B14-358 | 1003589158C | 1R14-030 |
| 905-57-179 | 1R12-586 | 0550-00081 | 1R14-019 | Air Spring Sleeve | | 1003587135C | 2B14-360 | 1003589177C | 1R14-028 |
| 905-57-185 | 1R13-038 | PETERBILT | | 95-0208 | 1S3-011 | 1003587136C | 2B14-356 | 1003589200C | 1R14-038 |
| 905-57-200 | 1R14-174 | Air Spring Rolling Lobe | | 950208 | 1S3-013 | 1003587140C | 2B14-359 | 1003589218C | 1R13-120 |
| 905-57-209 | 1R13-120 | 03-01649 | 1R12-069 | R & S TRUCK & BODY | | 1003587145C | 2B14-354 | 1003589245C | 1R12-446 |
| 905-57-210 | 1R12-487 | 03-01649 | 1R12-669 | Air Spring Bellows | | 1003587146C | 2B14-355 | 1003589250C | 1R13-115 |
| 905-57-211 | 1R12-554 | 03-02038 | 1R12-069 | 1027405 | 2B9-200 | 1003587180C | 2B12-425 | 1003589252C | 1R13-116 |
| 905-57-212 | 1R12-552 | 03-02038 | 1R12-669 | 1027505 | 2B9-201 | 1003587400C | 2B12-309 | 1003589275C | 1R13-117 |
| 905-57-213 | 1R12-553 | 03-02456 | 1R12-069 | 1027519 | 2B12-309 | 1003587406C | 2B12-426 | 1003589334C | 1R12-435 |
| 905-57-214 | 1R12-485 | 03-02456 | 1R12-669 | 1027556 | 2B14-356 | 1003587437C | 2B12-320 | 1003589378C | 1R11-202 |
| 905-57-215 | 1R12-484 | 03-04759 | 1R12-069 | 1040201 | 2B12-307 | 1003587443C | 2B12-305 | 1003589387C | 1R11-203 |
| 905-57-216 | 1R12-486 | 03-04759 | 1R12-669 | 1082914 | 2B12-402 | 1003587473C | 2B12-428 | 1003589447C | 1R11-066 |
| 905-57-223 | 1R12-508 | 03-05107 | 1R12-356 | 1090201 | 2B12-307 | 1003587800C | 3B14-360 | 1003589448C | 1R11-150 |
| 905-57-225 | 1R12-487 | 03-06213 | 1R12-567 | 1090214 | 2B14-359 | 1003587808C | 3B14-354 | 1003589457C | 1R11-151 |
| 905-57-230 | 1R12-562 | 03-07111 | 1R12-567 | 1090215 | 2B12-300 | 1003587818C | 3B14-359 | 1003589459C | 1R11-152 |
| 905-57-275 | 1R12-543 | 03-07112 | 1R12-069 | R & S TRUCK & BODY | | 1003587839C | 3B14-359 | 1003589797C | 1R12-437 |
| AR-1115-1-F | 1R14-028 | 03-07112 | 1R12-669 | Air Spring Bellows | | 1003588008C | 3B12-300 | 1003589961C | 1R14-115 |

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|---------------------------------|-----------|------------------------------|----------|-------------------------|----------|----------------|----------|-------------------------|-----------|
| RIDEWELL | | TMC | | 4441 | 3B14-452 | 8337 | 1R11-039 | 8468 | 1R11-171 |
| Air Spring Rolling Lobe (cont.) | | Air Spring Rolling Lobe | | 4442 | 1B14-350 | 8339 | 1R12-350 | 8469 | 1R12-434 |
| 1013580702C | 1R12-097 | 10530087 | 1R10-090 | 4447 | 1B14-351 | 8345 | 1R12-421 | 8470 | 1R12-439 |
| 1013580708C | 1R11-018 | 661759C | 1R10-085 | 4448 | 2B9-252 | 8352 | 1R12-356 | 8471 | 1R12-435 |
| 1013580712C | 1R12-093 | 684192 | 1R10-090 | 4448 | 2B9-280 | 8353 | 1R12-130 | 8472 | 1R12-568 |
| 1013589039C | 1R12-095 | 684193 | 1R10-090 | 4449 | 2B14-366 | 8355 | 1R12-395 | 8477 | 1R11-200 |
| 1013589102C | 1R12-113 | 6989635 | 1R10-090 | 4450 | 2B9-230 | 8356 | 1R12-145 | 8478 | 1R11-201 |
| 1013589123C | 1R13-049 | G1020957 | 1R10-090 | 4451 | 2B14-365 | 8358 | 1R12-261 | 8479 | 1R11-203 |
| 1013589124C | 1R13-048 | TOYO | | 4452 | 2B9-246 | 8360 | 1R12-363 | 8480 | 1R12-556 |
| 1013589154C | 1R14-031 | Air Spring Rolling Lobe | | 4453 | 2B9-218 | 8361 | 1R12-261 | 8482 | 1R12-435 |
| 1013589159C | 1R14-029 | TRL230H3603 | 1R11-028 | 4454 | 2B9-266 | 8363 | 1R13-116 | 8484 | 1R12-508 |
| S-2061-C | 1R12-095 | TRL-240/393 | 1R12-092 | 4455 | 3B14-364 | 8364 | 1R14-026 | 8486 | 1R13-153 |
| S-2572-C | 1R14-038 | TRL-240/393 | 1R12-509 | 4456 | 3B14-451 | 8365 | 1R14-018 | 8488 | 1R12-487 |
| S-2573-C | 1R14-028 | TRL-250 | 1R12-103 | 4457 | 3B14-367 | 8366 | 1R14-028 | 8490 | 1R12-370 |
| S-2574-C | 1R14-030 | TRL-270/476 | 1R13-038 | 4463 | 2B9-254 | 8367 | 1R14-115 | 8495 | 1R12-571 |
| S-3052-C | 1R13-039 | TRAILERS DE MONTERREY | | 4464 | 2B12-434 | 8370 | 1R14-019 | 8496 | 1R12-437 |
| S-3053-C | 1R13-038 | Air Spring Bellows | | 4465 | 2B12-432 | 8372 | 1R12-220 | 8497 | 1R12-436 |
| S-4695-C | 1R14-028 | 73312A | 2B12-424 | 4466 | 3B12-310 | 8376 | 1R12-143 | 8501 | 1R12-554 |
| S-4797-C | 1R14-028 | 73312B | 2B9-216 | 4468 | 1B12-301 | 8377 | 1R13-047 | 8503 | 1R12-557 |
| S-5356-C | 1R12-095 | TRIANGLE | | 4469 | 3B12-300 | 8378 | 1R14-042 | 8505 | 1R12-256 |
| S-542-C | 1R12-092 | Air Spring Bellows | | 4471 | 2B12-412 | 8379 | 1R12-178 | 8513 | 1R13-130 |
| S-542-C | 1R12-509 | 4310 | 2B9-201 | 4472 | 2B12-411 | 8382 | 1R12-303 | 8514 | 1R11-219 |
| S-570-C | 1R12-132 | 4311 | 2B14-360 | 4480 | 2B12-440 | 8382 | 1R12-603 | 8515 | 1R11-242 |
| S-5828-C | 1R12-103 | 4313 | 2B12-309 | 4499 | 2B9-201 | 8390 | 1R12-446 | 8516 | 1R11-205 |
| S-740-C | 1R12-103 | 4315 | 2B9-206 | 4502 | 2B12-317 | 8391 | 1R12-441 | 8517 | 1R11-191 |
| SAUR AXLES (SAS) | | 4316 | 2B14-359 | 4503 | 3B12-304 | 8393 | 1R12-567 | 8518 | 1R13-097 |
| Air Spring Bellows | | 4318 | 2B12-307 | 4505 | 2B9-229 | 8395 | 1R12-505 | 8519 | 1R12-403 |
| P10-755 | 2B12-300 | 4320 | 2B9-200 | 4508 | 3B12-312 | 8397 | 1R12-561 | 8520 | 1R12-402 |
| P50-733A (LIF) | 2B9-201 | 4321 | 2B14-356 | 4509 | 2B8-550 | 8398 | 1R12-560 | 8521 | 1R12-401 |
| PB10-784 | 2B12-434 | 4323 | 2B12-305 | 4510 | 2B9-245 | 8399 | 1R12-559 | 8522 | 1R13-124 |
| SAUR AXLES (SAS) | | 4325 | 3B14-359 | 4513 | 2B12-324 | 8400 | 1R12-558 | 8523 | 1R14-171 |
| Air Spring Rolling Lobe | | 4327 | 2B12-300 | 4514 | 2B12-345 | 8401 | 1R11-204 | 8525 | 1R9-065 |
| P50-705 | 1R12-132 | 4329 | 3B14-356 | 4520 | 3B12-335 | 8405 | 1R14-159 | 8526 | 1R13-177 |
| P50-733B | 1R13-039 | 4331 | 2B12-406 | 4524 | 2B10-226 | 8406 | 1R12-424 | 8530 | 1R14-174 |
| P50-734 | 1R12-095 | 4333 | 3B14-360 | 4525 | 3B12-312 | 8407 | 1R12-090 | 8533 | 1R13-176 |
| SEARS SEAT | | 4334 | 2B12-320 | 4530 | 2B14-383 | 8408 | 1R12-182 | 8537 | 1R11-221 |
| Air Spring Sleeve | | 4336 | 3B14-354 | 4541 | 2B12-346 | 8409 | 1R12-188 | 8538 | 1R11-222 |
| S-20235 | 1S4.5-121 | 4337 | 2B12-320 | 4544 | 2B14-470 | 8410 | 1R12-365 | 8539 | 1R14-127 |
| S-9383 | 1S4.5-121 | 4339 | 1B14-358 | 4546 | 3B12-328 | 8414 | 1R14-037 | 8542 | 1R12-555 |
| SILENT DRIVE | | 4340 | 2B12-324 | 4547 | 3B12-329 | 8415 | 1R14-038 | 8544 | 1R12-563 |
| Air Spring Bellows | | 4342 | 2B14-355 | TRIANGLE | | 8416 | 1R12-400 | 8548 | 1R12-532 |
| AS-7446 | 2B12-402 | 4343 | 2B12-427 | Air Spring Rolling Lobe | | 8417 | 1R11-166 | 8563 | 1R11-150 |
| AS-8025 | 3B12-310 | 4345 | 2B14-367 | 8310 | 1R12-092 | 8422 | 1R13-120 | TRUCKSTELL | |
| AS-8027 | 3B12-310 | 4346 | 2B12-410 | 8310 | 1R12-509 | 8424 | 1R10-120 | Air Spring Bellows | |
| SMOOTH RIDE | | 4362 | 2B9-210 | 8311 | 1R12-095 | 8425 | 1R10-122 | 63640 | 3B14-354 |
| Air Spring Bellows | | 4363 | 2B12-425 | 8312 | 1R12-069 | 8427 | 1R12-367 | 63641 | 2B14-360 |
| P10-755C | 2B12-304 | 4364 | 2B12-313 | 8312 | 1R12-669 | 8428 | 1R12-498 | 63644 | 2B14-360 |
| SUSPENSIONS INC. | | 4365 | 2B12-426 | 8313 | 1R14-045 | 8429 | 1R12-481 | TRUCKSTELL | |
| Air Spring Bellows | | 4367 | 2B12-319 | 8314 | 1R11-028 | 8431 | 1R14-137 | Air Spring Rolling Lobe | |
| 200042 | 2B9-201 | 4368 | 2B12-432 | 8315 | 1R12-103 | 8433 | 1R13-239 | 63647 | 1R12-103 |
| 200117 | 3B12-310 | 4369 | 2B12-416 | 8316 | 1R14-028 | 8434 | 1R13-118 | TTX | |
| 200118 | 2B9-252 | 4369 | 2B12-446 | 8317 | 1R13-039 | 8435 | 1R12-375 | Air Spring Bellows | |
| 200177 | 3B14-452 | 4370 | 2B12-402 | 8318 | 1R14-030 | 8436 | 1R12-366 | 1999408 | 2B9-225 |
| 200180 | 2B9-254 | 4371 | 2B12-434 | 8319 | 1R12-132 | 8438 | 1R12-195 | VOLVO | |
| 200448 | 2B12-307 | 4372 | 2B12-428 | 8320 | 1R14-039 | 8443 | 1R12-502 | Air Spring Bellows | |
| 200620 | 3B12-304 | 4374 | 2B14-354 | 8321 | 1R12-281 | 8444 | 1R13-070 | 2076095 | 2B12-320 |
| 200835 | 2B9-250 | 4413 | 3B12-319 | 8322 | 1R11-018 | 8446 | 1R9-070 | 35203-0005 | 2B14-354 |
| 200981 | 2B12-313 | 4426 | 2B9-250 | 8323 | 1R13-117 | 8447 | 1R11-202 | 35203-3204 | 2B14-354 |
| 201602 | 2B12-317 | 4427 | 2B9-253 | 8324 | 1R13-115 | 8449 | 1R12-615 | VOLVO | |
| SUSPENSIONS INC. | | 4428 | 2B9-255 | 8325 | 1R12-155 | 8450 | 1R12-205 | Air Spring Rolling Lobe | |
| Air Spring Rolling Lobe | | 4429 | 2B9-251 | 8325 | 1R12-358 | 8451 | 1R12-404 | 20396293 | 1R12-615 |
| 200041 | 1R12-142 | 4430 | 3B12-304 | 8327 | 1R12-309 | 8454 | 1R12-499 | 20413888 | 1R12-615 |
| 200457 | 1R12-095 | 4431 | 3B12-300 | 8328 | 1R12-351 | 8456 | 1R12-538 | 20505399 | 1R12-615 |
| 200458 | 1R14-038 | 4432 | 3B12-301 | 8329 | 1R12-355 | 8460 | 1R13-159 | 20733034 | 1R12-647 |
| 201335 | 1R12-256 | 4434 | 3B12-303 | 8330 | 1R12-370 | 8461 | 1R12-325 | 21132005 | 1R12-1049 |
| 201869 | 1R12-092 | 4436 | 3B14-356 | 8331 | 1R12-359 | 8462 | 1R12-438 | 21669088 | 1R12-1049 |
| 201869 | 1R12-509 | 4437 | 3B14-359 | 8332 | 1R12-621 | 8465 | 1R12-620 | 3180673 | 1R12-423 |
| 202796 | 1R13-130 | 4439 | 3B14-360 | 8333 | 1R12-066 | 8467 | 1R12-553 | 3180984P2 | 1R12-462 |

| Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. | Competitor No. | Our No. |
|---------------------------------|----------|----------------|----------|----------------|---------|----------------|---------|----------------|---------|
| VOLVO | | AS-0039 | 1R14-039 | | | | | | |
| Air Spring Rolling Lobe (cont.) | | AS-0040 | 1R12-103 | | | | | | |
| 35003-3201 | 1R12-182 | AS-0044 | 1R12-421 | | | | | | |
| 35003-3203 | 1R12-182 | AS-0047 | 1R14-174 | | | | | | |
| 35003-3204 | 1R12-182 | AS-0047G | 1R14-170 | | | | | | |
| 35003-3209 | 1R12-182 | AS-0049 | 1R12-441 | | | | | | |
| 3934699 | 1R12-615 | AS-0050 | 1R12-370 | | | | | | |
| 8061151 | 1R12-400 | AS-0053 | 1R12-370 | | | | | | |
| 8079902 | 1R12-615 | AS-0054 | 1R12-487 | | | | | | |
| 8084296 | 1R12-615 | AS-0056 | 1R12-439 | | | | | | |
| 8097092 | 1R12-615 | AS-0057 | 1R12-580 | | | | | | |
| 8169868 | 1R12-400 | AS-0061 | 1R12-480 | | | | | | |
| VOLVO | | AS-0073 | 1R13-120 | | | | | | |
| Air Spring Sleeve | | AS-0077 | 1R12-069 | | | | | | |
| 66003-0004 | 1S5-060 | AS-0077 | 1R12-669 | | | | | | |
| 66003-0007 | 1S4-042 | AS-0078 | 1R14-042 | | | | | | |
| 66003-3201 | 1S4-074 | AS-0082 | 1R14-038 | | | | | | |
| 8169029 | 1S5-070 | AS-0083 | 1R13-039 | | | | | | |
| WATSON & CHALIN | | AS-0084 | 1R13-239 | | | | | | |
| Air Spring Bellows | | AS-0090 | 1R12-502 | | | | | | |
| AS-0001 | 2B9-200 | AS-0095 | 1R12-309 | | | | | | |
| AS-0002 | 2B9-239 | AS-0096 | 1R13-115 | | | | | | |
| AS-0003 | 2B12-309 | AS0098 | 1R13-207 | | | | | | |
| AS-0004 | 2B14-356 | AS-0101 | 1R12-356 | | | | | | |
| AS-0005 | 2B12-402 | AS-0104 | 1R12-256 | | | | | | |
| AS-0006 | 3B14-356 | AS-0107G | 1R13-155 | | | | | | |
| AS-0007 | 2B12-307 | AS-0113G | 1R12-541 | | | | | | |
| AS-0008 | 2B14-359 | AS-0114G | 1R12-540 | | | | | | |
| AS-0009 | 2B12-300 | AS-0144 | 1R14-190 | | | | | | |
| AS-0014 | 2B12-320 | AS-0241 | 1R14-232 | | | | | | |
| AS-0019 | 3B12-300 | AS-0246 | 1R14-236 | | | | | | |
| AS-0019-1F | 3B12-328 | | | | | | | | |
| AS-0020 | 2B9-206 | | | | | | | | |
| AS-0021 | 2B14-365 | | | | | | | | |
| AS-0025 | 3B14-359 | | | | | | | | |
| AS-0027 | 2B12-305 | | | | | | | | |
| AS-0030 | 2B8-550 | | | | | | | | |
| AS-0032 | 2B14-470 | | | | | | | | |
| AS-0033 | 3B14-359 | | | | | | | | |
| AS-0034 | 2B14-476 | | | | | | | | |
| AS-0035 | 2B9-210 | | | | | | | | |
| AS-0041 | 2B9-250 | | | | | | | | |
| AS-0048 | 3B12-319 | | | | | | | | |
| AS-0048-1F | 3B12-329 | | | | | | | | |
| AS-0048-2G | 3B12-324 | | | | | | | | |
| AS-0048-3G | 3B12-342 | | | | | | | | |
| AS-0058 | 2B9-229 | | | | | | | | |
| AS-0075 | 3B12-303 | | | | | | | | |
| AS-0086 | 3B14-452 | | | | | | | | |
| AS-0087 | 2B12-346 | | | | | | | | |
| AS-0087-1F | 2B12-345 | | | | | | | | |
| AS-0088 | 2B9-245 | | | | | | | | |
| AS-0089 | 2B14-383 | | | | | | | | |
| WATSON & CHALIN | | | | | | | | | |
| Air Spring Rolling Lobe | | | | | | | | | |
| AS-0010 | 1R14-028 | | | | | | | | |
| AS-0011 | 1R12-092 | | | | | | | | |
| AS-0012 | 1R12-095 | | | | | | | | |
| AS-0013 | 1R13-039 | | | | | | | | |
| AS-0015 | 1R12-132 | | | | | | | | |
| AS-0017 | 1R11-028 | | | | | | | | |
| AS-0018 | 1R12-066 | | | | | | | | |
| AS-0023 | 1R13-038 | | | | | | | | |
| AS-0023-1G | 1R14-154 | | | | | | | | |
| AS-0026 | 1R9-065 | | | | | | | | |
| AS-0028 | 1R12-066 | | | | | | | | |
| AS-0029 | 1R9-070 | | | | | | | | |
| AS-0036 | 1R12-335 | | | | | | | | |

Discontinued Air Springs

| <u>Discontinued part number</u> | <u>Replaced by</u> | <u>Discontinued part number</u> | <u>Replaced by</u> |
|---------------------------------|--------------------|---------------------------------|--------------------|
| 1R8-036 | 1S8-003 | 1R13-103 | 1R13-159 |
| 1R9-019 | 1R9-065 | 1R13-126 | 1R13-038 |
| 1R10-053 | 1R10-091 | 1R13-140 | 1R13-176 |
| 1R10-059 | 1R10-089 | 1R13-174 | 1R13-188 |
| 1R10-078 | 1R10-089 | 1R13.5-128 | 1R13-177 |
| 1R10-086 | 1R10-089 | 1R14-083 | 1R14-039 |
| 1R10-094 | NONE | 1R14-093 | 1R14-171 |
| 1R11-075 | NONE | 1R14-110 | 1R14-141 |
| 1R11-089 | 1R11-243 | 1R14-123 | 1R14-175 |
| 1R11-096 | 1R11-244 | 1R14-147 | 1R14-094 |
| 1R11-172 | 1R10-122 | 1S5-146 | 1S5-164 |
| 1R11-174 | 1R11-227 | 1S6-024 | NONE |
| 1R12-014 | NONE | 1S6-025 | 1S6-055 |
| 1R12-047 | NONE | 1S12-002 | 1S12-615 |
| 1R12-155 | 1R12-358 | 1S12-004 | 1S12-365 |
| 1R12-158 | NONE | 1S12-005 | 1S12-365 |
| 1R12-162 | NONE | 1S12-006 | 1S12-402 |
| 1R12-186 | 1R12-603 | 1S12-007 | 1S12-404 |
| 1R12-197 | 1R12-365 | 1S12-017 | 1S12-538 |
| 1R12-225 | 1R12-424 | 1S12-022 | 1S12-400 |
| 1R12-265 | NONE | 1S12-027 | 1S12-424 |
| 1R12-279 | 1R12-281 | 1S12-029 | 1S12-402 |
| 1R12-284 | 1R12-511 | 1S12-030 | 1S12-403 |
| 1R12-319 | 1R12-631 | 1S12-031 | 1S12-404 |
| 1R12-334 | 1R12-394 | 1S12-033 | 1S12-615 |
| 1R12-352 | 1R12-421 | 1S12-035 | 1S12-615 |
| 1R12-372 | 1R12-552 | 1S12-240 | 1S12-424 |
| 1R12-373 | 1R12-553 | 1S12-244 | 1S12-401 |
| 1R12-390 | 1R12-554 | 1S12-245 | 1S12-400 |
| 1R12-397 | 1R12-615 | 3B14-352 | 3B14-361 |
| 1R12-398 | 1R12-538 | | |
| 1R12-405 | 1R12-615 | | |
| 1R12-427 | 1R12-615 | | |
| 1R12-440 | 1R12-580 | | |
| 1R12-488 | 1R12-404 | | |
| 1R12-501 | 1R12-120 | | |
| 1R12-503 | 1R12-580 | | |
| 1R12-522 | 1R12-508 | | |
| 1R12-533 | 1R12-481 | | |
| 1R12-536 | 1R12-615 | | |
| 1R12-537 | 1R12-615 | | |
| 1R12-548 | 1R12-615 | | |

STEMCO LP STANDARD TERMS AND CONDITIONS OF SALE

Definitions:

- a. "Buyer" means STEMCO and "Seller" means the legal entity contracting with the Buyer.
- b. "Order" and "Purchase Order" are used synonymously.
- c. "Delivery Date" means the required date of delivery for Goods on the Purchase Order or Blanket Order Release; or the acceptance in total of the Services provided by the Seller.

2. **Acceptance, Modification, and Entire Agreement:** Placement of this order constitutes Buyer's offer to Seller upon terms and conditions stated herein and on the face of the purchase order and does not constitute an acceptance by the Buyer of any offer to sell. This order becomes a binding contract, subject to the terms and conditions thereof, when accepted by acknowledgement or commencement of performance and is binding on the heirs, successors, assigns, and representatives of the Seller. Placement of this order is expressly conditioned upon Seller's acceptance of all the terms and conditions of purchase contained on or attached to this order. Any acknowledgment form or other form of Seller containing terms and conditions of sale submitted to Buyer from Seller shall not have the effect of modifying the terms and conditions hereof. Any such additional or different terms and conditions are hereby objected to and rejected by the Buyer. Buyer may consider Seller's request for changes only if such request is made in writing and directed to specific clauses in this order within ten (10) days of issuance of this order. By acceptance of the order, Seller agrees to comply with the terms and conditions contained herein and to provide all Goods and/or Services as described within the purchase order. These terms and conditions constitute the entire agreement between the parties and supersede any previous oral or written representations, including but not limited to provisions in Seller's quotations, proposals, terms and conditions, acknowledgments, invoices or other documents. No change or modification to Buyer's terms and conditions shall be binding upon Buyer unless specifically accepted in writing.

3. **Delivery:** Time is of the essence in regard to fulfilling this order. Seller shall deliver the Goods and/or Services ordered by Buyer no later than the Delivery Date. Seller shall immediately notify Buyer in the event that Seller's performance is delayed or likely to be delayed, in whole or in part, and Seller shall provide Buyer with all information regarding any reasons for such delay. Such notice shall not constitute a waiver by Buyer of any Seller's obligations under the purchase order. Buyer has the right to cancel all or a portion of this order which has not been delivered in accordance with the Delivery Date. Seller will limit and phase expenditures, incurrence of costs, and purchases and subcontract commitments for raw materials and components in such fashion to ensure continuity in production and permit performance and completion of each production increment in sequence without creating any unreasonable accumulations of raw materials or work in process of components for any production increments.

If the specified mode of transportation for the Goods would not permit the Seller to meet the Delivery Date, Seller shall ship Goods by air freight or other expedient means acceptable to the Buyer and Seller shall pay the costs of such freight for such expedited shipment, over the cost of the specified mode of transportation.

Seller shall be liable for any production line stoppages or related expenditures incurred by Buyer or charged to Buyer by its customers, which are caused by the failure of Seller to deliver its Goods and/or Services in a timely manner. Default in delivery caused by Acts of God or other extraordinary events or occurrences beyond Seller's control and without its fault or negligence shall not make Seller liable therefore, provided Seller immediately notifies Buyer of said event and the estimated delay in delivery.

If the Goods and/or Services ordered by Buyer are in excess of the volume stated on the order, and/or its releases, or are delivered more than five (5) days prior to the Delivery Date, Buyer may reject such delivery of Goods and/or Services and may return such rejected Goods at Seller's own risk and expense, including, without limitation, transportation and insurance charges.

Buyer may delay delivery or acceptance occasioned by reason of force majeure or other causes beyond its control. Seller shall hold such Goods at the direction of the Buyer and shall deliver them when the cause affecting delay has been removed. Causes beyond Buyer's control include, without limitation, government action or failure of the government to act where such action is required, strike or other labor issues, fire, destruction or impairment of facilities, or Acts of God.

4. **Default of Seller:** If Seller shall (a) fail to deliver Goods and/or Services within the time scheduled or in compliance to the Delivery Date or (b) fail to perform any other provision of this order or (c) become insolvent, or (d) file or have filed against it a petition under any state or federal bankruptcy or insolvency law, then, and in any such event, without prejudice to Buyer's other rights or remedies Buyer shall have the right at its option to terminate this order, in whole or in part. Upon any such termination Buyer may exercise any and all rights accruing to it, both at law including those set forth in the Uniform Commercial Code or in equity and may also (1) require Seller to deliver forthwith any or all Goods, or parts thereof, which have been produced, or are in process of production pursuant to this order, in which event Buyer shall pay Seller the order price for the acceptable completed items so delivered and shall reimburse Seller for its costs actually incurred with respect to the partially completed Goods so delivered, provided that such costs in no event shall exceed the order price equitably allocated therefore and (2) procure, for such items and in such manner as it may deem appropriate, Goods and/or Services similar to those terminated, and to recover from Seller the excess cost incurred by Buyer in procuring such similar Goods and/or Services. Seller's obligations under the Warranty, Patent and Confidentiality provisions of this order shall survive such termination.

5. **Price:** This is a firm price order. Seller represents and warrants to Buyer that the price for Goods and/or Services provided under the purchase order are the lowest prices, whether or not published, for which the Seller has sold or is selling such Goods and/or Services, taking into account any differences in quantities and/or delivery schedule. Buyer shall be entitled to receive from Seller a price reduction if Seller offers substantially similar Goods or Services to others at a lower price (taking into account differences in quantities and delivery schedule) at any time during the

period beginning on the date of the order and ending ninety (90) days after the final payment due date for such Goods or Services. Buyer may take volume discounts retroactively.

All payments due under the purchase order to Seller shall be paid in United States dollars as agreed by Buyer and Seller, from the date of invoice from the Seller. Partial payments may be made at Buyer's option. Buyer may set-off any amount owed by Buyer to Seller against any amount owed Buyer from Seller. Seller's acceptance of payment constitutes an unconditional waiver and release of any statutory lien, mechanic's lien, stop notice, bond right, and claim for payment. Seller warrants, represents and covenants that when final payment is accepted from Buyer, title to all work, materials, and/or equipment shall pass to Buyer free and clear of all liens, claims, security interests or any other encumbrances; and all applicable taxes have been fully paid; and all laborers, mechanics, and subcontractors have been paid or will be paid in full from the final payment.

Seller shall pay, without charge to Buyer, any federal, state or local tax or other government charge or assessment relating to the production, sale or shipment of any Goods or provision of Services under the purchase order unless otherwise expressly agreed to in writing by the Buyer.

Seller shall make spare parts for Goods purchased pursuant to the order available to the Buyer at Seller's current price, less all applicable discounts.

All costs associated with custom product tooling shall be paid by Seller, unless otherwise expressly agreed to in writing by Buyer.

Seller shall bear responsibility for all errors contained in any invoice, acceptance, acknowledgement or confirmation it provides to the Buyer.

6. Changes: Buyer may make changes in the drawings and specifications on any item at any time. If such changes result in delay or additional expense to Seller, an equitable adjustment of price and delivery schedule will be made.

7. Specifications: If drawings, blueprints, or specifications are furnished by the Buyer, the purchase order shall be based upon such drawings, blueprints, or such specifications, and approval of samples by Buyer shall not relieve the Seller from strict and full compliance with such blueprints or specifications. Goods and/or Services not conforming to such blueprints or specifications may be rejected.

8. Inspection / Acceptance: Seller agrees to permit Buyer's inspectors to have access to Seller's plant at all reasonable times for the purpose of inspecting the items as set forth in this order and work in process for production of such items. All items are subject to final inspection and approval at Buyer's facilities or other place designated by Buyer. Such inspection shall be made within a reasonable time after delivery irrespective of the date of payment. The date of payment and the payment for any item purchased hereunder shall not constitute approval or acceptance of such material by Buyer and Buyer's right of inspection shall survive payment. Any inspection records relating to the Goods and/or Services on the order shall be available to Buyer for a minimum of one (1) year after delivery to Buyer. No inspection (including source inspection) test, approval (including design approval) or acceptance of Materials shall relieve the Vendor from its obligations hereunder or be deemed acceptance of the Materials. Buyer may (1) assess Seller a fee associated with the delivery of defective Goods (2) assess the Seller for all incurred costs and may (3) return rejected items at Seller's expense and Seller shall bear all costs of return and risk of loss as to rejected items. Seller shall, at Buyer's election, replace any rejected items returned to Seller hereunder, refund the full purchase price thereof and bear the costs associated with any air freight or expedited delivery to the Buyer of conforming product to remedy any defects of nonconformity to specifications, drawings, or provided samples.

9. Packaging and Shipping: All items shall be prepared and packed for shipment in a manner that will prevent damage in transit. Buyer is not liable for extra charges for packing, cartage or any other expense related thereto unless stated in this order. Seller shall provide Buyer's part number, order number, line number and release number on all invoices, packing slips, container labels and any other shipping documentation.

10. Warranty: Seller warrants that all goods and/or services provided by it (i) shall be of good quality and workmanship and free of defects, latent or patent; (ii) shall conform to all specifications, drawings or descriptions which are supplied by Buyer; (iii) shall be merchantable and suitable and sufficient for their intended purpose; and (iv) shall be free from any claim of any third party., including without limitation any claims of infringement. Seller may not negate, exclude, limit or modify any warranty otherwise available to Buyer. Any attempt by Seller to do so is ineffective and shall not in any way bind Buyer. Buyer's inspection or acceptance of any goods or services, or Buyer's payment for goods or services shall not constitute a waiver by it of any warranty. None of the remedies available to Buyer for breach of any of the forgoing warranties may be limited except to the extent and in the manner agreed upon by Buyer in a separate written agreement specifically designating such limitation and signed by an authorized representative of Buyer.

11. Cancellation, Termination for Convenience: Buyer reserves the right to cancel this purchase order, or any part thereof, at any time, even though Seller is not in default hereunder, by giving written notice to the Seller in the event of such cancellation. Buyer shall pay for all goods and services delivered and completed and an equitable settlement shall be arrived at for the costs incurred by Seller for goods and materials in process not to exceed thirty (30) days average procurement by the Buyer over the previous ninety (90) days prior to notification. Where cancellation is by reason of termination of a contract of the United States Government under which this purchase order has been placed, Buyer will pay the Seller at such time as Buyer is paid by the United States Government. Upon receipt of any notice of cancellation hereunder, Seller, unless otherwise directed, will immediately discontinue all work in process and immediately cancel all orders or subcontracts given or made pursuant to this purchase order. Exercise by Buyer of the rights of cancellation reserved in this paragraph shall give rise to no liability on the part of the Buyer except as specified in this paragraph and shall not have the effect of waiving damages the Buyer might otherwise be entitled to.

12. Patent, Trademark, Copyright Indemnity: Seller agrees to indemnify Buyer and its successors, assigns and customers and hold them harmless from and against all claims, liability, loss, damage or expense, including attorney's fees and expenses, arising from or by reason of any suit, claim or demand relating to trademark, patent or copyright infringement or litigation based hereon with respect to the Goods and/or Services, or any part thereof, covered by this order and such obligations shall survive acceptance of the Goods and/or Services and payment thereof by the Buyer. Seller agrees that it will assume the defense of the Buyer and/or its successors, assigns and customers and users of its products against any such aforementioned suit, claim, or demand, pendency of any such suit, claim or demand; provided that it is given reasonable notice of the pendency of any such suit, claim, or demand.

13. Indemnity: Seller will indemnify, defend and hold harmless Buyer, its affiliates, successors and assigns, and its and their respective officers, directors, employees, independent contractors, agents, successors and assigns (collectively, the "Indemnified Parties"), from and against any and all liabilities, losses, costs, expenses, claims and proceedings which any of the Indemnified Parties may suffer or for which any of the Indemnified Parties may become liable and which arise out of any of the following; Seller's breach of any provision herein or any other agreement between Buyer and Seller; the manufacture or delivery of Goods or any defect in the Goods and/or Services, workmanship or otherwise; any act or omission of the Seller; any actual or alleged infringements of any intellectual property right of any other party, resulting from any sale, use or manufacture of any Goods delivered hereunder; Seller's failure to comply with any federal, state, county or local laws, ordinance, regulations and codes; and any and all actions, suits, proceedings, demands, assessments, judgments, costs and expenses, including reasonable attorneys' and consultants' fees incident to any of the foregoing. If there is a claim against Buyer arising out of the foregoing, Seller will have the right, at its option and expense, to defend any such proceeding, claim or demand. If Seller defends such claim, Buyer shall still have the right, at its cost and expense, to participate in the defense with counsel of its own choosing. Buyer may retain counsel and conduct the defense of the proceeding, claim or demand in question as it may deem proper in its sole discretion, at the sole cost and expense of Seller. Seller may not settle any such proceeding, claim or demand without Buyer's consent, which shall not be unreasonably withheld.

14. Subcontract, Assignment: Seller shall not, without the prior written consent of Buyer, make any contract with any other legal entity for furnishing any of the completed or substantially completed Goods and/or Services covered by this order or assign this order or any right hereunder.

15. Buyer's Property: All tools, dies, jigs, patterns, equipment or material and other items purchased, furnished, charged to or paid for by Buyer and any replacement thereof, shall remain the property of Buyer. Such property shall be plainly marked to show it is the property of Buyer and shall be safely stored and maintained apart from other property held by Seller. Seller shall not substitute the property for Buyer's property and shall not use such property except in filling Buyer's orders. Seller shall hold such property at its own risk and upon Buyer's written request deliver the property to Buyer in the same condition as originally received by Seller, reasonable wear and tear excepted. Title to and right of possession to special tooling, dies, jigs, patterns and equipment, the cost of which is fully or substantially amortized in the price of the Goods purchased, shall remain with Seller but Seller shall, at no additional cost to Buyer, hold such special tooling for Buyer's exclusive use and Seller shall not dispose of such tooling without prior written approval of Buyer. Seller shall take all necessary measures to preserve Buyer's title to Buyer's property, free of all encumbrances. Buyer retains the right in addition to other rights provided by law, to enter Seller's premises and remove Buyer-owned property with or without a court order. Seller shall assume and shall indemnify Buyer against any and all liability for damages to property or injury to, or death of any persons which may arise from, may be incidental to the presence of, or may involve the use of Buyer-owned property whether such damage, injury or death is caused by defects in the property, negligence in the use thereof or otherwise.

16. Drawings, Specifications and Technical Information: The ideas, information and designs contained in or shown upon, and the drawings, specifications, photographs and other engineering and manufacturing information supplied by Buyer shall remain Buyer's property, shall be retained in confidence by Seller and not be disclosed to any other person or entity, and shall not be used nor incorporated into any product or item later manufactured or assembled by Seller for anyone other than Buyer. Any unpatented knowledge or information concerning Seller's processes, present or contemplated products or their uses, which Seller may disclose to employees of Buyer in connection with the ordering, acquisition and use by Buyer of the goods or services covered by this order shall, unless otherwise specifically agreed in writing, be deemed to have been disclosed as part of the consideration for this order and Seller agrees not to assert any claim against Buyer by reason of any alleged use to which any such information or knowledge may be put by Buyer.

17. Chemical Substances: Notwithstanding anything to the contrary hereafter represented by either party to the other, Seller warrants that each and every chemical substance sold or otherwise transferred by Seller to Buyer as of the time of such sale or transfer that is required or permitted to be reported for the inventory of chemical substances (409 CFR Part 710) has been reported to EPA either by Seller or by others for incorporation in the inventory of chemical substances compiled and published by the administrator of the Environmental Protection Agency pursuant to the Federal Toxic substances Control Act (PL 94-469).

18. Hazardous Materials: Seller shall notify Buyer of any inherent hazard related to any materials which could be exposed during handling, transportation, storage, use, resale, disposal or scrap. Said notice shall be sent to the Buyer's Director of Supply Chain Management and shall specify the product name and part number, the nature of the hazard, proper precautions that must be undertaken by Buyer or others to protect against the hazard, and any additional information necessary to protect its interest.

19. Compliance with Law: Seller represents and warrants that the performance of this order in furnishing of goods and/or service called for shall be in accordance with the applicable standards, provisions and stipulations of all pertinent federal, state, or local laws, rules, regulations, executive orders or other ordinances, including but not

limited to the Fair Labor Standards Act, as amended and of regulations and orders of the United States Department of Labor issued under Section XIV thereof, the Occupational Safety and Health Act of 1970, and the Toxic Substances Control Act, each as amended and in connection therein. Seller shall include the following legend on all invoices: "We hereby certify that the goods were produced in compliance with all applicable requirements of the Fair Labor Act, as amended, and of regulations and orders of the United States Department of Labor and that the goods as installed and/or used by Buyer will comply with the Occupational Safety and Health Act of 1970 as amended and the implementing rules and regulations promulgated by the Secretary of Labor".

If Seller is providing goods to Buyer, Seller agrees to review and comply with Buyer's conflict minerals policy statement (available at the url: <http://phx.corporate-ir.net/phoenix.zhtml?c=131738&p=iroI-conflictMineral>) and to use commercially reasonable efforts to: (a) identify whether such goods contain tantalum, tin, tungsten or gold; (b) conduct a reasonable country of origin inquiry regarding the origin of such minerals in such goods to determine whether such minerals originated in covered countries, as defined in Section 1502 of the Dodd-Frank Wall Street Reform and Consumer Protection Act; (c) if such minerals originated in covered countries, conduct due diligence on the chain of custody of the source of such minerals for the purpose of identifying the smelter of said materials; and (d) assist Buyer in conducting reasonable due diligence concerning the smelters of such minerals. Seller shall include the substance of this Section in any agreement between Seller and its lower tier sellers and provide Buyer with reasonable documentation of Seller's and its lower tier sellers' due diligence efforts, in a format prescribed by Buyer, when requested by Buyer.

20. Equal Opportunity: During the performance of this order, the Seller shall comply with provisions of Executive Order 11246, including all amendments thereto relative to Equal Employment Opportunity and the implementing rules and regulations of the Department of Labor on Equal Opportunity Employment, all of which are incorporated herein by specific references and Seller shall on Buyer's request, so certify.

21. Gratuities: Seller represents and warrants to Buyer that Seller has not offered or given any employee, agent, or representative of Buyer, or any government, any gratuity with the intent of securing any business from Buyer or favorable treatment under any agreement with Buyer. Any breach of this warranty shall be a material breach of the terms and conditions of each and every purchase order between Buyer and Seller.

22. Waiver: Failure of Buyer to insist on performance of any of these terms and conditions shall not be construed as a waiver of such items, conditions or requirements and shall not affect the right of Buyer thereafter to enforce each and every term, condition or requirement hereof.

23. Severability: If any language herein shall be invalidated for any reason, that language shall be considered deleted and the remainder shall be unaffected and shall continue in full force and effect to the fullest extent permitted by law.

24. Survival: The parties acknowledge and agree that the Terms and Conditions are intended to govern the rights, duties and obligations of the parties following the closing. Accordingly, this Agreement shall survive and shall not be deemed merged into, the execution or delivery of any Good and/or Service.

25. Cumulative Remedies: Nothing herein shall limit Buyer's rights in law or equity for damages resulting from the delivery of any Goods and/or Services. The remedies provided herein are cumulative and are in addition to any other remedies provided at law, or in equity, and nothing herein shall be construed as prohibiting Buyer from pursuing any other remedies at law or in equity available to it for any breach or threatened breach of these Terms and Conditions, all of such remedies being cumulative in every respect. No waiver of any breach or violation hereof shall be implied from forbearance or failure by Buyer to take action thereon.

26. Choice of Law and Personal Jurisdiction: This contract is made in the County of Harrison and shall be governed and construed in accordance with the laws of the State of Texas. Any action relating to this contract shall be instituted and prosecuted in the courts of the County of Harrison, State of Texas or the United States District Court for the Eastern District of Texas. Seller agrees to submit to the exclusive jurisdiction of such courts and further agrees not to contest such venue as a forum non conveniens. Pending any decision, appeal or judgment in such proceedings or the settlement of any dispute arising under this order, Seller shall proceed diligently with the performance of the order in accordance with decision of the Buyer.

27. Miscellaneous:

- A. The relationship of Buyer and Seller is that of independent contractors.
- B. Unless authorized by Buyer in writing, the names of Buyer, its parent, subsidiaries and/or affiliated corporations or any of their trademarks shall not be used by Seller.
- C. No news release, public announcement, denial or confirmation of same or any part of the subject matter of this purchase order or any phase of this purchase order shall be made without the prior written approval of Buyer.