


**SafeTruck**  <sup>TM</sup>  
by  **MS. CARITA**®  
Bigger. Stronger. Safer.

CELEBRATING  
**40<sup>th</sup>**  
ANNIVERSARY

**2012** SAFETRUCK PARTS CATALOG  
[www.safetruckproducts.com](http://www.safetruckproducts.com)



**HEAVY HAUL**  
HEADQUARTERS  
MS. CARITA™



SAFETY FLAGS		1
OD BANNERS	8	
OD DECALS/MAGNETS		11
OD SIGNS	12	
PILOTS/ESCORTS		14
PERSONAL SAFETY ( JACKETS • VESTS • GLOVES • HARD HATS )	15	
SAFETY LIGHTS		21
PIN PULLERS	28	
PALLET JACKSTOP™/TIRE LADDER		29
HEIGHT MEASUREMENT	30	
SAFETY CONES		31
SAFETY SIGNS	33	
SECURITY SEALS		35
PLACARDS	36	
SMV/GUIDES		37
CONSPICUITY TAPE	38	
FIRST - AID		39
BATTERIES	40	
SCHOOL - BUS		41
ZAFETY LUG LOCK®	42	
MAGNETS		43
RATCHET WRENCH/TANDEM AXLE STOP	44	
LOG BOOKS		45
ACCESSORIES	46	
DECALS		52
DISTRIBUTORS	57	
PRODUCT INDEX		59

**STATE REQUIREMENTS FOR SIGNS AND FLAGS**

State requirements shown reflect current data available, and are subject to change at any time. Certain restrictions may apply to different loads. Always check your permits.

ID STATE	SIGN SERIES	FLAG SERIES	TRUCK SIGN	TRUCK FLAG	ESCORT SIGN	ESCORT FLAG
AK	C	B	12" x 48"	16"	12" x 48"	16"
AL	A	C	18" x 84"	18"	10" LETTERS	18"
AR	C	C	10" LETTERS	18"	12" x 60"	18"
AZ	C	A	12" x 72"/BORDER	12"	12" x 60"	12"
CA	C	B	10" LETTERS	16"	440 sq. in.	16"
CO	C	A	10" x 60"	12"	10" x 60"	12"
CT	A	C	18" x 84"	18"	NS	18"
DE	C	A	6" LETTERS	12"	NS	12"
FL	A	C	18" x 84"	18"	10" LETTERS	18"
GA	C	C	12" x 72"	18"	12" x 72"	18"
HI	C	D	12" x 72"	24"	12" x 72"	24"
IA	A	C	18" x 84"	18"	NS	18"
ID	A	A	18" x 84"	12"	12" x 60"	12"
IL	A	C	18" x 84"	18"	NS	18"
IN	A	C	18" x 84"	18"	18" x 72"	18"
KS	A	C	18" x 72"	18"	12" x 60"	NS
KY	A	C	14" x 60"	18"	18" x 72"	12"
LA	A	C	18" x 84"	18"	NS	18"
MA	A	C	18" x 84"	18"	NS	18"
MD	A	C	18" x 84"	18"	12" X 60"	18"
ME	A	C	18" x 84"	18"	18" x 60"	18"
MI	A	C	18" x 84"	18"	12" x 60"	18"
MN	A	C	18" x 84"	18"	12" x 60"	18"
MO	A	C	18" x 84"	18"	12" x 60"	18"
MS	A	C	18" x 84"	18"	NS	18"
MT	C	A	8" LETTERS	12"	12" x 60"	NS
NC	A	C	18" x 84"	18"	NS	18"
ND	A	C	18" x 84"	18"	NS	18"
NE	A	C	18" x 84"	18"	12" x 60"	18"
NH	A	C	18" x 84"	18"	12" x 60"	NS
NJ	C	C	10" LETTERS	18"	18" x 72"	18"
NM	A	C	18" x 72"	18"	18" x 72"	12"
NV	A	B	18" x 84"	16"	12" x 72"	18"
NY	A	C	18" x 84"	18"	12" x 60"	18"
OH	A	C	18" x 84"	18"	12" x 60"	NS
OK	A	C	14" x 60"	18"	14" x 60"	16"
OR	A	C	18" x 84"	18"	10" x 60"	18"
PA	A	C	18" x 84"	18"	12" x 60"	18"
RI	A	C	18" x 84"	18"	12" x 60"	18"
SC	A	C	18" x 84"	18"	NS	18"
SD	A	A	18" x 84"	12"	NS	12"
TN	A	C	18" x 84"	18"	10" x 60"	18"
TX	C	B	18" x 84"	16"	12" x 60"	12"
UT	A	A	8" LETTERS	12"	10" x 60"	12"
VA	C	C	18" x 84"	18"	NS	18"
VT	A	C	18" x 84"	18"	12" x 60"	18"
WA	A	C	18" x 84"	18"	10" x 60"	12"
WI	A	C	18" x 84"	18"	12" x 60"	18"
WV	A	C	18" x 84"	12"	10" x 60"	12"
WY	C	A	10" x 60"	12"	10" x 60"	12"

SIGN SERIES  
 (A) 18" x 84"  
 (C) 12" x 72"

FLAG SERIES  
 (A) 12" x 12"  
 (B) 16" x 16"  
 (C) 18" x 18"  
 (D) 24" x 24"

(NS) NO SIZE SPECIFIED



# EASY ON EASY OFF

## QUICKMOUNT FLAG ASSEMBLY

The Quickmount Flag Assembly is machined from 303 stainless steel with a solid aluminum rod and a stainless steel spring receiver. Allows for quick connect and disconnect to the quickmount bracket. No need for bungees or clamps.



Red or orange jersey flag material sewn to welting. Flag rotates freely on staff for highest visibility and easy replacement.

FQMA300C 18" x 18"  
QM RED FLAG ASSEMBLY



FQMA700C 18" x 18"  
QM FLO-ORANGE FLAG ASSEMBLY

MSQMB101  
QM BRACKET ASSEMBLY



Stainless steel mounting hardware included




## QUICKMOUNT BRACKET ASSEMBLY

The Quickmount Bracket Assembly includes a stainless steel bracket that mounts to the truck or trailer providing a 45° or 90° surface for the 5/8" stainless steel Quickmount stud.

## QUICKMOUNT REPLACEMENT FLAGS AVAILABLE IN RED AND ORANGE

Replacement flags are ready for easy installation on the Quickmount Flag Assembly.



FQM700C  
QM REPLACEMENT  
FLAG / FLO-ORANGE

FQM300C  
QM REPLACEMENT FLAG / RED



## STAFF FLAGS

Staffs are 3/4" x 30" wood dowels. All staff flags have sewn pockets. Four sizes and six different materials to choose from.



24"

18"


16"

12"




### Red Cotton

Heavy 7-oz Poly/Cotton Twill  
Not recommended for highway use.



### Red Jersey

Fray-Resistant Knit Polyester  
Our best flag!




### Red Mesh

Vinyl-Coated Polyester  
Great for highway use.

P/N	SIZE
FS200A	12" x 12"
FS200B	16" x 16"
FS200C	18" x 18"
FS200D	24" x 24"

P/N	SIZE
FS300A	12" x 12"
FS300B	16" x 16"
FS300C	18" x 18"
FS300D	24" x 24"

P/N	SIZE
FS400AR	12" x 12"
FS400BR	16" x 16"
FS400CR	18" x 18"
FS400DR	24" x 24"




### Flo-Orange Mesh

High Visibility Vinyl-Coated Polyester  
Great for highway use.



### Flo-Orange Poly

High Visibility Knit Polyester  
Not recommended for highway use.




### Flo-Orange Jersey

High Visibility Knit Polyester  
Fray Resistant

P/N	SIZE
FS400A	12" x 12"
FS400B	16" x 16"
FS400C	18" x 18"
FS400D	24" x 24"

P/N	SIZE
FS500A	12" x 12"
FS500B	16" x 16"
FS500C	18" x 18"
FS500D	24" x 24"

P/N	SIZE
FS700A	12" x 12"
FS700B	16" x 16"
FS700C	18" x 18"
FS700D	24" x 24"



**WIRE LOOP FLAGS**

All wire flags have 10-gauge wire with 1/2" loops. 16" and 18" flags have plastic sleeves over wire to protect shoulder of flag.



**Red Cotton**

Heavy 7-oz Poly/Cotton Twill  
Not recommended for highway use.



**Red Jersey**

Fray-Resistant Knit Polyester  
Our best flag!



**Red Mesh**

Vinyl-Coated Polyester  
Great for highway use.

P/N	SIZE	P/N	SIZE	P/N	SIZE
FW200A	12" x 12"	FW300A	12" x 12"	FW400AR	12" x 12"
FW200B	16" x 16"	FW300B	16" x 16"	FW400BR	16" x 16"
FW200C	18" x 18"	FW300C	18" x 18"	FW400CR	18" x 18"

**GROMMET FLAGS**

All grommet flags are hemmed and come with two large #5 toothed grommets.



**Red Cotton**

Heavy 7-oz Poly/Cotton Twill  
Not recommended for highway use.



**Red Jersey**


Fray-Resistant Knit Polyester  
Our best flag!



**Red Mesh**

Vinyl-Coated Polyester  
Great for highway use.

P/N	SIZE	P/N	SIZE	P/N	SIZE
FG200A	12" x 12"	FG300A	12" x 12"	FG400AR	12" x 12"
FG200B	16" x 16"	FG300B	16" x 16"	FG400BR	16" x 16"
FG200C	18" x 18"	FG300C	18" x 18"	FG400CR	18" x 18"
FG200D	24" x 24"	FG300D	24" x 24"	FG400DR	24" x 24"




**Flo-Orange Mesh**

Fluorescent, Vinyl-Coated Polyester  
Great for highway use.



**Flo-Orange Poly**

High Visibility Knit Polyester  
Not recommended for highway use.



**Flo-Orange Jersey**

High Visibility Knit Polyester  
Fray Resistant

P/N	SIZE	P/N	SIZE	P/N	SIZE
FW400A	12" x 12"	FW500A	12" x 12"	FW700A	12" x 12"
FW400B	16" x 16"	FW500B	16" x 16"	FW700B	16" x 16"
FW400C	18" x 18"	FW500C	18" x 18"	FW700C	18" x 18"



**Flo-Orange Mesh**

Vinyl-Coated Polyester  
Great for highway use.



**Flo-Orange Poly**

High Visibility Knit Polyester  
Not recommended for highway use.



**Flo-Orange Jersey**

High Visibility Knit Polyester  
Fray Resistant

P/N	SIZE	P/N	SIZE	P/N	SIZE
FG400A	12" x 12"	FG500A	12" x 12"	FG700A	12" x 12"
FG400B	16" x 16"	FG500B	16" x 16"	FG700B	16" x 16"
FG400C	18" x 18"	FG500C	18" x 18"	FG700C	18" x 18"
FG400D	24" x 24"	FG500D	24" x 24"	FG700D	24" x 24"



**BUNGEE FLAGS**

With built in Heavy Duty Bungee Cords and flexible welting this flag is great for most applications.



**Red Cotton**

Heavy 7-oz Poly/Cotton Twill  
Not recommended for highway use.

**Red Jersey**

Fray-Resistant Knit Polyester  
Our best flag!

**Red Mesh**

Vinyl-Coated Polyester  
Great for highway use.

P/N	SIZE	P/N	SIZE	P/N	SIZE
FB200C	18" x 18"	FB300C	18" x 18"	FB400CR	18" x 18"



**Orange Mesh**

Fluorescent, Vinyl-Coated Polyester  
Great for highway use.

**Flo-Orange**

High Visibility Knit Polyester  
Not recommended for highway use.

**Flo-Orange Jersey**

High Visibility Knit Polyester  
Fray Resistant

P/N	SIZE	P/N	SIZE	P/N	SIZE
FB400C	18" x 18"	FB500C	18" x 18"	FB700C	18" x 18"

**FLAG-MAG**

Great for attaching flags to machinery and flat steel surfaces. Chrome cup magnet has 80 lbs. of pull on 1/2" steel. Filled with extra epoxy for heavy-duty use.



Locking Wing Nut


P/N	DIA	HOLE	DESCRIPTION
MF101	2.625"	0.280"	80 LB FLAG MAG W/HARDWARE
MF180	3.20"	0.280"	110 LB FLAG MAG W/HARDWARE
MF185	3.79"	0.380"	120 LB FLAG MAG W/HARDWARE

*\*Ratings based on Manufacturers data*



**FLAG BRACKET CLAMP**

Great for temporary or removable mounts. Two clamps per flag recommended for highway use. Extruded aluminum with stainless steel bolts.



FBC101



FBP101

**FLAG BRACKET PIPE**

Simple and easy method for mounting to O.D. signs, bumpers and trailers. Drilling required.




**UNBREAKABLE PLASTIC FLAG STAFF**

7/8" x 30" polypropylene tubing will bend but will not break. No more broken staffs!

To specify, add "PS" to your staff flag part number.



Plastic Staff "PS"



[ VINYL BANNERS ]



**AIRPORT FLAGS WITH GROMMETS AND POCKETS**

Strong grommets and hemmed all around. Displayed on airfield and construction vehicles.

(Staff not included)

P/N	SIZE
MSAF-101	36" x 36"

MSAF-101

**OUT OF SERVICE WARNING FLAG**

High visibility fluorescent orange knit polyester flag. A great way to prevent accidental hook-ups to an out of service trailer. Get your trailers marked and noticed effortlessly. Ideal for use with our popular Flag-Mag.



FW500C-005



Edge Binding "EB"

**EDGE BINDING**

All mesh flags are now available with sewn-on black edge binding. To specify, add "EB" to your mesh flag part number.



**CUSTOM PRINTED FLAGS**

Flags can be custom printed with your company's name, logo, phone number, etc.

Minimum run 100 pieces.

**VINYL BANNERS**

SafeTruck's banners are exceptionally strong and durable. Printed on 13 oz. vinyl-laminated polyester, they are tear and fray resistant. Large #5 toothed grommets are set with 90 lbs. of pressure to help prevent pulling out. The 9/16" center hole is large enough for rope and allows flexibility when attaching banners to the vehicle or load.



AV100 18" x 84" WIDE LOAD  
ALLOWED IN MANY STATES



AV102 18" x 84" TWO-SIDED OVERSIZE LOAD/WIDE LOAD  
EXCEEDS AASHTO REQUIREMENTS IN ALL 50 STATES



AV103 18" x 84" TWO-SIDED OVERSIZE LOAD/LONG LOAD  
EXCEEDS AASHTO REQUIREMENTS IN ALL 50 STATES



AV104 18" x 84" OVERSIZE LOAD  
EXCEEDS AASHTO REQUIREMENTS IN ALL 50 STATES



CV100 12" x 72" WIDE LOAD



CV102 12" x 72" TWO-SIDED OVERSIZE LOAD/WIDE LOAD



CV103 12" x 72" TWO-SIDED OVERSIZE LOAD/LONG LOAD



CV104 12" x 72" OVERSIZE LOAD



CV104AZ/CA 12" x 72" TWO-SIDED OVERSIZE LOAD/ OVERSIZE LOAD WITH BORDER  
MEETS STATE REQUIREMENTS FOR ARIZONA AND CALIFORNIA



CV104AZ 12" x 72" OVERSIZE LOAD WITH BORDER  
MEETS STATE REQUIREMENTS FOR ARIZONA



CV104CO 12" x 60" OVERSIZE LOAD  
MEETS STATE REQUIREMENTS FOR COLORADO



CV110AK 12" x 48" OVERSIZE  
MEETS STATE REQUIREMENTS FOR ALASKA AND CALIFORNIA

[ MESH BANNERS ]

MESH BANNERS

Our mesh is a 9 oz. vinyl-coated polyester and allows up to **30% air flow for less wind resistance**. Mesh banners are finished top and bottom with edge binding and are 30% stronger than our standard vinyl banners.



AVM100 18" x 84" WIDE LOAD



AVM104 18" x 84" OVERSIZE LOAD



AVM105OR 18" x 84" LONG LOAD



CVM100 12" x 72" WIDE LOAD



CVM104AZ 12" x 72" OVERSIZE LOAD WITH BORDER  
MEETS STATE REQUIREMENTS FOR ARIZONA



CVM104 12" x 72" OVERSIZE LOAD



CVM104CO 12" x 60" OVERSIZE LOAD  
MEETS STATE REQUIREMENTS FOR COLORADO



CVM110AK 12" x 48" OVERSIZE  
MEETS STATE REQUIREMENTS FOR ALASKA



[ BUNGEE BANNERS ]

BUNGEE BANNERS

Flexible welting and a heavy duty 18" bungee cord with coated steel hooks at the ends for quick & easy installations.



AVMB100 18" x 84" MESH WIDE LOAD W/BUNGEEES



AVMB104 18" x 84" MESH OVERSIZE LOAD W/BUNGEEES



AVRB104 18" x 84" REFLECTIVE OVERSIZE LOAD W/BUNGEEES



CVMB104 12" x 72" MESH OVERSIZE LOAD W/BUNGEEES



CVMB104CO 12" x 60" MESH OVERSIZE LOAD W/BUNGEEES




AVB100 18" x 84" ONE-SIDED WIDE LOAD W/BUNGEEES



AVB102 18" x 84" TWO-SIDED OVERSIZE LOAD/WIDE LOAD W/BUNGEEES



AVB104 18" x 84" ONE-SIDED OVERSIZE LOAD W/BUNGEEES



AVB104 18" x 84" ONE-SIDED OVERSIZE LOAD W/BUNGEEES



AVRB105OR 18" x 84" REFLECTIVE LONG LOAD W/BUNGEEES

[ SPECIALTY BANNERS ]

SPECIALTY BANNERS



AVRM1 18" x 96" OVERSIZE LOAD/16', 14' & 12' WIDE LOAD BANNER  
12" AND 16" TEXT WITH CHANGEABLE NUMBERS



CV112 12" x 96" "D" CANADA BANNER



CVR112 12" x 96" "D" CANADA BANNER (REFLECTIVE)



CY100 12" x 48" CONVOY 10" TEXT



CVSD1 12" x 60" STUDENT DRIVER 10" TEXT



AVFMI 18" x 84" OVERSIZE LOAD/16', 14' & 12' WIDE LOAD BANNER  
12" TEXT WITH CHANGEABLE NUMBERS



CV113 12" x 72" "D" CANADA BANNER



CVR113 12" x 72" "D" CANADA BANNER (REFLECTIVE)



CV104AZ/MX 12" x 72" TWO-SIDED BANNER  
OVERSIZE LOAD WITH BORDER/SPANISH

[ REFLECTIVE BANNERS ]

REFLECTIVE BANNERS

Our unique reflective banners have a urethane surface over a vinyl laminated nylon tarpaulin. They are finished with edge binding on the top and bottom edges. These are great for added safety during night moves and inclement weather. Several states require reflective signs for oversize movement at night.



AVR104 18" x 84" OVERSIZE LOAD  
EXCEEDS MANY STATE REQUIREMENTS



AVR105OR 18" x 84" LONG LOAD  
MEETS STATE REQUIREMENTS FOR OREGON



CVR104 12" x 72" OVERSIZE LOAD  
EXCEEDS MANY STATE REQUIREMENTS



CVR110AK 12" x 48" OVERSIZE  
MEETS STATE REQUIREMENTS FOR ALASKA



CVR104AZ 12" x 72" OVERSIZE LOAD W/BORDER  
MEETS STATE REQUIREMENTS FOR ARIZONA



CVR104CO 12" x 60" OVERSIZE LOAD  
MEETS STATE REQUIREMENTS FOR COLORADO

[ DECALS ]

**OVERSIZE DECALS**

Available in reflective and non-reflective. Our decals can be applied directly to crane bumpers, wood, aluminum or steel.



AD104 18" x 84" OVERSIZE LOAD



ADR104 18" x 84" OVERSIZE LOAD (REFLECTIVE)



AD100 18" x 84" WIDE LOAD



ADR100 18" x 84" WIDE LOAD (REFLECTIVE)



CDR113 12" x 72" "D" CANADA (REFLECTIVE)



CDR112 12" x 96" "D" CANADA (REFLECTIVE)



CD100 12" x 72" WIDE LOAD



CDR100 12" x 72" WIDE LOAD (REFLECTIVE)



CD104 12" x 72" OVERSIZE LOAD



CDR104 12" x 72" OVERSIZE LOAD (REFLECTIVE)



CD104AZ 12" x 72" OVERSIZE LOAD W/BORDER



CDR104AZ 12" x 72" OVERSIZE LOAD W/BORDER (REFLECTIVE)



CD104CO 12" x 60" OVERSIZE LOAD



CDR104CO 12" x 60" OVERSIZE LOAD (REFLECTIVE)

[ MAGNETS ]

**FLEXIBLE MAGNETIC OVERSIZE LOAD SIGNS**

Flexible and can be rolled for storing! Heavy .030" magnetic Oversize Signs are great for bumpers, tail gates, dozer blades, cranes or any steel surface.



AM104 18" x 84" OVERSIZE LOAD



CM104 12" x 72" OVERSIZE LOAD



CM104CO 12" x 60" OVERSIZE LOAD

[ ALUMINUM SIGNS ]

**ALUMINUM AND HINGED ALUMINUM SIGNS (AVAILABLE IN REFLECTIVE OR NON-REFLECTIVE)**

Aluminum and hinged aluminum signs are made from 0.090" premium quality aluminum, unless otherwise noted. Hinged aluminum signs can be bolted to bumpers and folded down when not in use.



.063 ALUMINUM

Replacement Pieces Available  
AA100L  
AA100W



AA100 18" x 30" ( 2-PIECE ) WIDE LOAD

AA101 18" x 84" WIDE LOAD



AAR101 18" x 84" WIDE LOAD (REFLECTIVE)

AAH101 18" x 84" WIDE LOAD (HINGED)



AARH101 18" x 84" WIDE LOAD (HINGED & REFLECTIVE)

AA104 18" x 84" OVERSIZE LOAD



AAR104 18" x 84" OVERSIZE LOAD (REFLECTIVE)

AAH104 18" x 84" OVERSIZE LOAD (HINGED)



AARH104 18" x 84" OVERSIZE LOAD (HINGED & REFLECTIVE)

CA100 12" x 72" WIDE LOAD



CAR100 12" x 72" WIDE LOAD (REFLECTIVE)

CAH100 12" x 72" WIDE LOAD (HINGED)



CARH100 12" x 72" WIDE LOAD (HINGED & REFLECTIVE)

CA104 12" x 72" OVERSIZE LOAD



CAR104 12" x 72" OVERSIZE LOAD (REFLECTIVE)

CAH104 12" x 72" OVERSIZE LOAD (HINGED)



CARH104 12" x 72" OVERSIZE LOAD (HINGED & REFLECTIVE)

CA104CO 12" x 60" OVERSIZE LOAD



CAR104CO 12" x 60" OVERSIZE LOAD (REFLECTIVE)

CAH104CO 12" x 60" OVERSIZE LOAD (HINGED)



CARH104CO 12" x 60" OVERSIZE LOAD (HINGED & REFLECTIVE)

CA104AZ 12" x 72" OVERSIZE LOAD W/BORDER



CAR104AZ 12" x 72" OVERSIZE LOAD W/BORDER (REFLECTIVE)

CAH104AZ 12" x 72" OVERSIZE LOAD W/BORDER (HINGED)



CARH104AZ 12" x 72" OVERSIZE LOAD W/BORDER (HINGED & REFLECTIVE)



[ WOOD SIGNS ]

**WOOD SIGNS (AVAILABLE IN REFLECTIVE OR NON-REFLECTIVE).**

Our wood signs are made from premium quality 3/8" MDO\*. We seal the edges and prime the surface before coating with enamel. After printing, we clear-coat the front to ensure a long product life. When a two letter state abbreviation appears after a part number, it indicates the part was made to meet that state's requirements.

**OVERSIZE LOAD**

AWS204 18" x 84" OVERSIZE LOAD

**OVERSIZE LOAD**

**OVERSIZE LOAD**

AWD204 18" x 84" TWO-SIDED OVERSIZE LOAD

**OVERSIZE LOAD**

AWR204 18" x 84" OVERSIZE LOAD (REFLECTIVE)

**OVERSIZE LOAD**

CWS204 12" x 72" OVERSIZE LOAD

**OVERSIZE LOAD**

CWR204 12" x 72" OVERSIZE LOAD (REFLECTIVE)

**OVERSIZE LOAD**

**OVERSIZE LOAD**

CWD204 12" x 72" TWO-SIDED OVERSIZE LOAD

**OVERSIZE LOAD**

CWS204AZ 12" x 72" OVERSIZE LOAD W/BORDER

**OVERSIZE LOAD**

CWR204AZ 12" x 72" OVERSIZE LOAD W/BORDER (REFLECTIVE)

**OVERSIZE LOAD**

CWS204CO 10" x 60" OVERSIZE LOAD

**OVERSIZE LOAD**

**OVERSIZE LOAD**

CWD204CO 10" x 60" TWO-SIDED OVERSIZE LOAD

**OVERSIZE LOAD**

CWS204PC 12" x 60" OVERSIZE LOAD

**OVERSIZE LOAD**

**OVERSIZE LOAD**

CWD204PC 12" x 60" TWO-SIDED OVERSIZE LOAD

**OVERSIZE**

CWS210CA 12" x 72" OVERSIZE

**OVERSIZE**

**OVERSIZE**

NPC110480CA 10" x 48" TWO-SIDED OVERSIZE 8" TEXT

**OVERSIZE**

NPC110459CA 13.5" x 34" TWO-SIDED OVERSIZE 8" TEXT

**WIDE LOAD**

CWS200 12" x 72" WIDE LOAD

\*MDO - Medium Density Overlay, a resin-impregnated paper skin laminated to plywood for a superior, smooth sign surface.

FULL INVENTORY OF WOOD SIGNS CAN BE FOUND ON PAGE 13.

**OVERSIZE LOAD**

CWS204PC 12" x 60" OVERSIZE LOAD

**OVERSIZE LOAD**

**OVERSIZE LOAD**

CWD204PC 12" x 60" TWO-SIDED OVERSIZE LOAD

**OVERSIZE LOAD**

CWS204 12" x 72" OVERSIZE LOAD

**OVERSIZE LOAD**

**OVERSIZE LOAD**

CWD204 12" x 72" TWO-SIDED OVERSIZE LOAD

**OVERSIZE**

NPC110480CA 10" x 48" TWO-SIDED OVERSIZE 8" TEXT

**OVERSIZE**



NPC110459CA 13.5" x 34" TWO-SIDED OVERSIZE 8" TEXT



SS101 STOP/STOP

SS100 STOP/SLOW

**STOP/SLOW PADDLES**  
18" paddles made from durable masonite material.



**LOAD MEASURING STICK**  
Safetruck's load measuring stick has a 4' locking fold up horizontal bar. It is a quick, accurate and easy way to measure your load height.

(See Page 30 for more details)



NYS101 12" x 12" SOLD AS A PAIR

**N.Y STATE ESCORT MAGNET**  
Required for escorts and pilot cars in New York. Printed on .030" magnetic sheeting and diecut to shape.

**Leased To**

D720 2" x 12"

**NOT FOR HIRE**

D722 2" x 12"

**FIRE EXTINGUISHER INSIDE**

FXI-2 2" x 12"

**FIRE EXTINGUISHER INSIDE**

FXI-1 4.5" x 6.75"

**FIRST AID KIT INSIDE**

D740 2.25" x 4"



**SAFETY VESTS**  
See page 16 for full selection of vests.

**BOMBER JACKET**

PVC coated polyester, nylon lining with heavy poly fleece removable inner jacket and removable outer jacket sleeves. Black collar, cuffs and waistband. Super warm, versatile and stylish. Waterproof construction. Sizes: S - 6X



Zip out the inner fleece jacket leaving a two layer lightweight coat.

Zip off the outer jacket sleeves and remove the fleece lining leaving a Class 2 vest.

Inner fleece jacket can be worn alone on cool days when working away from traffic.

ANSI/ISEA CLASS 3

MSLUX-HWT



**LIGHTWEIGHT BOMBER JACKET**

PU coated polyester outer lightweight poly fleece inside lining. Black collar, cuffs and waistband. Stylish. Spring/Fall Weight. Sizes: S - 6X

ANSI/ISEA CLASS 3

Radio Pocket

360° 3M™ 2" Scotchlite™ Reflective Tape

Two Outside Hand Pockets



Detachable Hood



MSLUX-LWT

**FLAME RETARDANT KNIT POLYESTER MESH VESTS**

Knit polyester vests are lightweight, soft and foldable. Hook and loop front closures with elastic sides.



VH200 NO STRIPE



VH201 3/4" REFLECTIVE LIME GREEN STRIPE



VH302 1" REFLECTIVE SILVER STRIPE



VH303 1" REFLECTIVE ORANGE STRIPE

**HIGH VISIBILITY POLYESTER VEST**

2" orange with reflective silver striping, zipper front closure with multi-pockets.



VH500 CUSTOM LOGO PRINTING AVAILABLE. Minimum run 50 pieces.

1-800-537-1261

**FLAME RETARDANT VINYL COATED POLYESTER MESH VESTS**

Vinyl coated polyester vests are lightweight yet firmer than knit vests. Hook and loop front closures with elastic sides.



VH100 NO STRIPE




VH101 1" REFLECTIVE LIME GREEN STRIPE

ANSI/ISEA 107-2004 CLASS 2



**MS530C-2/MS330C-2**

- 100% Polyester.
- Open weave mesh upper, solid on lower body.
- Zipper front closure.
- 2 vertical and 1 horizontal 2" wide reflective stripes both front and back.
- Individual chest pockets for pens, 1 tool/cell phone pocket.
- 2 flap pockets.
- Sizes: M-4XL



MS330C-2

MS530C-2

ANSI/ISEA 107-2004 CLASS 3

**S8138C-3/S8148C-3**

- 100% Polyester.
- Snap front closure.
- Individual chest pockets for pens and one tool/cell phone pocket.
- 2 flap gusset pockets with snap closure.
- 2 vertical and 1 horizontal 2" wide reflective stripes both front and back.
- 2" wide reflective stripes on sleeves.
- Sizes: M-5XL



S8138C-3

S8148C-3

ANSI/ISEA 107-2004 CLASS 2

**8148YMC-2/8138MC-2**

- 100% Polyester.
- Large mesh panels both front and back for ventilation.
- Snap front closure.
- Individual chest pockets for pens and tools.
- 2 flap gusset pockets with snap closure.
- 2 vertical and 1 horizontal 2" wide reflective stripes both front and back.
- Size: L-5XL



8148YMC-2

8138MC-2

ANSI/ISEA 107-2004 CLASS 3

**MS339C-3/MS539C-3**

- 100% Polyester.
- Open weave mesh upper, solid on lower body.
- Zipper front closure.
- 2 vertical and 2 horizontal 2" wide reflective stripes both front and back.
- 2" wide reflective stripes on sleeves.
- Chest pockets: Pens, 1 tool/cell phone pocket.
- 2 flap pockets.
- Size: L-4XL



MS339C-3

MS539C-3

ANSI/ISEA 107-2004 CLASS 2

**8048GC-2/8038GC-2**

- 100% Polyester
- Mesh panels in the back for ventilation
- Zipper front closure
- Individual chest pockets for pens and tools
- 2 side slash pockets
- 1.5" wide reflective stripes vertical and horizontal in front, horizontal and crisscross on back.
- Size: M-5XL




8048GC-2

8038GC-2

ANSI/ISEA 107-2004 CLASS 2

**DS525C-2 (NEW DOT STYLE)**

- 100% Polyester
- Open weave mesh
- Zipper front closure
- Adjustable sides
- 4.5" wide tape with 2" wide reflective stripes
- Large radio pocket w/mic. or badge tab
- Individual chest pockets for pens and tools
- 2 inside pockets
- Size: S-5XL



DS525C-2

**PLUSH FLEECE WINTER LINERS**

3-IN-1 Plush Fleece Winter Liner is made of 100% Polyester Fleece. Adjustable Design. Can be worn several ways. Traps warm air to keep head, face, nose, ears and neck warm. Draw string for tightening helps block wind tunneling. Large opening around eyes won't interfere with visibility.

Available in Navy or Orange.

NAVY - MS1070-01  
ORANGE - MS1070-HVO



**SAFETRUCK LEATHER GLOVES**

Accidents can happen fast if your hands aren't visible. Bright "Safety Yellow" backs on these top-quality gloves keep your hands easy to see and help prevent injuries. Safetruck gloves are sewn from heavy side-split leather, the best wearing portion of the hide. Heavy cotton backs – 10 ounce – ensure your Safetruck gloves will outlast other gloves.

LARGE - 11181ITLG  
X-LARGE - 11181ITXLG



LARGE - 2082T

**SAFETRUCK HI-VIZ GLOVES**

Wear these lined gloves at night or in low visibility conditions. Knuckle straps reflect light at extreme distances. 3M Thinsulate® lining traps warm air, wicks perspiration. Pig-skin palms stay soft, even when wet.

**COWBOY STYLE HARD HAT WITH SQUEEZE LOCK SUSPENSION**

Stylish and comfortable, this hard hat is constructed of high-density polyethylene to provide excellent impact protection. The extra wide brim provides more UV protection than standard or full brim hard hats, and a plush cotton terry sweatband inside the hat helps to keep you dry. The hat's fully adjustable 6-point squeeze lock suspension ensures a precise, secure fit. Meets ANSI Z89.1-2003, Type 1, Class E, G, and C.

Available in Black, Tan and White.



MSVCB100-BLACK  
MSVCB100-TAN  
MSVCB100-WHITE

**BASIC HARD HAT**


Vulcan Hard Hats with Squeeze Lock 6 Point Suspension. Outer shell is made of high-density polyethylene that resists penetration, deflects blows to the head from falling objects. It features an ultra soft yet strong, 6 Point woven nylon web. The crown strap system acts as a rugged shock absorber with six load-bearing points to spread impact over a larger area, and stabilize the Hard Hat. Front Sweatband to enhance comfort and snug sizing. Compliance: ANSI Z89.1, Type I, Class E, G & C.

Available in White, Blue, Yellow, Hi-Viz Lime, and Hi-Viz Orange.

MSV100WHT - WHITE  
MSV100BLU - BLUE  
MSV100YEL - YELLOW  
MSV100HVL - HI-VIZ LIME  
MSV100HVO - HI-VIZ ORANGE



MSV300 Replacement Sweatband





Available with two 90 lb. Magnets

**FOXFIRE® PREMIUM MAGNETIC LED LIGHTS**

Features advanced lens optics magnifiers for maximum visibility and safety. Sold with regular magnetic backing or with two 90 lb. magnets. (Regular magnets for stationary use only and 90 lb. magnets recommended for moving vehicles).

- 26 Super bright LEDs
- Fast flash or constant on
- 360 degree Illumination
- LED magnifiers
- Polycarbonate lens
- Rugged construction
- Extremely versatile
- 4 AA batteries required ( See page 40 for batteries )

**FOXFIRE® LOGGER LIGHT**

- Steady on or flashing.
- 26 Super bright LED's -available in red or amber.
- Durable polycarbonate lens.
- Completely portable - no wires to deal with.
- "T-Handle" mounting tool included.
- Visible over 1 mile.
- Battery operated - requires 4 "AA" (not included).

( See page 40 for batteries )



MSFLK-A - AMBER



**STANDARD MAGNETIC SIGNAL LIGHT (SL SERIES)**

Sold with regular magnetic backing or with two 90 lb. magnets. (Regular magnets for stationary use only and 90 lb. magnets recommended for moving vehicles).

- 18 Super bright LEDs
  - Fast flash or constant on
  - Polycarbonate lens
  - Rugged construction
  - Completely portable
  - 4 AA batteries required
- ( See page 40 for batteries )

MSSL182-AMBER  
W/REG. MAGNETS  
MSSL182M-AMBER  
W/90 LB. MAGNETS



**FOXFIRE® CONE LIGHT KIT**

**FOXFIRE® LIGHT KITS**

- 26 Super bright LED's
  - Fast flash or constant on
  - 360 Degree illumination
  - LED Magnifiers
  - Polycarbonate lens
  - Rugged construction
  - Extremely versatile
  - Easy battery access
- ( 4 AA Batteries Required )



**FOXFIRE® LIGHT KITS**



**MAGNETIC TOW LIGHTS**

High quality, low cost. These lights have adjustable rubber heads with sealed lamps, 30 ft all weather cable with a 4-way diecast plug. Great for towing cars, trailers and dollies.





20-802 - 49" LONG  
20-803 - 60" LONG

**OUTBACK F5 5-FUNCTION LED TAILGATE LIGHT BAR**

- Add high visibility with 5 functions and 3 colors (Red Running/Tail Lights, Red Brake Lights, White Backup Lights, Amber Left and Right Turn Signals).
- Easy installation, mounts with 3M™ self-stick tape.
- Fits neatly into space just below tailgate.
- Simple 6 wire hook-up with a flat 4 connector that plugs into the trailer light connector. Requires 1 wire for backup lights and 1 wire for 12V constant power.
- No drilling required.
- Applications for domestic and foreign vehicles.



**OUTBACK F4 4-FUNCTION LED TAILGATE LIGHT BAR**

- Add high visibility with 4 functions (All Red Running/Tail Lights, Red Brake Lights, Red Left and Right Turn Signals).
- Easy installation, mounts with 3M™ self-stick tape.
- Fits neatly into space just below tailgate or rear hatch.
- Simple 4 wire hook-up with a flat 4 connector that plugs right into the trailer light connector.
- No drilling required.
- Applications for domestic and foreign vehicles.



20-800 - 49" LONG  
20-801 - 60" LONG



**"ARROW" SAFETY BLANKET**

- 36 Super bright red LED bulbs in clear waterproof caps.
- Double function: Lighted warning and reflective arrow surface.
- Flashing, solid and directional flashing settings.
- LEDs visible up to 2500 yards.
- Self-illuminated reflective light can be seen up to 200 yards away.
- Strong magnets & grommets on all sides allow hanging on any surface - magnets work great on tailgates!.
- Standard size: 44 1/2" x 19 1/2" • Water resistant design.



MSXG5861A



MSXG6020

**"SLOW" SAFETY BLANKET**

- Super bright red LED bulbs in clear waterproof caps.
- Double function: Lighted warning and reflective lettering.
- Steady on, flashing, and sequential settings.
- LEDs visible up to 2500 yards.
- Self-illuminated reflective light can be seen up to 200 yards away.
- Strong magnets & grommets allow hanging on any surface - magnets work great on tailgates!.
- Standard size: 12" x 29 1/2".
- Water resistant design.

• Carrying case included. • Uses 4xAAA batteries (not included). ( See page 40 for batteries )

**[ SAFE-T-SIGNALS ]**

**UNIVERSAL WIDE TURN SIGNAL**

- 8" Electric blinking arrow, amber, 12 volt. • Overall 8" x 18".
- 8" x 12 " D.O.T. approved statement (not applied).
- 18 gauge galvanized steel construction.
- CHP & D.O.T approved under section #108.

*Decal is not applied at the factory, leaving the option of applying the decal to the unit to signify either right or left turn!*



One part fits EITHER side!

MSG1800

**LEFT OR RIGHT WIDE TURN SIGNAL**

- 8" Flashing arrow, amber, 12 volt. • Overall 8" x 24". • 8" x 15 " D.O.T. approved statement.
- 18 gauge galvanized steel construction. • CHP & D.O.T approved under section #108.

**All units include pigtails & mounting hardware**



MSG1101



MSGR101

# LED WARNING LIGHTS

## TRAFFIC PADDLE LIGHT KITS

MSF-SS100 STOP/SLOW LIGHT KIT

- 1 Amber light • 1 Red light • Mounting bracket • 4 "AAA" batteries

MSF-SS101 STOP/STOP LIGHT KIT

- 2 Red lights • Mounting bracket • 4 "AAA" batteries



## HARD HAT SAFETY LIGHTS KIT ( RED or AMBER )

Kit Includes:

- 1 Safety light • 1 Mounting bracket
- 1 Surface cleaner • 2 "AAA" batteries

Use to Increase visibility and safety while working in low light conditions and around moving equipment.



MSF-HH-A

MSF-HH-R

## ADVANCE WARNING LIGHT KIT

Kit Includes:

- 2 Amber lights • 2 Elastic bands • 4 "AAA" batteries

This kit provides a means of attaching an LED safety light to a traffic cone to insure the safety light will remain in place in the event a motorist collides with the traffic cone.



MSAWLK-2A

## PERSONAL SAFETY LIGHTS ALSO AVAILABLE SEPARATELY IN RED AND AMBER

MSF-PSL34A - AMBER  
MSF-PSL34R - RED

# LED PADDLES

- Visible up to a mile away!
- Light weight design minimizes arm & wrist stress.
- 18" model weighs less than 2 pounds.
- 24" model weighs less than 3.5 pounds.
- High intensity prismatic reflective sheeting.
- Conveniently placed thumb switch allows you to switch either face (or both faces) on or off easily & instantly.
- A gravity switch allows you to simply lower the LED Paddle to turn it off, then raise it to turn it on again, saving effort & prolonging battery life.
- Will operate for over 20 hours continuously on 2 AA rechargeable NiMH batteries (Included).
- Every paddle is supplied with one AC charger and one DC car charger.
- Optional carrying bag holds 2 paddles and all accessories including two 3-piece, 5-foot staffs.



Protect your Children & Crossing Guards...




18" LED STOP/STOP  
MS218-301

24" LED STOP/STOP  
MS218-384



18" LED SLOW/STOP  
MS218-322

24" LED SLOW/STOP  
MS218-383



Each LED Paddle includes batteries & AC/DC chargers

MS256-303

18" Carrying Bag  
MS256-304

24" Carrying Bag  
MS256-312

MS251-201

These paddles are Federally Compliant and conform to MUTCD specifications. With eight super bright LED's flashing in unison at 59 times per minute, these paddles are much more conspicuous and can dramatically improve driver reaction times. These LED paddles can flash their warning all day long, and are especially effective in rain, fog, snow, and during low light conditions.

GROMMET MOUNT STROBE LIGHTS



4" REGULAR STROBE  
MSTR550A-ST  
4" CURBSIDE ALTERNATING  
MSTR550A-AS-1  
4" ROADSIDE ALTERNATING  
MSTR550A-AS-2



CLEAR/AMBER  
4" REGULAR STROBE  
MSTR550CA-ST  
4" CURBSIDE ALTERNATING  
MSTR550CA-AS-1  
4" ROADSIDE ALTERNATING  
MSTR550CA-AS-2



6" REGULAR STROBE  
MSTR551A-ST  
6" CURBSIDE ALTERNATING  
MSTR551A-AS-1  
6" ROADSIDE ALTERNATING  
MSTR551A-AS-2



CLEAR/AMBER  
6" REGULAR STROBE  
MSTR551CA-ST  
6" CURBSIDE ALTERNATING  
MSTR551CA-AS-1  
6" ROADSIDE ALTERNATING  
MSTR551CA-AS-2

RUBBER GROMMETS



4" RUBBER  
MSGR4000



6" RUBBER  
MSGR6000



3-PRONG  
MSPT-3

SURFACE MOUNT STROBE LIGHTS



CLEAR / AMBER LED  
MSTR553CALED  
CLEAR / WHITE LED  
MSTR553CWLED

THE ULTIMATE FIFTH WHEEL PIN PULLERS!


Introducing new pin pullers with three collapsible designs. These innovative new products make pulling the 5th wheel handle a snap. Large and small fleets all want to improve productivity and reduce injuries.



ERGO HOOK

The newly designed MST106 "Ergo Hook" helps to reduce the risk of injuries by evenly distributing the force needed from just the shoulder to the entire trunk of the body. At 39.5" fully extended, this hook allows for easy access without having to duck under the trailer and be exposed to grease and dirt.

The MST106 also collapses down to 21.5" for easy storage and convince.



COLLAPSIBLE STANDARD HOOK

MST102

Open: 30.75"  
Closed: 17.25"



STANDARD HOOK


MST101



COLLAPSIBLE HAMMER HOOK

MST104

Open: 32"  
Closed: 17.5"



HAMMER HOOK

MST103




The new collapsible MST102 "Standard Hook" and the MST104 "Hammer Hook" both collapse to a mere 17.5 inches.

These new collapsible fifth wheel pin pullers are the smallest and easiest hooks to store.

ALL OUR PIN PULLERS

- Solid steel construction.
- Made in U.S.A.
- Powder coated black.



REDUCER

- Improves pulling position
- Uses 50%-60% less force
- Keeps you clean and safe
- Helps prevent injuries
- Made tough to last long
- No installation needed
- Made in U.S.A.

Instructions

1. Hook the plate handle.
2. Brace against any solid surface.
3. Pull the reducer handle.



**Pallet JackStop™**

"THE PALLET JACKSTOP™ THAT STOPS PALLET JACKS"



**PALLET JACKSTOP™**

The Pallet JackStop™ is the only truck tool designed to hold any pallet jack in place in a moving truck or trailer. The Pallet JackStop™, will improve the bottom line for all trucking companies. The larger the fleet, the greater the savings. Great for LTL's and delivery, the Pallet JackStop™ will not slip.



- Increases profits
- Improves drivers efficiency
- Reduces freight claims
- Reduces roll-up door & trailer repairs
- Reduces Pallet Jack damages and repairs

See the Pallet JackStop™ video at [www.palletjackstop.com](http://www.palletjackstop.com)



**15' LOAD MEASURING STICK**

Safetruck's load measuring stick has a 4' locking fold up horizontal bar for measuring the vertical height of a load, or it may be used for measuring access clearance. Extends to 15', and has an easy-to-read scale in 1/2" increments. This three section, all fiberglass, telescoping pole will save you time and worry. Great for heavy haulers, automobile transports and law enforcement.



**THE EZ STEPPER**



CLIMBING MADE EASY ON A FLATBED TRUCK



**THE EZ STEPPER IS EASY TO USE, CLIMB AND STORE!**

**Specifications and Benefits:**

- Fits all major truck tires.
- Lightweight at 15 lbs.
- Dimensions: 24" (W) x 25" (H) x 2" (D).
- Maximum capacity of 400 lbs.
- All steel construction.
- Powder coat finish.
- 3 steps with safe non-slip tread.
- Folds out and up in seconds making it ready to use, easy to store and transport.
- Easily get to hard to reach windows and flatbeds.
- Designed by the trucker for the trucker!.



**27' MEASURING POLE**

This Measuring Pole is great when you want to measure from the ground for access clearance. Exact measurements of up to 27 feet are conveniently read on the height indicator. The height indicator is mounted to the bottom tier so it remains where measurements can be easily read.



Lightweight, durable, and easy to use.

- Rugged fiberglass construction with excellent tensile strength.
- Compact and easy carrying: Only 56" long when closed.
- Lightweight: Less than 5 pounds for easy carrying.
- 7 self locking sections for quick and easy use.
- Bright yellow color for safety.
- Comes with carrying case.

Compact & Easy to Carry


This measuring pole is great for checking the access clearance of bridges, overhangs, branches, etc.



**FLUORESCENT ORANGE TRAFFIC CONES**

Tough enough for any work area. One-piece, flow-molded polyvinyl chloride, anti-fade fluorescent orange color with broad base for stability. Heat resistance to 160°. Elongation: 200%. Tensile strength: 1200 psi minimum. Hardness 80±5 conical, 75±5 base. Tear strength: 250 lbs. psi.

MODEL#	CONE HEIGHT	TOP THICKNESS	BOTTOM THICKNESS	WEIGHT LBS.	PER CRTN.
12PVCS	12"	.065"	.120"	1½	30
18PVCS	18"	.065"	.120"	3	20
28PVCTL	28"	.075"	.130"	5	10
28PVCTLH	28"	.080"	.135"	10	10
36PVCS	36"	.075"	.130"	10	10



Permanent Stenciling Available

12PVCS

18PVCS

28PVCTLH

28PVCTL

36PVCS

**FLUORESCENT ORANGE CONE COLLAR SETS**

Cone collars provide brilliant reflectivity and maximum durability. Meets all requirements of the MUTCD.

(Available for 28" and 36" Cones Only)

**CONE COLLAR SETS**

(6" UPPER AND 4" LOWER)


P/N	DESCRIPTION	FITS
6CC4C28S	28" Standard Cone Collar Set	28PVCTLH
6CC4C28T	28" Trimline Cone Collar Set	28PVCTL
6CC4C36S	36" Standard Cone Collar Set	36PVCS

**6-INCH UPPER CONE COLLARS**

P/N	DESCRIPTION	FITS
6CC28S	28" Standard Cone Collar	28PVCTLH
6CC28T	28" Trimline Cone Collar	28PVCTL
6CC36S	36" Standard Cone Collar	36PVCS

**4-INCH LOWER CONE COLLARS**

P/N	DESCRIPTION	FITS
4CC28S	28" Standard Cone Collar	28PVCTLH
4CC28T	28" Trimline Cone Collar	28PVCTL
4CC36S	36" Standard Cone Collar	36PVCS



**28" SPRING CONE**

**SPACE SAVING SOLUTIONS FOR FIRST RESPONDERS AND TEMPORARY TRAFFIC CONTROL**

- Compact for easy storage on any truck, or in vehicle trunk.
- Quickly deployed Spring Cone™ delineates traffic at any scene.
- Light weight and compact, cones weigh less and pack-up in a fraction of the space of traditional highway cones.
- Meets Federal M.U.T.C.D requirements for 28" reflective highway traffic cone.
- Plastic Tote holds 2 cones in less than 1 cubic foot.
- Cone is made of a durable, bright orange, flexible mesh material with a heavy duty rubber base.
- Flexible spring allows cone to automatically self deploy and spill wind for increased stability.
- Rubber base securely grips the road and holds cone in place in heavy traffic conditions.



MS21264-SCT  
Two cone set with tote



MS21464-SCT  
Four cone set with tote




MS21664-SCT  
Six cone set with tote



MS21064-SCT  
Ten cone set with tote

**SAFEZONE SERIES SIGN LEGENDS AND OVERLAYS**

All SafeZone Series Signs are made of premium state of the art materials. We offer our new fade resistant mesh, which is a daytime only product as well as 3M High Intensity reflective material for night time. Corner Pockets come standard on each sign along with a heavy-duty polyglass sign frame, anti-kiting device, hook and loop tie strap for storage. All SafeZone Series roll-up signs conform to the Manual on Uniform Traffic Control Devices (MUTCD) and are NCHRP-350 tested and certified.



**ADD MESSAGE NUMBER TO PART NUMBER WHEN ORDERING**

NO #	MESSAGE	NO #	MESSAGE	NO #	MESSAGE
A0010	ARROW (REVERSIBLE)	M0451	MERGE RIGHT SYMBOL	U0895	UTILITY CONSTRUCTION AHEAD
B0000	BLANK MATERIAL (NO LEGEND)	M0452	MERGE LEFT/RIGHT SYMBOL (COMBO)	U0896	UTILITY CONSTRUCTION 500 FT
B0025	BORDER ONLY	M0460	MOWERS AHEAD	U0897	UTILITY CONSTRUCTION 1000 FT
B0055	BE PREPARED TO STOP	M0470	MOWING AHEAD	U0898	UTILITY CONSTRUCTION 1500 FT
B0070	BEGIN MOWING ZONE	O0500	ONE LANE CLOSED AHEAD	U0915	UTILITY WORK AHEAD
B0090	BUMP AHEAD	O0510	ONE LANE ROAD AHEAD	U0916	UTILITY WORK 500 FT
C0120	CHILD SAFETY SEAT CHECK AHEAD	R0600	RIGHT LANE CLOSED AHEAD	U0917	UTILITY WORK 1000 FT
C0150	CONSTRUCTION AHEAD	R0610	RIGHT SHOULDER CLOSED	U0918	UTILITY WORK 1500 FT
D0180	DETOUR AHEAD	R0629	ROAD CLOSED	W0945	WORK AREA AHEAD
E0195	END CONSTRUCTION	R0630	ROAD CLOSED AHEAD	W0961	WORKERS AHEAD
E0215	END MOWING ZONE	R0635	ROAD CONSTRUCTION AHEAD	W0975	WORKERS SYMBOL
E0225	END ROAD ZONE	R0646	ROAD CONSTRUCTION 500 FT	500	500 FT
E0235	END UTILITY WORK	RP647	ROAD CONSTRUCTION 1000 FT	1000	1000FT
F0275	FLAGGER AHEAD	R0648	ROAD CONSTRUCTION 1500 FT	1500	1500FT
F0305	FLAGGER SYMBOL	R0675	ROAD WORK AHEAD	2000	2000FT
F0320	FLAGMAN AHEAD	R0676	ROAD WORK AHEAD 500 FT	1/4	1/4
F0330	FREE CAR SEAT CHECK	R0677	ROAD WORK AHEAD 1000 FT	1/2	1/2
F0335	FRESH OIL	R0678	ROAD WORK AHEAD 1500 FT	3/4	3/4
L0350	LANE CLOSED AHEAD	S0690	SHOULDER WORK AHEAD	1 MILE	1 MILE
L0380	LANE ENDS MERGE LEFT	S0725	STREET CLOSED	ONE	ONE
L0385	LEFT LANE CLOSED AHEAD	S0726	STREET CLOSED AHEAD	LEFT	LEFT
L0395	LITTER PICK UP AHEAD	S0765	SURVEY CREW AHEAD	RIGHT	RIGHT
M0425	MEN WORKING	T0825	TREE WORK AHEAD	CENTER	CENTER
M0450	MERGE LEFT SYMBOL	T0865	TRUCKS ENTERING HIGHWAY	REV. ARR	ARROW
				BAR	BAR (FOR LEFT/RIGHT MERGE)

OVERLAYS

The **SafeZone Series SZ-412-S** is the single spring-loaded version of our popular SZ-412. The single coil spring adds additional weight and redundancy to compensate for increased wind loads. The SZ-412-S is primarily used along the sides of state highways and interstates where wind loads are greater and more frequent.

**COMPACT AND LIGHTWEIGHT**


SafeZone Series Sign Stands are lightweight and require minimum space in your vehicle. They are easy to carry for setup and deployment of your roll-up signs.



SZP-BAG-24 for SZ-412 and SZ-412/S

**STAND CARRYING BAGS**

All SafeZone Series Stand Storage Bags are made of a heavy-duty fabric to help protect your stand when stored. The bags are mildew and rot-resistant and are designed to prolong the life of your stand.




Non-Skid Rubber Feet

Auto-Latch Bracket

Telescopic Legs

SZ-412-S NCHRP350 APPROVED



Pull Pin

**PULL PIN/KICK RELEASE LEVERS**

The dual Pull Pin/Kick Release lever allows each leg to be deployed by either pulling the pin by hand or by stepping on the kick release.




Kick Release Lever

**SAFEZONE SERIES SZ-412 SPRINGLESS SIGN STAND**

The SafeZone Series SZ-412 is a super lightweight compact springless sign stand for use with roll-up signs. Easy to use and easy to store, it's single sign attachment point allows for quick deployment in the field. Telescopic legs with both pull pin and kick release levers can be released by hand or foot for fast set-up. Legs have three height adjustments for use on uneven terrain, making it easy for use along right of ways and medians.

The right choice for Utility Companies, DOT's, City and County Governments or anyone working along secondary roads or inner city streets.



Auto-Latch Bracket

Kick Release Legs

SZ-412 NCHRP350 APPROVED

**AUTO-LATCH**

Patented corner pocket snaps quickly into Auto-Latch. The easy release lever makes it simple to remove the sign. The Auto-Latch Bracket is standard on all of our Sign Stands except when Universal Bracket is requested.



**SAFETY SEALS MSFB1**

Steel ball locking housing with 2 spring locks for truck boxes and cargo containers. Metal Strap Seal.

- Breaking Strength:** 140 lbs.(54.4 kg)
- Carton Size:** 18" x 18" x 17" (45.7 x 45.7 x 43.1 cm)
- Weight:** 15 lbs.(6.8 kg) per carton
- Size:** 8 1/4" (20.9 cm) Length x 3/8" (9.7 mm) Width
- Standard:** 1000 ball seals Model B1 per carton. 100 seals per bundle.
- Printing:** One line up to 17 spaces plus consecutive numbers up to 7 digits. Logos available.
- To apply:** Self locking, no tools required.
- Minimum order:** 1000



MSFB1

**SAFETY ECONOMY SEAL MSFC2**

Economy Flat Metal Truck and Cargo Seal. Metal Strap Seal. Pre-printed and numbered.

- Breaking Strength:** 125 lbs.(56.7 kg)
- Carton Size:** 17" x 15" x 12" per carton
- Weight:** 12 lbs.(5.4 kg) per 1000 (approx)
- Size:** 8 1/2" Length x 5/16" (21.6 cm x 7.9 mm) Width
- Standard:** 5,000 cargo seals FC2 - Economy per carton. 100 seals per bundle.
- Printing:** One line up to 17 spaces plus consecutive numbers up to 7 digits. Logos available.
- To apply:** Self locking, no tools required.
- Minimum order:** 1000



MSFC2

**PLASTIC SEAL MODEL MSC4001**

All purpose high-density copolymer door seal. Serialized and imprinted with Ms. Carita, these stock door seals can be used for sealing trucks, trailers and containers. Available in red and sold in packs of 100.

- Minimum order:** 100

**PLASTIC SEAL MODEL PS4001**

These seals are identical of the MSC4001 without the Ms. Carita imprint.

- Breaking Strength:** 80 lbs.(36.3 kg)
- Carton Size:** 21" x 16" x 17" (53.3 x 40.6 x 43.1 cm)
- Weight:** 10 lbs.(4.5 kg) per 1,000
- Standard:** 10 Car Seals - Model 4001 Poly TekTiv to a mat standard.
- Printing:** Up to 16 spaces plus consecutive numbers up to 7 digits.
- Minimum order:** 1000



MSC4001 (MS. CARITA)  
PS4001 CUSTOM

**PLASTIC SEAL MODEL PHS75**

Heavy duty security cargo seal features an advanced locking device with 13 locking points for maximum security. High-density polypropylene copolymer seal with advanced locking device.

- Breaking Strength:** 135 lbs.(61.2 kg)
- Carton Size:** 14" x 14" x 14" (35.6 x 35.6 x 35.6 cm) per carton
- Weight:** 16 lbs.(7.3 kg) per carton
- Standard:** 1,000 seals per carton, 10 seals per mat, 100 seals per bag.
- Printing:** Up to 17 spaces plus consecutive numbers up to 7 digits.
- Minimum order:** 1000 (Specify color when ordering).



PHS75 (7.5")

**STANDARD FLIP PLACARD**

This basic system includes 8 placard panels in a single frame. Placards meet DOT specifications for transporting hazardous materials. The frames are constructed of corrosion resistant, fully formed rigid aluminum. Placard panels are made of aluminum alloy and mill roller coated with white acrylic paint baked at 400°. Panels lock in place with four stainless steel pressure fasteners. The system includes the poison 6, non-flammable gas 2, oxidizer 5.1, dangerous, flammable 3, radioactive 7, flammable gas 2, corrosive 8, and blank panel. This system is available in your choice of brite mill full frame, split frame, 2 cut corners and 4 cut corners. Also available in white.



81-CLIP  
REPLACEMENT  
PLACARD CLIP

81-8WFO  
WHITE

81-8FO

**DUO-FLIP PLACARD**

This basic duo-flip system includes 5 placard panels in a single frame. Placards meet DOT specifications for transporting hazardous materials in bulk. The frames are constructed of corrosion resistant, fully formed rigid aluminum. Placard panels are made of aluminum alloy and mill roller coated with white acrylic paint baked at 400°.

Panels lock in place with four stainless steel pressure fasteners. The numerals flip easily to give you any combination of 4-digit numbers. The system includes the corrosive 8, flammable 3, poison 6, combustible 3 and blank panel. This system is available in brite mill finish.



126CT



**SLIDE MASTER ALUMINUM PLACARD HOLDER**

These slide in placard holders feature the easy-off ramp, an innovative design that glides placards over the retaining clip so they slide out without a hitch. Placard holders are suitable for metal, tagboard and rigid vinyl placards. This aluminum holder has a bright mill finish.



**SLIDE MASTER AND STANDARD FLIP PLACARDS OPTIONS**

SPLIT FRAME  
"SF"

2 CUT CORNERS  
"2CC"

4 CUT CORNERS  
"4CC"



80SMP97

**SLOW-MOVING VEHICLE EMBLEM**

SMV emblems are required for all heavy equipment, farm machinery, as well as horse drawn buggies, when used on public roads and highways. Center panel is fluorescent orange for daytime visibility. Border is reflective red for unsurpassed night visibility. Sign measures 14" (H) x 16" (W) and is available in metal, plastic or decal version (SMV104). Meets the new ANSI/ASAE S276.5 standards.



SMV104 - New Standard ANSI/ASAE S276.6 (DECAL)



SMV105 - New Standard ANSI/ASAE S276.6 (PLASTIC)



SMV106 - New Standard ANSI/ASAE S276.6 (METAL)

**SPADE AND BRACKET**

Heavy duty hardware to secure your SMV emblem on to your vehicle or machinery. Comes with hardware.



SMV200

**NYLON BUMPER GUIDES**

Heavy Duty marker for curbs, islands, hydrants, farm or heavy equipment. Designed to fit highway and municipal snow plow requirements. The .75" O.D. nylon tube is flexible and strong. Comes in 3 sizes. Made in USA.



BG28F 28"  
BG36F 36"  
BG48F 48"

**VEHICLE CONSPICUITY TAPE V-5720 SERIES**

Avery Dennison® Series V-5720 Vehicle Conspicuity Tape offers exceptional benefits and value for your fleet. Constructed of tough, clear acrylic, a UV absorbing top film and repositionable permanent adhesive. With initial repositioning ability, this tape can be applied, lifted, and re-positioned for the first 15 mins of application which allows for perfect placement on every vehicle.

The repositionable permanent aggressive adhesive will stand up to repeated high-pressure washings and tough weather conditions.

All acrylic construction offers superior durability in the toughest weather conditions and climates.

The prismatic reflective technology provides superior nighttime reflectivity and long-distance visibility.

Bright red color provides excellent visibility even during daylight hours.

Single-ply construction is impervious to water and dirt penetration that can destroy reflectivity.

Sub-surface printing protects the red color from UV and solvent for superior durability.

Specially engineered adhesive allows for increased flexibility and initial repositioning ability.

PRODUCT	DESCRIPTION	SPECS	WARRANTY
845704	11" Red / 7" White	2" x 150' Roll	3 Year
845702	11" Red / 7" White	2" x 150' Roll	7 Year
845772	11" Red / 7" White, Pre-cut Strips	2" x 18" (100/box)	3 Year
846531	11" Red / 7" White, Pre-cut Strips	2" x 18" (100/box)	7 Year



**SCHOOL BUS CONSPICUITY TAPE V-9700 SERIES**

The prismatic reflective film provides motorists with greater vehicle visibility and a conspicuous warning in all types of weather. A bright, new, metallized reflective film from Avery Dennison, V-9700 Series increases the safety of school buses.

The permanent pressure sensitive adhesive will stand up to repeated washings and tough weather conditions.

All acrylic construction offers superior durability in the toughest weather conditions and climates for up to 7 years.

Metallized prismatic reflective technology provides superior nighttime reflectivity and daytime visibility.

Metallized construction is impervious to water and dirt penetration that can destroy reflectivity.



**Materials** Microprismatic acrylic film  
**Size** Primary widths are 1", 1.75". Roll length is 150 feet. Special widths are available upon request.

PRODUCT	DESCRIPTION	SPECS
856001.1	Yellow	1" x 150' Roll
856001	Yellow	1.75" x 150' Roll

**TRUCK FIRST AID KIT**

Designed for the needs of transportation vehicles. Meets and exceeds ANSI standard Z308.1-2009. Poly white box is dust and moisture resistant.

**Contains:**

- 1 - 16/unit - Certi-Strip, Plastic, 1" x 3"
- 1 - 3/unit - Triangular Bandage with Pins
- 1 - 4/unit - Certi-Gauze Pad, 3" x 3"
- 1 - 2/unit - Certi-Tape, 1/2" x 2 1/2 yards
- 1 - 6/unit - Certi-Burn Cream, 1 gm
- 1 - 10/unit - Certi-Sporyn-Antibiotic Cream, 1 gm
- 1 - 10/unit - Antiseptic BZK Towelettes
- 1 - Absorbent Compress, 32 sq. inch
- 1 - 6/unit - Alcohol Gel, 1 gm
- 2 - Pairs Gloves, Nitrile
- 1 - First Aid Facts Sheet



**SCHOOL BUS FIRST-AID KIT**

Meets the national minimum standard for the school bus industry. Poly white box is dust and moisture resistant.

**Note:** Some states may require additional items. Please call for specific information on your state requirements.

**Contains:**

- 2 Bandage Compress, 2" - 4/unit
- 5 Bandage Compress, 3" - 2/unit
- 2 Triangular Bandage with Pins - 3/unit
- 3 Gauze Compress, 36" x 36" - 1/unit
- 2 Certi-Tape-1" x 2 1/2 yards
- 1 Certi-Gauze pad, 3" x 3" - 27/pack
- 2 Certi-Gauze roll, 2" x 6 yards (each)
- 1 Certi-Strip, Plastic, 3/4" x 3" - 100/box
- 1 CPRotector® (Mouth to mouth barrier)
- 3 Eye Pads
- 1 Gloves, Nitrile (pair)
- 1 Scissors, Rounded End



ACK-1

**ACCIDENT CAMERA KIT**

The i-Witness Camera Kit is all you need in an accident. Easy to store pouch fits in your glovebox or console, versatile and lightweight.

**Contains:**

- 1 Camera (400-12)
- 1 Flashlight
- 1 Ballpoint Pen
- 1 Wax Crayon
- 1 Measuring Tape
- 2 Accident Report Forms (Bilingual)



**AC DELCO ALKALINE BATTERIES**

For over 100 years AC Delco has stood for dependable quality parts and is a name that is recognized and accepted by consumers around the world. AC Delco has developed a full line of batteries that live up to everything that AC Delco has stood for since they began.

Our AC Delco batteries last as long as any premium brand on the market today but cost much less. This value for the consumer means that you can buy more batteries for your dollar which leaves you more money for other important things in your life.

Our AC Delco alkaline batteries are as good as or better than any other on the market today. Alkaline batteries have become the most used batteries in the world because they offer long life and the consistent quality that everyone has come to trust. Available in AA, AAA, C, D and 9V.



ACAA4



ACAAA4



ACC2



ACD2



AC9V1

**POWERMAX HEAVY DUTY BATTERIES**

The Powermax brand is proud to be a partner with AC Delco as they have developed a full line of batteries that live up to everything that AC Delco has stood for since they began. Our Heavy Duty Powermax brand offers you all the quality and dependability of the AC Delco brand but for less money. Our house brand lasts as long as the premium brands of non-alkaline for considerably less. The perfect choice for your flashlights or other low drain devices, Heavy Duty batteries offers you a good product for a low price. Available in AA & AAA 4 packs and bulk only.



PMAAA4



PMAAA4

**ALSO AVAILABLE IN BULK**

**SCHOOL BUS FIRST-AID KIT**

Meets the national minimum standard for the school bus industry. Poly white box is dust and moisture resistant. Refill kits available.

**Contains:**

- 2 Bandage Compress, 2" - 4/unit
- 5 Bandage Compress, 3" - 2/unit
- 2 Triangular Bandage with pins - 3/unit
- 3 Gauze Compress, 36" x 36" - 1/unit
- 2 Certi-Tape-1" x 2½ yards
- 1 Certi-Gauze pad, 3" x 3" - 27/pack
- 2 Certi-Gauze roll, 2" x 6 yards (each)
- 1 Certi-Strip, Plastic, ¾" x 3" - 100/box
- 1 CPRotector® (Mouth to mouth barrier)
- 3 Eye Pads
- 1 Gloves, Nitrile (pair)
- 1 Scissors, Rounded End



FAK-24 9" x 9" x 2.5"

**ECONOMY DOUBLE-SIDED STOP PADDLE**

This economy paddle is ideal for school districts and is required on all school-buses. Paddle is great for crossing guards, measures 18" x 18", and is printed on two sides with a wooden handle. Made from lightweight expanded PVC. Sold in bulk quantities of 100, 200 & 300 pieces.



SS-201



**SCHOOL BUS CONSPICUITY TAPE V-9700 SERIES**

This prismatic reflective film provides motorists with greater vehicle visibility and a conspicuous warning in all types of weather. A bright, new, metallized reflective film from Avery Dennison, V-9700 Series increases the safety of school buses.

(Refer to Page 38 for Detailed Information)

**DECALS**

**EMERGENCY EXIT**  
TO OPEN, PULL  
HANDLE, PUSH  
OUT WINDOW

D625 3.25 x 4" ENGLISH

**SALIDA DE EMERGENCIA**  
PARA ABRIR, JALE LA  
AGARRADERA, EMPUJE  
HACIA AFUERA LA VENTANA

D626S 3.25 x 4" SPANISH

**EMERGENCY EXIT**  
**SALIDA DE EMERGENCIA**

D623A 1.5" x 7.5"

D623 3.75" x 18.5"

**ZAFETY LUG LOCK®**  
**WHEEL LUG NUT SECURITY**

**Save Time and Money With Zafety Lug Lock®**

Helps prevent potential wheel loss by using the resistance between two nuts to minimize their ability to rotate and loosen, a safety product the transportation industry has needed for a long time:

- Pre-trip inspection requires secure wheel lug nut confirmation
- Rules apply to all public transit & commercial buses, trucks, trailers
- Provides a clear, visual check of lug nut position

**Innovative Function**

Most wheel nut safety products allow the lug nut to loosen first and only then alert drivers to dangerous conditions. Zafety Lug Lock® uses a proprietary design that lessens the ability of two adjacent lug nuts to rotate and become loose. This reduces the risk of potential wheel loss and the possibility of expensive wheel damage.



WHEEL NUTS LOOSEN AS A RESULT OF TEMPERATURE CHANGE, WHEEL END VIBRATION AND SURFACE CORROSION

Zafety Lug Lock® is fabricated from design engineered plastic that has been independently tested under varying temperature and vibration conditions with no evidence of lug nut loosening and with no external damage or physical degradation (EXOVA, formerly Bodycote Testing Group, report no 08-003-C0185). Standard Formulation suitable for wheel end temperatures up to 300°F (149°C).



STANDARD LUG LOCKS

**STANDARD LUG LOCKS**

P/N	STUDS	SPACING	NUT SIZE	METRIC	DESCRIPTION
MSZLL-0	10	3.5"	1 5/16"	33 mm	LG TRUCK & TRAILERS, TYPE C & D SCHOOL BUSES, HYDRO, CEMENT TRUCKS, ETC.
MSZLL-1	10	4.125"	1 5/16"	33 mm	OFF ROAD APPLICATIONS & SOME COACHES
MSZLL-4	8	2.5"	1"	25 mm	DELIVERY VANS, UTILITY TRUCKS, STEP VANS
MSZLL-6	10	3.5"	1.5"	38 mm	SOME PREVOST & MCI COACHES
MSZLL-8	8	2.5"	7/8"	22 mm	SMALLER TYPE A & B SCHOOL BUSES, EMS VEHICLES, F350 & 450, ETC.

**RETAIL READY "AXLE PACK"**



P/N	STUDS	SPACING	NUT SIZE
MSZLL-0-10	10	3.5"	1 5/16"
MSZLL-1-10	10	4.125"	1 5/16"
MSZLL-8-8	8	2.5"	7/8"

**HIGH TEMPERATURE**  
**ZAFETY LUG LOCKS ARE AVAILABLE.**  
**CALL FOR INFORMATION**

## ROUND BASE MAGNETS

### HOLDING AND PULL STRENGTH

Standard round base magnet assemblies are made with ceramic magnets and steel cups. The magnets are magnetized together with the casings to create a holding force that is up to 32 times stronger than an individual ceramic magnet. Pull strength is measured on a flat 0.375" thick steel plate. If your steel is thinner, coated or the surface is rough or rusty, the pull may vary.



### ROUND BASE MAGNETS

P/N	DIA	HOLE	DESCRIPTION
RB75	2.625"	0.280"	80 LB ROUND BASE MAGNET
RB80	3.20"	0.280"	110 LB ROUND BASE MAGNET
RB85	3.79"	0.380"	120 LB ROUND BASE MAGNET
RB90	4.90"	0.500"	210 LB ROUND BASE MAGNET

Please use caution when handling Round Base magnets, their exceptional magnetic force may cause them to attract to metal (or to each other) so strongly that putting fingers in their path could prove painful.

## NEODYMIUM MAGNET

Neodymium rare earth magnets are exceptionally powerful and are nickel plated with a protective cover.

P/N	DIA	HOLE	DESCRIPTION
RB50-NEO	2.030"	0.187"	90LB NEO W / COVER

\*Ratings based on Manufacturers data

### Common Applications

- Antenna mounts • Work lamp bases
- Emergency light holders • Vehicles flag holders
- Sign and banner holders

These magnets are the same as on Foxfire Lights ( See page 21 )

## THE TIE DOWN RATCHET WRENCH

- Solid steel construction. • Heavy-Duty rubber handle.
- Compact and easy carrying. • Made tough to last long.
- Made in USA.



MST115


**"When Hand Tight Just Ain't Tight Enough!"**



## [ TANDEM AXLE STOP ]

### TANDEM AXLE STOP

This tool is designed specifically for adjusting your tandem axles. The unique features of this improved design is great for large fleets and owner operators alike. The Tandem Axle Stop fits both old and new suspension types so it's ideal for the fleet driver who pulls a different trailer every day. The double ends also act as a counter balance to keep it firmly in place while sliding the frame to the desired location.



MST110



- **START** getting it right the first time, every time.
- **START** adjusting your tandems without a spotter.
- **STOP** guessing where to stop while adjusting your tandems at the scales or for tight curvy roads.
- **STOP** climbing in and out of your rig multiple times for each adjustment.
- **FITS** both 1.5" and 1.75" frame holes.

### How it works:

1. Release and latch the tandem retaining pin lever.
2. Place the Tandem Axle Stop in the hole next to where you want the tandem retainer pins to catch.
3. Lock your trailer brakes.
4. Pull forward or reverse until the tandems hit the Tandem Axle Stop.
5. Ease pressure off the Tandem Axle Stop just a little so it is easier to remove.
6. Unlatch and reset the tandem retaining pin lever, locking in the pins.
7. Remove the Tandem Axle Stop and go.




**OVERSIZE REFERENCE BOOK**

The oversize reference book is excellent for truck drivers, owner operators, shippers, receivers, brokers, permit departments and heavy haul division. The Book is 8 1/2" X 5 1/2".

- Emergency numbers for railroad crossings
- Sunrise/Sunset tables • State permit dept. phone and fax numbers • Travel time: Night and weekend running and curfews • Permitted speed limits • Axle weights
- Escort requirement • Websites for sunrise/sunset tables


MSORB-100



**VEHICLE INSPECTION LOG BOOK**

The Vehicle Inspection Report book enables compliance with 49 CFR Part 396.11 which requires drivers of commercial vehicles to prepare daily reports listing defects or deficiencies which may affect safe operation. The Truck Driver Inspection book also provides a handy checklist of the major vehicle components and safety accessories, with more space for verification of repairs. Each book contains 31 (one month's supply) 3-part set of 8 1/2" X 5 1/2" forms, plus carbons.


MSVIR-100



**ANNUAL INSPECTION FORM W/DECAL**

The Record of Annual Inspection with Decal attached. The decal is 4" x 2 1/2" and the form is 8 1/2" x 11". Both form and decal are sequentially numbered. This vehicle maintenance record of annual inspection is sold per pack of 10.

MSDRI-97R




Removable Decal

**DRIVER'S DAILY LOG BOOK**

Commercial motor vehicle drivers must record their duty status for each 24-hour period on a daily log (49 CFR 395.8). This book comes with 31 daily logs printed on the front side of the page and standardized vehicle inspection reports on the back, plus a daily summary to calculate hours available. Logs and reports are printed in red ink to make your entries easy to read. Book format: 8 1/2" X 5 1/2", 2-ply with carbon.

MSLOG-001



LOOSE LEAF LOG PAGES: 100 Per pack



MSLOG-007

**RETRACTABLE CB MIC KEEPER®**

No more fumbling around trying to hang your CB mic. Grab your mic, use it, let it go - It retracts back up to the headliner. Includes mounting hardware to attach CB Mic Keeper to headliner. Simplify your CB set-up!



#1-0141-05

Dealer Display Kit #1-0141-05

Contains:

- Display Box with Header Card.
- 8 Standard CB Mic Keepers - RT4.
- 4 Heavy Duty CB Mic Keepers - RT3.



**Standard Model RT4-4112**

- For Use with Standard Mics.
- Retracting Tether Suspends Mic from Headliner.
- 2X the Spring Life and Longer Extension.
- Nylon Coated Stainless Steel Cable.
- Nylon/Elastic Mic Lanyard.
- Stainless Steel Spring and Hardware.
- 28" Extension.
- 9 oz. Retractable Force.
- 60 lbs. Breaking Strength.

\* Replaces P/N RT2-4112



RT4-4112



**Heavy Duty Model RT3-4112**

- For Use with Heavy Mics, Metal-Cord Models, for When Longer Extension is Needed.
- Locking Mechanism Allows Mic to be Locked in Any Position.
- Retracting Tether Suspends Mic from Headliner.
- 2X the Spring Life and Longer Extension.
- Nylon Line with Kevlar Core.
- Nylon/Elastic Mic Lanyard.
- Stainless Steel Spring and Hardware.
- 42" Extension.
- 12 oz. Retractable Force.
- 80 lbs. Breaking Strength.



RT3-4112

**[ TARP STRAPS ]**

**EPDM RUBBER TARP STRAPS**

Straps are designed for restraining tarp covers on flatbed trailers. 100% EPDM Synthetic Rubber Polymer. Comes in 9", 15", 21", 31" and 41" lengths.



- 9" - MST510
- 15" - MST515
- 21" - MST521
- 31" - MST531
- 41" - MST541

**Warnings**

- Eye protection required. Do not use if tarp straps are cut, cracked, hooks are bent, damaged or corroded.
- Tarp straps should not be used for restraining or securing cargo.
- Sudden rupture or sudden disconnection while in the stretched position may cause serious personal injury.

**WHEEL DOCK**

Prevent your trailer tongue wheel from rolling on the pavement or sinking into soft ground. Heavy duty, durable dock easy to store and transport.



MS44632

**STEERING WHEEL LOCKOUT COVERS**

This reinforced vinyl cover has a screen-printed warning legend and message, and fits over standard steering wheels. The upper half has a stitched pocket to slip over the back of the steering wheel. The bottom has a 3/8" metal grommet to accommodate a 1 1/2" hasp or padlock to secure the cover to the steering wheel. Available in 16", 20" and 24".



16" DANGER KDD714  
20" DANGER KDD725  
24" DANGER KDD736



16" CAUTION KDD716  
20" CAUTION KDD727  
24" CAUTION KDD738



16" ENG/SPN DANGER KDD719  
20" ENG/SPN DANGER KDD724  
24" ENG/SPN DANGER KDD733

**MULTI-COLOR BATON**

Batons are durable, water resistant units. Batteries last up to 100 hours. Their bright, colored LED lights are visible up to 3000 yards away and good for 100,000 hours of run time.

- 6 functions; Red flashing, Red steady, Green flashing, Green steady, Blue flashing, Blue steady.
- Uses 3C batteries.

( See page 40 for batteries )

MSXG408RGB



Three Colors in one Baton



Handy Belt Clip

**RED NIGHT WAND**

- 15" Red baton.
- Has built in 5 Led flashlight.
- 4 Functions; Flashlight, Flashlight w/Red Flashing, Red Flashing, Steady on.
- Handy belt clip & strap.
- Uses 2D batteries.

( See page 40 for batteries )



MSXG411TW



**BATON STAND**

- Baton stand fits all batons.
- Hands free use for greater safety.
- Very heavy duty, weighs 4 lbs.
- Can function as traffic flare or delineator in an emergency.



MSXG1119



### 3AAA eLED® VIZION™ I HARD HAT LIGHT

For superior hands-free illumination in every situation, count on the Vizion I. Hit it, freeze it, dunk it—it will keep on working. Safety certified for use in hazardous locations.

- Proprietary Compound Path Optics (CPO) permits high efficiency and compact size.
- Thermal Recovery System recycles heat from the LED to warm batteries for improved performance in low temperatures.
- Remarkably lightweight and Waterproof design for all weather use.
- 3 selectable beam patterns - Spot, Diffuse and Red Diffuse.
- High and Low power settings.
- Large push button control switch works with heavy gloves.
- LED lamp module can be removed from mounting strap for use as a portable work light.
- Rotating beam angle adjustment knob, no hinge to break.
- High impact ABS, LEXAN® and molded rubber construction for durability.
- Fits any hard hat.
- Made in the USA.



**NEW**



**NEW**

Available with either a non slip rubber helmet band or a woven band.

MS17006	VISION 1 HARDHAT LIGHT - BLACK W/RUBBER BAND
MS17007	VISION 1 HARDHAT LIGHT - YELLOW W/RUBBER BAND
MS17018	VISION 1 HARDHAT LIGHT - BLACK W/WOVEN BAND
MS17019	VISION 1 HARDHAT LIGHT - YELLOW W/WOVEN BAND



**NEW**



### HUB ALERT™ Heat Sensing Labels

HUB ALERT™ heat sensing labels is the only early warning system that will alert you to above normal wheel end operating temperature. The normal operating temperature of hubcap grease or oil should not get above 225 F (107 C). Dana and Meritor both recommend that when the temperature reaches 250 F (121 C) there is a need to do a more detailed wheel end inspection. HUB ALERT™ will indicate the need for a more detailed inspection of the overheating wheel end. Catching bearing / seal issues early will reduce the need for over the road emergency repairs and will avoid additional costly repairs due to a failure. The HUB ALERT™ thermosensitive area is hermetically sealed against moisture, oil, grease, fuels, solvents, water and steam. The HUB ALERT™ sensor decal will turn BLACK once the hubcap has reached the critical temperature. Maintenance staff and Drivers are now alerted to the need for a more detailed inspection to identify causes for the above normal wheel end operating temperature. A new HUB ALERT™ heat sensing label is applied to the hubcap after the above normal heating issue has been resolved.

MSHA1000 - Single roll heat sensing label, 1000 labels  
 MSHA100 - Clear pack of 100 labels ( 25 bags of 4 labels )  
 MSHA104 - Sheet of 4 labels per bag

### MIRROR MITTS

**Mirror Mitts helping to prevent accidents, before they happen.**

The Mirror Mitt is a safe way of protecting technicians working around trucks as they are being serviced. Mirror Mitts have been promoting safety in some of the largest transportation companies in North America and Canada for the last 5 years.

Mirror Mitts consist of...

Two thick pieces of moisture proof, OSHA yellow foam bonded together with velcro one-wrap and a large safety message printed on both sides.



**NEW**



MSMM-101

- Increase productivity.
- Reduce work related injuries.
- Promote safety in the workplace.
- Reduce the number of workers' compensation claims.
- Show inspectors that you are safety conscious in your workplace, which makes the inspection process easier on your company.
- Easy to use. Just grab on to both sides and squeeze on then squeeze off!



**NEW**



MSWP101

### WORKPADDS™

#### WORKPADDS™

WorkPadd is a soft but firm, SUPER comfortable, flat kneepad built for safety. An ultra soft solution to cold, hard surfaces.

Whether it be working on vehicles, equipment or stocking the bottom shelf, we all know what a pain it is. Well, WORKPADDS takes the pain out of getting the job done!

#### Features and Benefits:

- Will not absorb moisture.
- Will not split, crack, or dry out.
- Easily cleaned and washable.
- Durable for a nice, long life.
- Handle for carrying or hanging.
- 18" Long x 7" Wide x 3/4" Thick.



Regular Safety WorkPadd is treated foam rubber for light work, home, recreational use.

**SUPER BRIGHT 9 LED FLASHLIGHT**

Lightweight aluminum and compact. The only flashlight you'll need in your glove compartment or anywhere else.

- Nine LEDs.
  - Size: 1 1/8" x 3 3/4".
  - On/Off switch on the bottom.
  - Uses 3 AAA batteries (included).
- ( See page 40 for batteries )



LED721-RED



LED721-BLUE



LED721-BLACK



LED721-BLUE

Custom laser engraved with your company logo available in blue with quantities starting at 250 pcs. In plain white boxes.



**FIRE EXTINGUISHER INSIDE**

FXI-2 2" x 12" RED TEXT ON WHITE



FXI-2CFR 2" x 12" RED AND BLACK ON CLEAR (RT)



FXI-2FR 2" x 12" RED AND BLACK ON WHITE (RT)



FXI-2B 2" x 12" BLACK TEXT ON CLEAR



**FIRE EXTINGUISHER INSIDE**

FXI-2C 2" x 12" RED TEXT ON CLEAR



FXI-2CF 2" x 12" RED AND BLACK ON CLEAR



FXI-2F 2" x 12" RED AND BLACK ON WHITE



FXI-2W 2" x 12" WHITE TEXT ON CLEAR



**FIRE EXTINGUISHER INSIDE**

FXI-2DC 1.125" x 11" RED ADHESIVE TEXT



**FLAMMABLE**

D202 6" x 24"



D206 6" x 24"



D204 6" x 24"



D719 2.25" x 6"



D723 2.25" x 6"




D724 2.25" x 6"



D730 2.25" x 6"



D717 2.25" x 6"



D972 2.25" x 6"



D611 2.25" x 6"



D709 2.25" x 6"



D710 2.25" x 6"



D711 2.25" x 6"




D718 2.25" x 6"



D607 1.5" x 5"




D971 2.25" x 6"



D613 2.25" x 6"

**FLAMMABLE**

D201 2.5" x 12"




D203 2.5" x 12"



D609 3.5" x 11"



D610 3.5" x 10.5"



D407 2" x 9"



D722 2" x 12"



D997 8.5" x 18"




D996 8.5" x 18"



D207 12" x 27"



D704 1.5" x 6.5"




D300 1.5" x 5"



D623 3.75" x 18.5"



D721 2" x 12"



D703 1.5" x 5"




D962 8.5" x 18"



CWT-1 11.75" x 17.25"



CWT-5 11.75" x 17.25"



CWT-6 17.25" x 11.75"



D716 10" x 8.5"  
PLEASE SPECIFY TRAILER HEIGHT WHEN ORDERING D715 & D716



CWT-4 11.75" x 17.25"



CWT-7 11.75" x 17.25"




D776 11.75" x 17.25"



D601 11.75" x 17.25"



D752 11.75" x 17.25"



D702 11.75" x 17.25"



D963 11.75" x 17.25"



D603 9.25" x 13.5"



D600 9.25" x 13.5"



D981 3.5" x 36"



CWT-2 3.5" x 36"

**Air Ride Equipped**

D410 5" x 53"

**53'**

D453 8" x 11"



CWT-3 4.5" x 11"




D754 2.25" x 6"



D961 8.5" x 18"



D780 4.5" x 6.75"



D612 2.5" x 6"



D855 17.25" x 11.75"



D791 1.25" x 9"



D790 2.25" x 6"



D751 4.5" x 6.75"



D753 4.5" x 6.75"



D625 2.25" x 4"



D627 2.25" x 4"



D728 2.25" x 4"



D713 2.25" x 4"



D729 2.25" x 4"



D712 2.25" x 4"



D626S 2.25" x 4"



D627S 2.25" x 4"



D728S 2.25" x 4"



D713S 2.25" x 4"



D729S 2.25" x 4"



D712S 2.25" x 4"



D740 2.25" x 4"



D706 2.25" x 4"



D732 2.25" x 4"



D789 2.25" x 4"



D745 1.5" x 2.5"



D731 2.25" x 4"



D740S 2.25" x 4"



D706S 2.25" x 4"



D732S 2.25" x 4"



D789S 2.25" x 4"



D727 3.5" x 6.75"



D750 3" x 4"

TRAILER INSPECTION form with fields for DATE COMPLETED, LOCATION, BRAKES, LIGHTS, TIRES, LUBE, NEXT DUE DATE, MINOR, MAJOR.

D748 6.25" x 8"

FHWA - PERIODIC INSPECTION CERTIFICATION form with date of inspection grid (MO-YR -2011).

D755-0567 5" x 5.5"

PEEL AND STICK MONTH NUMBERS, LET YOU CHOOSE THE INSPECTION DATE. THE CURRENT YEAR IS PRE-PRINTED AND THE NEXT TWO YEARS CAN BE APPLIED OVER CURRENT YEAR.

THIS DECAL CAN BE CUSTOM PRINTED WITH YOUR COMPANY'S NAME & ADDRESS. CONTACT YOUR DEALER FOR PRICING.



D714 2.25" x 6"



D795 2.25" x 6"



TD1993 10.75" x 10.75"



MSZ-EZ1 10.75" X 10.75"



MSZ-EZ2 10.75" X 10.75"




MSZ-EZ4 10.75" X 10.75"




MSZ-EZ5 10.75" X 10.75"

**TRUCK NUMBERING KIT**


Decals with attachable numbers for all applications.




CA101



ICC101



DOT101



GVW101



D629 6" x 18" BIODIESEL DECAL



D734 2.25" x 6" BIODIESEL DECAL



D815 11.75" x 17.25" TRUCKS DRIVE AMERICA'S ECONOMY DECAL



RRX-2 7.5 x 26.5"



RRX-1 7.5 x 26.5"



RRX-3 3" x 30"



D816 7.25" x 12.75" CALIFORNIA TRUCKER DECAL



D817 10" x 12.25" TEXAS TRUCKER DECAL

TRUCKER SIZE DECALS 17" HIGH



MSC384 7.25" x 17"



MSC381 7.25" x 17"




MSC382 7.25" x 17"




MSC380 7.25" x 17"



MSC383 7.25" x 17"



MSC351A 10" x 17" (LT)



MSC350A 10" x 17" (RT)



MSC365 12.5" x 17"



MSC364 4" x 5.5"



D404 5"



D405 5"




MSC351 4" x 6.5" (LT)



MSC350 4" x 6.5" (RT)



MSC358 2.75" x 10.25"



D403 2.75" x 10.25"



D802 12" DIA UNISEX RESTROOM DECAL



D803 12" DIA HANDICAP RESTROOM DECAL



D806



D807

4" x 8" MEN/WOMEN SILHOUETTE DECAL



D801 7.5" x 9" NOTICE/AVISO DECAL



D804



D805

4.5" x 6.75" MEN/WOMAN DECAL




D812 4" x 8" MEN/HOMBRES DECAL



D813 4" x 8" WOMEN/MUJERES DECAL

**SAFETRUCK DECAL DISPLAY BOARDS**

25 of each decal on each display.



MSDP100 16" X 24"



MSDP101 24" X 16"



MSDP103 24" X 16"



ST4SDR-100 WD SPINNER DISPLAY  
ST4SDR-200 TS SPINNER DISPLAY

**SAFETRUCK SHOWROOM SPINNER DISPLAYS**

- Two sided logo header slides into channel.
- 4 Sided spinner display. Knocks down for ease of shipping. Fully modular.
- Inner wire grid construction with wire hooks/ bins to hold products.
- All metal powder coated. Inner 1" tubing for structure frame and base.
- Easy Assembly - Two screws only.
- Approx. Dims :  
72" Tall x 24" Wide x 24" Deep.



TMG105

**HEAVY HAUL HEADQUARTERS WOODEN SIGN**

12' x 24" MDO plywood sign.

**DISPLAY BANNER**

60" x 16" vinyl banner with two metal grommets at top and dowel at the bottom. Banner displays Safetruck's most popular decals.



TMG104




TMG103

**SAFETRUCK AUTHORIZED DISTRIBUTOR BANNER AND DECAL**

25" x 48" vinyl banner with 4 grommets  
3" x 6" window/door decal



TMG102



TMG106

**WOMEN AT WORK SIGN**

4.75" x 4.75" sign made out of plastic.



TMG107

**OVERSIZE MAGNET**

1" x 4.25" flexible refrigerator or filing cabinet magnet will stick to any steel surface, even your tailgate.



TMG108

**SAFETRUCK VINYL OVERSIZE LOAD KEY-CHAIN**

1" x 6" Keyrings made from 13 oz. vinyl. Great for your Oversized load of keys!

P/N	PAGE	P/N	PAGE	P/N	PAGE	P/N	PAGE	P/N	PAGE
1-0141-05	46	ACK-1	39	CM104CO	11	D407	52	D740S	54
11181LTLG	19	AD100	11	CV100	8	D410	53	D745	54
11181LTXLG	19	AD104	11	CV102	8	D453	53	D748	54
126CT	36	ADR100	11	CV103	8	D600	53	D749	54
12PVCS	31	ADR104	11	CV104	8	D601	53	D750	54
18PVCS	31	AM104	11	CV104AZ	8	D603	53	D751	53
20-800 - 49"	23	AV100	8	CV104AZ/CA	8	D607	52	D752	53
20-801 - 60"	23	AV102	8	CV104AZ/MX	10	D609	52	D753	53
20-802 - 49"	23	AV103	8	CV104CO	8	D610	52	D754	53
20-803 - 60"	23	AV104	8	CV110AK	8	D611	52	D755-0567	54
2082T-LARGE	19	AVB100	9	CV112	10	D612	53	D756	54
28PVCTL	31	AVB102	9	CV113	10	D613	52	D776	53
28PVCTLH	31	AVB104	9	CVM100	9	D615	52	D780	53
2CC	36	AVFMI	10	CVM104	9	D623	52	D789	54
36MESH	33	AVM100	9	CVM104AZ	9	D623A	52	D789S	54
363MREFL	33	AVM104	9	CVM104CO	9	D624	52	D790	53
36PVCS	31	AVM105OR	9	CVM110AK	9	D625	54	D791	53
36VINYL	33	AVMB100	9	CVMB104	9	D626S	54	D801	56
4CC	36	AVMB104	9	CVMB104CO	9	D627	54	D802	56
4CC28S	31	AVR104	10	CVR104	10	D627S	54	D803	56
4CC28T	31	AVR105OR	10	CVR104AZ	10	D629	56	D804	56
4CC36S	31	AVRB104	9	CVR104CO	10	D702	53	D805	56
6CC28S	31	AVRB105OR	9	CVR110AK	10	D703	52	D806	56
6CC28T	31	AVRMI	10	CVR112	10	D704	52	D807	56
6CC36S	31	AWD204	13	CVR113	10	D705	52	D812	56
6CC4C28S	31	AWR204	13	CVSD1	10	D706	54	D813	56
6CC4C28T	31	AWS204	13	CWD204	13	D706S	54	D815	56
6CC4C36S	31	BG28F	37	CWD204CO	13	D709	52	D816	56
8038GC-2	17	BG36F	37	CWD204PC	13	D710	52	D817	56
8048GC-2	17	BG48F	37	CWR204	13	D711	52	D855	53
80SMP97	36	CA100	12	CWR204AZ	13	D712	54	D961	53
8138MC-2	17	CA101	55	CWS200	13	D712S	54	D962	52
8148YMC-2	17	CA104	12	CWS204	13	D713	54	D963	53
81-8FO	36	CA104AZ	12	CWS204AZ	13	D713S	54	D971	52
81-8WFO	36	CA104CO	12	CWS204CO	13	D714	54	D972	52
81-CLIP	12	CAH100	12	CWS204PC	13	D715	53	D975	54
845702	38	CAH104	12	CWS210CA	13	D716	53	D981	53
845704	38	CAH104AZ	12	CWT-1	53	D717	52	D991	54
845772	38	CAH104CO	12	CWT-2	53	D718	52	D996	52
846531	38	CAR100	12	CWT-3	53	D719	52	D997	52
856001	38	CAR104	12	CWT-4	53	D720	52	DOT101	55
856001.1	38	CAR104AZ	12	CWT-5	53	D721	52	DS525C-2	18
AA100	12	CAR104CO	12	CWT-6	53	D722	52	EB	7
AA100L	12	CARH100	12	CWT-7	53	D723	52	FAK-10	39
AA100W	12	CARH104	12	CY100	10	D724	52	FAK-24	39
AA101	12	CARH104AZ	12	D201	52	D727	54	FB200C	5
AA104	12	CARH104CO	12	D202	52	D728	54	FB300C	5
AAH101	12	CD100	11	D203	52	D728S	54	FB400C	5
AAH104	12	CD104	11	D204	52	D729	54	FB400CR	5
AAR101	12	CD104AZ	11	D205	52	D729S	54	FB500C	5
AAR104	12	CD104CO	11	D206	52	D730	52	FB700C	5
AARH101	12	CDR100	11	D207	52	D731	54	FBC101	6
AARH104	12	CDR104	11	D208	52	D732	54	FBP101	6
AC9V1	40	CDR104AZ	11	D300	52	D732S	54	FG200A	4
ACAA4	40	CDR104CO	11	D301	52	D733	54	FG200B	4
ACAAA4	40	CDR112	11	D403	55	D734	56	FG200C	4
ACC2	40	CDR113	11	D404	55	D735	52	FG200D	4
ACD2	40	CM104	11	D405	55	D740	54	FG300A	4

P/N	PAGE	P/N	PAGE	P/N	PAGE	P/N	PAGE	P/N	PAGE
FG300B	4	FW400CR	3	MS44632	47	MSORB-100	45	MSZLL-1	42
FG300C	4	FW500A	3	MS530C-2	17	MSPT-3	27	MSZLL-1-10	42
FG300D	4	FW500B	3	MS539C-3	18	MSQMB101	1	MSZLL-4	42
FG400A	4	FW500C	3	MS807376	30	MSRFK27	30	MSZLL-6	42
FG400AR	4	FW500C-00S	7	MSAF-101	7	MSSL182-AMBER	21	MSZLL-8	42
FG400B	4	FW700A	3	MSAWLK-2A	25	MSSL182M-AMBER	21	MSZLL-8-8	42
FG400BR	4	FW700B	3	MSC350	55	MSSL182M-RED	21	MTL101	22
FG400C	4	FW700C	3	MSC350A	55	MSSL182-RED	21	NPC110459CA	13
FG400CR	4	FXI-1	52	MSC351	55	MST001R	28	NPC110480CA	13
FG400D	4	FXI-1F	52	MSC351A	55	MST101	28	NYS101	14
FG400DR	4	FXI-2	52	MSC358	55	MST102	28	PHS75	35
FG500A	4	FXI-2B	52	MSC364	55	MST103	28	PJS101	29
FG500B	4	FXI-2C	52	MSC365	55	MST104	28	PMAA4	40
FG500C	4	FXI-2CF	52	MSC380	55	MST105	28	PMAAA4	40
FG500D	4	FXI-2CFR	52	MSC381	55	MST106	28	PS	6
FG700A	4	FXI-2DC	52	MSC382	55	MST110	44	PS4001	35
FG700B	4	FXI-2F	52	MSC383	55	MST115	44	RB50-NEO	43
FG700C	4	FXI-2FR	52	MSC384	55	MSTR550A-ST	27	RB75	43
FG700D	4	FXI-2W	52	MSC4001	35	MSTR550A-AS-1	27	RB80	43
FQM300C	1	FXI-4	52	MSDP100	57	MSTR550A-AS-2	27	RB85	43
FQM700C	1	GVW101	55	MSDP101	57	MSTR550CA-ST	27	RB90	43
FQMA300C	1	ICC101	55	MSDP103	57	MSTR550CA-AS-1	27	RRX-1	55
FQMA700C	1	KDD714	47	MSDRI-97R	45	MSTR550CA-AS-2	27	RRX-2	55
FS200A	2	KDD716	47	MSF262 AMBER	21	MSTR551A-ST	27	RRX-3	55
FS200B	2	KDD719	47	MSF262M-AMBER	21	MSTR551A-AS-1	27	RT3-4112	46
FS200C	2	KDD724	47	MSF262 RED	21	MSTR551A-AS-2	27	RT4-4112	46
FS200D	2	KDD725	47	MSF262M-RED	21	MSTR551CA-ST	27	S8138C-3	18
FS300A	2	KDD727	47	MSFB1	35	MSTR551CA-AS-1	27	S8148C-3	18
FS300B	2	KDD733	47	MSFC2	35	MSTR551CA-AS-2	27	SF	36
FS300C	2	KDD736	47	MSFLK-A	21	MSTR553CALED	27	SMV104	37
FS300D	2	KDD738	47	MSFLK-R	21	MSTR553CWLED	27	SMV105	37
FS400A	2	LED721-BLACK	51	MSF-PSL34A	25	MSTS10	46	SMV106	37
FS400AR	2	LED721-BLUE	51	MSF-PSL34R	25	MSTS15	46	SMV200	37
FS400B	2	LED721-RED	51	MSF-HH-A	25	MSTS21	46	SS100	14
FS400BR	2	LMS101	30	MSF-HH-R	25	MSTS31	46	SS101	14
FS400C	2	MF101	6	MSF-SS100	25	MSTS41	46	SS-201-100	41
FS400CR	2	MF180	6	MSF-SS101	25	MSV100BLU	20	SS-201-200	41
FS400D	2	MF185	6	MSG1800 KIT	24	MSV100HVL	20	SS-201-300	41
FS400DR	2	MS1070-01	19	MSGL101KIT	24	MSV100HVO	20	ST4SDR-100	57
FS500A	2	MS1070-HVO	19	MSGR101KIT	24	MSV100WHT	20	ST4SDR-200	57
FS500B	2	MS17006	49	MSGR4000	27	MSV100YEL	20	SZ-412	34
FS500C	2	MS17007	49	MSGR6000	27	MSV300	20	SZ-412-S	34
FS500D	2	MS17018	49	MSHA1000	49	MSVCB100-BLACK	20	SZP-BAG-24	34
FS700A	2	MS17019	49	MSHA100	49	MSVCB100-TAN	20	TD1993	54
FS700B	2	MS21064-SCT	32	MSHA104	49	MSVCB100-WHITE	20	TL400	29
FS700C	2	MS21264-SCT	32	MSLOG-001	45	MSVIR-100	45	VH100	16
FS700D	2	MS21464-SCT	32	MSLOG-007	45	MSWP101	50	VH101	16
FW200A	3	MS21664-SCT	32	MSLUX-HWT	15	MSXG1119	48	VH200	16
FW200B	3	MS218-301	26	MSLUX-LWT	15	MSXG408RGB	48	VH201	16
FW200C	3	MS218-322	26	MSMM-101	50	MSXG411TW	48	VH302	16
FW300A	3	MS218-383	26	MSMPF-4LKA	22	MSXG5861A	24	VH303	16
FW300B	3	MS218-384	26	MSMPF-4LKR	22	MSXG6020	24	VH500	16
FW300C	3	MS251-201	26	MSMPF-4LKR	22	MSZ-EZ1	54		
FW400A	3	MS256-303	26	MSMPF-4LKCA	22	MSZ-EZ2	54		
FW400AR	3	MS256-304	26	MSMPF-4LKCR	22	MSZ-EZ4	54		
FW400B	3	MS256-312	26	MSMPFM-4LKA	22	MSZ-EZ5	54		
FW400BR	3	MS330C-2	17	MSMPFM-4LKR	22	MSZLL-0	42		
FW400C	3	MS339C-3	18	MSMPFM-4LKR	22	MSZLL-0-10	42		





**Corporate Headquarters**

2159 Research Dr. Livermore, CA 94550  
Tel: 925.243.1720 Fax: 925.243.1721  
Mon - Fri 8 a.m. - 5 p.m. (PST)

**Mfg and Distribution Center**

2815 U.S Hwy 40 Verdi, NV 89439  
Order Desk: 775.345.7242  
                  : 800.537.1261  
Order Fax : 775.345.7296  
Mon - Fri 7 a.m. - 3:30 p.m. (PST)  
info@safetruckproducts.com

**MEMBER OF**



DISTRIBUTED BY

P/N: MCST2012

